



Program Studi Ilmu Keperawatan
Fakultas Kedokteran
Universitas Diponegoro
Juli 2008

ABSTRAK

Puspita Ekarini

Faktor-Faktor yang Berhubungan dengan Perilaku Pemberian Kolostrum pada 1 Jam Pertama Kelahiran di Kelurahan Padangsari Kecamatan Banyumanik Kota Semarang

xiv + 73 halaman + 15 tabel + 2 gambar + 15 lampiran

Mendapatkan Air Susu Ibu atau ASI adalah proses pemenuhan hak pertama yang harus diterima oleh anak ketika baru lahir dan sebelum mendapatkan hak yang lain. Namun hasil penelitian menunjukkan hanya 4% bayi yang disusui ibunya pada 1 jam pertama kelahiran padahal diperkirakan sekitar 30.000 kematian bayi baru lahir dapat dicegah melalui pemberian ASI pada 1 Jam pertama setelah lahir. Penelitian ini bertujuan untuk mengetahui hubungan antara faktor pengetahuan, psikologis ibu, sikap petugas kesehatan, sosial budaya/kepercayaan dan dukungan keluarga dengan perilaku pemberian kolostrum pada 1 jam pertama.

Penelitian ini adalah penelitian kuantitatif non eksperimental yaitu *explanatory research* dengan pendekatan *cross sectional* dan metode penelitian survei. Pengumpulan data dilakukan dengan menggunakan kuesioner yang didistribusikan pada 44 responden yang telah memenuhi kriteria inklusi.

Hasil uji statistik dengan taraf signifikansi 5% (0,05) menunjukkan variabel yang mempunyai hubungan yang signifikan terhadap perilaku pemberian kolostrum pada 1 jam pertama adalah tingkat pengetahuan ($p=0,001$), sikap petugas kesehatan ($p=0,036$), sosial budaya/kepercayaan ($p=0,036$) dan dukungan keluarga ($p=0,003$). Sedangkan kondisi psikologis ibu tidak memiliki hubungan yang signifikan dengan perilaku pemberian kolostrum pada 1 jam pertama kelahiran ($p=0,316$).

Dari hasil penelitian dapat disimpulkan bahwa faktor-faktor yang berhubungan dengan perilaku pemberian kolostrum pada 1 jam pertama adalah tingkat pengetahuan, sikap petugas kesehatan, sosial budaya/kepercayaan dan dukungan keluarga. Sehingga diharapkan kepada masyarakat, petugas kesehatan dan instansi kesehatan untuk dapat berperan aktif dalam menggali informasi kesehatan sehingga dapat menurunkan angka kematian bayi melalui pemberian kolostrum pada jam pertama.

Kata kunci : Kolostrum, Satu Jam Pertama, Kelahiran
Daftar Pustaka : 32 (2000-2008)



**Nursing Science Program Study
Medical Faculty
Diponegoro University
July 2008**

ABSTRACT

Puspita Ekarini

Factors Which Correlate With Behavior Of Giving Colostrums (Breastfeed) At First Hour Delivery In Political District of Padang Sari Sub District Of Banyumanik Semarang

xiv + 73 pages + 15 tables + 2 pictures + 15 appendices

Get the breast milk is the first right must gotten by neonatus before get the other rights. But, based on early research showed that in Indonesia only 4% neonatus were breastfeed at first hour of born. Factually, estimated 30.000 neonatus mortality can be prevented by giving colostrums (breastfeeding) at the first hour delivery. Purpose of this research is to know correlation between knowledge level, psychological of mother, health human resources attitude, social cultural/believeness and family support with behavior of giving colostrums (breastfeeding) at first hour delivery.

This research is quantitative non experimental research with cross-sectional approach and analytic survey research method. Process of collecting the datas have done with used questionair which distributed to 44 respondent who include in inclusion criterias.

Stathistic test result with significancy level 5% (0.05) showed variables have correlation with behavior of giving colostrums at first hour delivery is knowledge level ($p=0.001$), health human resources attitude ($p=0.036$), social cultural/believeness ($p=0.036$) and family support ($p=0.003$). Phsycologist condition of mother uncorellated with behavior of giving colostrums at first hour delivery ($p=0.316$).

Based on research result, conclude that factors which correlate with behavior of giving colostrums (breastfeed) at first hour delivery is knowledge level, health human resources attitude, social cultural/believeness and family support. There are expectations to public, health human resources and health institution to be active explore health informations to decrease neonatal mortality such as by giving colostrums at first hor delivery.

Keywords : Colostrum, At First Hour, Delivery

Bibliography : 32 (2000-2008)