

GAMBARAN PERILAKU WANITA PEKERJA SEKS TERHADAP PENYAKIT MENULAR SEKSUAL DAN  
AIDS DI LOKALISASI 55 KABUPATEN MANOKWARI PROVINSI PAPUA TAHUN 2002

GEORGE ROBIN WAKUM -- E2A200027

(2003 - Skripsi)

Faktor utama penularan PMS dan AIDS diketahui melalui hubungan seksual. Jumlah kasus PMS dan AIDS di Kabupaten Manokwari terus meningkat. tercatat hingga akhir tahun 2000 terdapat 62 kasus Sphilis, 3 kasus Gonorrhoe dan 3 kasus HIV positif. Peningkatan jumlah aksus PMS dan AIDS bisa menjadi permasalahan serius, jika tidak ada langkah pencegahan dan penanggulangan terutama pada kelompok risiko tinggi. (Kelompok risiko tinggi tersebut diantaranya Wanita Pekerja Seks dan Pelanggannya). Tujuan penelitian ini adalah untuk memperoleh informasi mengenai gambaran pengetahuan, sikap dan praktik wanita pekerja seks terhadap pencegahan PMS dan AIDS. Penelitian ini berbentuk kualitatif dengan pengumpulan data melalui wawancara mendalam (*indepth interview*). Responden dalam penelitian ini adalah wanita pekerja seks berjumlah 19 orang yang berpendidikan terendah tamat SD dan telah bekerja lebih dari 12 bulan, serta ditambah *key informan* (1 orang dokter puskesmas, 1 orang petugas Dinas Kesehatan, dan 1 orang mucikari/germo). Dari hasil penelitian diperoleh bahwa pengetahuan wanita pekerja seks tentang PMS dan AIDS pada umumnya cukup baik, sikap wanita pekerja seks terhadap pencegahan PMS pada umumnya cukup baik, sedangkan sikap terhadap pencegahan AIDS pada umumnya masih kurang baik dan keliru, serta praktik pencegahan PMS dan AIDS wanita pekerja seks pada umumnya masih kurang baik. Maka untuk mencegah PMS dan AIDS pada kelompok wanita pekerja seks perlu ditingkatkan penyuluhan dan kampanye kondomisasi dengan melibatkan secara terpadu lintas sektoral terkait di lokalisasi Lima-Lima Kabupaten Manokwari Propinsi Papua.

**Kata Kunci:** Wanita Pekerja Seks, PMS dan AIDS

BEHAVIORAL PICTURE (OF) WOMAN OF WORKER SEX TO PREVENTION OF CONTAGION OF  
SEXUAL AND AIDS OF LOCALIZATION OF LIMA-LIMA REGENCY MANOKWARI PAPUA PROPINCE  
TAHUN 2002

Primary factor of infection of PMS and AIDS known through sexual (relation/link). Sum up case of PMS and AIDS at Manokwari regency increasing. Noted year-end till 2000 there are 62 case Syphilis, 3 case Gonorrhoe and 3 positive case HIV. Sum up case of PMS and AIDS can become serious problems, if [there] no preventive action and overcome especially [at] high risk group. (The high risk group among other things women of worker of sex and [His/Its] client; subscriber). This research target is to obtain get information hit illustration knowledge, attitude and practice of scarlet women to prevention of PMS and AIDS. This research [is] in form of qualitative data collecting [of] through circumstantial interview (indepth interview). Respondent in this research [is] amount to 18 one who have education of lowest of finish yunior school and have worked more than 12 year, and also be added [by] 3 people of key informant (1 people of dokter Puskesmas, 1 people of health worker, and 1 people mucikari/germo). From research result obtained [by] that knowledge of scarlet women [of] about PMS and AIDS [of] generally good enough, attitude scarlet women of worker sex to prevention PMS [of] generally good enough, while attitude to prevention AIDS [of] generally still be unfavourable and wrong, preventive seta practice [of] PMS and AIDS of woman of worker sex which generally still be unfavourable. Hence to [be] preventive [of] PMS and AIDS [of][at]group of woman of worker sex need improved [by] counselling and campaign kondomisasi by entangling inwroughly pass by quickly related/relevant sectoral [of] localization of Lima-Lima regency Manokwari Province Papua.

Keyword: Scarlet women, PMS and AIDS