

FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN KEJADIAN TB PARU DI  
DESA BANTARBARANG, KECAMATAN REMBANG, KABUPATEN PURBALINGGA

YULIANTO -- E2A303260  
(2005 - Skripsi)

Faktor-faktor yang menjadi penyebab terjadinya tuberkulosis paru dapat digolongkan dalam 4 (empat) hal yaitu: manusia, kuman penyebab, lingkungan dan tindakan. Faktor lingkungan adalah keadaan lingkungan manusia dan kuman yang mendukung untuk perubahan sehat menjadi sakit. Penelitian bertujuan untuk mengetahui faktor-faktor yang berhubungan dengan kejadian TB Paru di Desa Bantarbarang, Kecamatan Rembang Kabupaten Purbalingga. Jenis penelitian observasional dengan rancangan kasus kontrol. Sampel kasus dan sampel kontrol masing-masing diambil 19 orang. Metode analisis data menggunakan analisis univariat dan bivariat. Kesimpulan hasil penelitian : 1. Faktor status gizi tidak mempunyai hubungan bermakna dengan kejadian TB Paru BTA+. Hasil analisis statistik diperoleh nilai  $p = 0,742$  lebih besar dari  $\alpha = 0,05$ . 2) Faktor kebiasaan merokok tidak mempunyai hubungan bermakna dengan kejadian TB Paru BTA+. Hasil analisis diperoleh nilai  $p = 0,727$  lebih besar dari  $\alpha = 0,05$ . 3) Faktor pendidikan tidak mempunyai hubungan bermakna dengan kejadian TB Paru BTA+. Hasil analisis statistik diperoleh nilai  $p = 0,100$  lebih besar dari  $\alpha = 0,05$ . 4) Faktor kebiasaan merokok tidak mempunyai hubungan bermakna dengan kejadian TB Paru BTA=. Hasil analisis statistik diperoleh nilai  $p = 0,021$  lebih kecil dari  $\alpha = 0,05$ . 5) Faktor kepadatan hunian tidak mempunyai hubungan bermakna dengan kejadian TB Paru BTA+ Hasil analisis statistik diperoleh nilai  $p = 0,003$  lebih kecil dari  $\alpha = 0,05$ . Nilai OR = 11.556 (CI 95%: 2,411-55,392). 7) Faktor pekerjaan analisis statistik diperoleh nilai  $p = 0,094$  lebih kecil dari  $\alpha = 0,05$ . Seluruh responden pada kelompok kasus maupun kelompok kontrol, tidak ada suspek penderita TB Paru seluruh, sehingga tidak dianalisis.

**Kata Kunci:** Kejadian TB Paru BTA+, status gizi, kebiasaan merokok, pendidikan, status sosial, kepadatan hunian, ventilasi, pekerjaan, dan suspek penderita TB Paru serumah *social economic status*

*SOME FACTOR'S RELATED TO THE OCCURENCE OF TUBERCULOSIS IN  
COUNTRYSIDE BANTARBARANG, REMBANG SUBDISTRICT, PURBALINGGA  
REGENCY*

*Factors becoming cause the occurence of tuberculosis can be classified in 4 matter that is: human being, cause germ, environmental and action. Environmental factor is environmetal circumstance of human being and germ supporting for the change of healthy become pian. research aim to knoe the factors which deal with occurrence of tuberculosis In. Countryside Bntarabarang Rembang Subdistrict, Purbalingga Regency. Type of research observationl with the case device control the.Case and control sample each taken by 19 people. Method analyze the data use the analysis of univariat and bivariate. Result of research 1) Factorof nutrient status doesn't have the relation having a meaning with the occurrence of tuberculosis. Result of obtained by dtatistical analysis of p value=0,742 larger ones from altas=0,05.2) Factor of cigarette habit doesn't have the relation having a meaning of with the occurrence of tuberculosis. Result of obtained by p value=0,727 larger ones from altas=0,05.3) Education factor don't have the relation having a mesning of with the occurrence of tuberculosis. Result of obtained by statistical analysis of p value=0,100 larger ones from altas=0,05.4) Status of economic social factor has the relation having a meaning of with the occurrence of tberculosis. Result of analysis obtained by p value =0,021 which is smaller than altas=0,05.5) Factor of dwelling Density doesn't have the relation having a meaning of with the occurrence of tuberculosis. Resultof obtained by statistical analysis of value p=0,75 larger ones from altas=0,05.6) Factor ventilate the house have the relation having a meaning of with the occurrence of tuberculosis. Result of obtained by statistical analysis of p value =0,003 which is smaller than altas=0,05. Value OR=11,556(CI 95:2,411-55,392). 7) Work factor don't have the relation having a meaning of with the occurrence of tuberculosis. Result of obtained by stitastical analysis of value p=0,094 which is smaller than altas=0,05. All responder at case group. and also group, so its not analyzed.*

**Keyword : Occurrence of TB Paru BTA +, nutrient status, cigarette habit, education**