

## DAFTAR PUSTAKA

1. World Health Organization. Implementing the new recommendation on the clinical management of diarrhea: guidelines for policy makers and programme managers. Geneva: WHO Press 2006.
2. World Health Organization. The treatment of diarrhea: a manual for physicians and other senior health workers. Geneva: WHO Press 2005.
3. World Health Organization. Diarrhea treatment guidelines, including new recommendation for the use of ORS and zinc supplementation for clinic-based health workers. Diunduh (14 Januari 2009) dari: <http://whqlibdoc.who.int/publications/2005/a85500>.
4. Modul Pelatihan tatalaksana diare pada anak. Jakarta : Badan Koordinasi Gastroenterologi Anak Indonesia 2007.
5. Dwiprahasto I. Penggunaan antidiare ditinjau dari aspek terapi rasional. Dalam : kongres nasional II. Badan Koordinasi Gastroenterologi Anak Indonesia (BKGAI). Bandung ; BKGAI. 2003.
6. Sudarmo SM. Peranan probiotik dan prebiotik dalam upaya pencegahan dan pengobatan diare pada anak. Dalam : kongres nasional II Badan Koordinasi Gastroenterology Anak Indonesia (BKGAI). Bandung ; BKGAI. 2003.
7. Rohim A, Sudarmo SM. Probiotik dan flora normal usus. Soegijanto S, editor. Dalam : Ilmu penyakit anak. Diagnosis dan penatalaksanaan. Edisi ke-1. 2002:93-103
8. Harish K, Varghese T. Probiotics in humans-evidence based review. Calicut Medical Journal. 2006;4(4):1-11
9. Saavedra JM. Use of probiotic in pediatrics: rationale, mechanisms of action, and practical aspects. Nutrition in Clinical Practice 2007;22:351-365
10. Shornikova AV, Casa IA, Isolauri E, Mykkanen H, Vesikari T. Lactobacillus reuterii as a therapeutic agent in acute diarrhea in children. JPGN.1997;24(4):399-404.
11. Canani RB, Cirillo P, Terrin G, Cesarano L, Spagnuolo MI, De Vincenzo A, et al. Probiotics for treatment of acute diarrhea in children: randomized clinical trial of five different preparations. Diunduh (14 Januari 2009) dari: URL: <http://bmj.com/cgi/content/full/bmj.39272.581736.55>.

12. Kianifar HR, Farid R, Ahanchian H, Jabbari F, Moghimian T, Sistanian A. Probiotic in the treatment of acute diarrhea in young children. *Iran J Med Sci*. 2009;34(4):204-7.
13. Putra IGNS, Suraatmaja S, Aryasa IKN. Effect of probiotics supplementation on acute diarrhea in infants: a randomized double blind clinical trial. *Paediatrica Indonesiana*. 2007; 172-78
14. Alasiry E, Abbas N dan Daud D. Khasiat klinik pemberian probiotik pada diare akut nonspesifik bayi dan anak. *Sari Pediatri*. 2007;8(3):36-41.
15. McFarland LV, Elmer GW, McFarland M. Meta-analysis of probiotics for the prevention and treatment of acute pediatric diarrhea. *International journal of probiotics and prebiotics*. 2006 ; 63-76
16. Ribeiro HC, Ribeiro TCM, Mattos AP, Valois SS, Neri AD, Cerqueira CM, ramos E. limitation of probiotic therapy in acute, severe dehydrating diarrhea. *JPGN*. 2003;36:112-5.
17. Niel CWV, Feudtner C, Garrison MM, Christakis DA. Lactobacillus therapy for acute infectious diarrhea in children : a meta-analysis. *Pediatrics*. 2002 ; 678-84.
18. Tim Pendidikan Medik Pemberantasan Diare (PMPD). Buku ajar diare. Jakarta: Departemen Kesehatan RI 1999: 3-14
19. Sudigbia I. Pengantar diare akut anak. Semarang: BP UNDIP,1991:1-61
20. Suheryati, Azhali MS, Alfa Y dan Sumarna N. Prevalensi infeksi rotavirus penderita diare akut pada anak usia 1-60 bulan di Puskesmas kota Bandung. Dalam: Kongres nasional II Badan Koordinasi Gastroenterologi Anak Indonesia (BKGAI). Bandung : BKGAI. 2003.
21. Santosa B. Tatalaksana diare cair akut. Dalam: Kongres nasional III Badan Koordinasi Gastroenterologi Anak Indonesia (BKGAI), penanganan optimal masalah saluran cerna dan hati pada anak. Surabaya ; BKGAI. 2007:35-46
22. Sudigbia I. Pengaruh suplementasi tempe terhadap kecepatan tumbuh pada penderita diare anak umur 6-24 bulan. Disertasi. Semarang. Universitas Diponegoro, 1990:7-37.
23. Prawirohartono EP. Terapi nutrisi pada bayi. Dalam: Kongres nasional II Badan Koordinasi Gastroenterologi Anak Indonesia (BKGAI). Bandung; BKGAI. 2003:291-309
24. Baratawidjaja KG. Imunologi dasar edisi 6. Jakarta: BP FKUI, 2006: 6-33.

25. Soeparto P. Sistem imunologi intestinal. Dalam: Suharyono, Boediarso A, Halimun EM, editor. Gastroenterologi anak praktis. Jakarta, FKUI, 1988: 17-41.
26. Heyman M. Effect of lactic acid bacteria on diarrheal disease. Journal of American College of Nutrition. 2000; 19(2):137-46.
27. Ouwehand A, Lahtinen S. Mechanism of probiotics. In : Lee YK, Salminen S, editors. Handbook of probiotik and prebiotik. Wiley, 2<sup>nd</sup> edition. 2009:377-440.
28. Szajewska H. Probiotics and prebiotics in pediatrics: where are we now? The Turkish Journal of Pediatrics. 2007;49:231-44.
29. Probiotics and prebiotics. World Gastroenterology Organization Practice Guideline.2008
30. Cabana MD, Shane AL, Chao C, Hemker MO. Probiotics in primary care pediatrics. *Clin Pediatr (Phila)* 2006; 45:405-9.
31. Ouwehand A, Lahtinen S. Mechanism of probiotics. In : Lee YK, Salminen S, editors. Handbook of probiotik and prebiotik. Wiley, 2<sup>nd</sup> edition. 2009:377-440.
32. Goel AJ, Dilbaghi N, Kamboj DV, Singh L. Probiotic : microbial therapy for health modulation. Defence science journal. 2006; 56(4):513-29.
33. Galdeano CM, LeBlanc AM, Vinderola G, Bonet MEB, Perdigon G. Proposed model: mechanism of immunomodulation induced by bacteria probiotic. Clinical and vaccine immunology. 2007; 14(5):458-92.
34. Reid G, Jass J, Sebulsky S, McCormick JK. Potensial uses of probiotic in clinical practice. Clinical microbiology reviews. 2003;16(4):658-72
35. Health and nutritional properties of probiotics in food including powder milk with live lactic acid bacteria. Argentina. FAO/WHO. 2001.
36. Galdeano CM, Perdigon G. Role of viability of probiotic strain in their persistence in the gut and in mucosal immune stimulation. Journal of applied microbiology. 2004 ; 97 : 673-81.
37. Ma D, Forsythe P, Bienenstock. Live Lactobacillus reuteri is essential for the inhibitory effect on tumor necroting factor alpha-induced interleukin-8 expression. Infection and immunity. 2004 ; 72(9): 5308-14.
38. Miettinen M, Varkila JV, Varkila K. Production of human tumor necrosis factor alpha, interleukin-6 and interleukin 10 is induced by lactic acid bacteria. Infection and immunity. 1996 ; 64 (12) : 5403-05.

39. Picard C, Fioramonti J, Francois A, Robinson T, Neant F, Matuchansky C. Bifidobacteria as probiotic agents – physiological effects and clinical benefits. Alliment Pharmacol ther. 2005; 22 : 495-512.
40. Ishibashi N, Yamakazi S. Probiotics and safety. Am J Clin Nutr. 2001 ; 73 : 465S-70S.
41. Madiyono B, Moeslichan S, Sastroasmoro S, Budiman I, Purwanto SH. Perkiraan besar sampel dalam Sastroasmoro S, Ismael S. Dasar-dasar metodologi penelitian klinis. Jakarta. 2002 :259-86
42. Simackachron N, Pichaipat V, Rithipompaisam P, Kongkaew C, Tongpradit P, Varavithya W, et al. Clinical evaluation of addition lyophilized, heat killed lactobacillus acidophilus LB to oral rehydration therapy in treatment of acute diarrhea in children. J Paediatr Gastroenterol Nutr 2000;30:68-72.
43. Weizman Zvi, Asli G, Alsheikh A. Effect of probiotic infant formula on infection in child care centers: comparison of two probiotic agents. Pediatrics. 2005 ;115: 5-9.
44. Guandalini S. Recommendations for probiotic use. J Clin Gastroenterol. 2008;42(2) ; S53-7.