

DAFTAR PUSTAKA

1. Galler S, Metin G. Incidence, morbidity and mortality of preeclampsia and eclampsia. In: Proceeding of 12th Postgraduated Course in Repoductive Medicine and Biology, Genewa, Switzerland. 2003 : pp. 1-8 .
2. Gant C, Gilstrap L, Wenstrom H. Hypertensive disorders in pregnancy. In: Williams Obstetrics. 21st Ed. New York: McGraw-Hill. 2001: pp. 567-609
3. Wibowo B. Kematian perinatal pada preeklamsia-eklamsia. (Tesis) Semarang : Bagian Obstetri Ginekologi FK UNDIP/RS. Dr. Kariadi. 1997: hal. 34-9.
4. Adhie PA. Hubungan kadar hematokrit dan trombosit ibu terhadap keluaran perinatal pada penderita preeklamsia berat. Dalam : Kumpulan Naskah Lengkap POGI Cabang Semarang. PIT XIV POGI Bandung. 2004. : hal. 49-54.
5. Ness RB, Roberts JM. Heterogenous causes consisting the single syndrome of preeclampsia : A hypothesis and its implication. Am J Obstet Gynecol. 2002 : pp. 175-85.
6. Salafia CM, Pezullo JC, Lopes-Zeno JA, Simmens S. Placental pathologic features of preterm preeclampsia. Am J Obstet Gynecol. 1995 : 1097-105
7. Khong TY, Robertson JM. Spiral artery disease. In : Coulam CB, Faulk WP (eds). Immunologiical Obstetrics. New York: Norton. 2001 : pp. 492-501
8. Levy R. Trofoblas apoptosis from pregnancies complicated by fetal growth restriction in associated with enhanced p53 expression. Am J Obstet Gynecol. 2002 : pp.1056-61.
9. Herman K. Morfologi dan rasio plasenta pada PE-E pengaruhnya terhadap pertumbuhan janin terhambat dan outcome bayi baru lahir. 1999 : hal. 58-62
10. Benyo DF, Miles TM. Hypoxia stimulates cytokine production by villous explants from the human placenta. J Clin Endocrinol Metab. 1997 : pp.1852-88.
11. Conrad KP. Placenta cytokine and the pathogenesis of preeclampsia. Am J Reprod Immunol. 1997: pp. 240-9.
12. Various. Working Group Report in High Blood Pressure in Pregnancy. National High Blood Pressure Education Program. NIH Publication. July 2000 : pp.34-56.
13. Granger JP, Alexander BT. Pathophysiology of preeclampsia: Linking placental ischemia/hypoxia with microvascular dysfunction. Center for Excellence in Cardiovascular Renal Research. USA. 2003 : pp.21-9.
14. Kharfi A. Trofoblastic remodeling in normal and Preeclamptic pregnancies; implication of cytokines. Am J Obstet Gynecol. 2003: pp.323-31
15. Roberts JM, Redman CWG. Preeclampsia : More than pregnancy induced hypertension. Lancet. 1993: pp. 1447-51.

16. Godkin JD, Jules JE. Transforming growth factor β and the endometrium. *Rev Reprod.* 1998 : pp.1-6.
17. Alexander GT, Bennet WA, Khalil RA. Preeclampsia : Linking placental ischemia with cardiovascular-renal dysfunction. *New Physiol Sci.* 2001: pp. 282-6.
18. Tristram G, Stites D, Terr A. Reproduction and the immune system. In *Medical Immunology.* McGraw Hill 10th Ed. 2003 : pp.548-59.
19. Charles NT. The Role of Placenta in Preventing Maternal Rejection of the Fetus. 2001 : pp.8-14.
20. Huppertz B, Rote JS, Nelson DM. Apoptosis, Molecular and Genetic Contributions. In: *Apoptosis: Molecular Control of Placental Function.* 2001: pp.57-9.
21. Fukushima. TNF α inducing apoptosis and integrin switching in human extravillous trophoblast cell line. *Biology of Reproduction.* 2002 : pp. 41-9.
22. Li Y, Matsuzaki N, Musuhiro KI. Trophoblast-Derived Tumor Necrosis Factor-alpha Induces Release of Human Chorionic Gonadotropin Using IL-6 and IL-6 receptor-dependent system in the normal human trophoblasts. *J Clin Endocrinol Metab.* 1992: 74(1): pp.184- 191.
23. Martha Lappas, Michael Permezel, Harry M. Georgiou, and Gregory E. Rice. Nuclear factor kappa B regulation of proinflammatory cytokines in humangestational tissues in vitro. *Biol Reprod.* 2002: 67: pp. 668–73.
24. Liz-Graña M, Gómez-Reino JJ, Carnota. Tumour Necrosis Factor. Genetics, cell action mechanism and involvement in inflammation. *Alerg Immunol Clin.* 2001:16: pp.140-49.
25. Levy R, Smith SD, Sadovsky CY, Nelson M. Apoptosis in human cultured trophoblasts is enhanced by hypoxia and diminished by epidermal growth factor. *Am J Physiol Cell Physiol.* 2000: pp. 278- 988.
26. Buusa RM, Boockfo FR. Transferrin Expression by Placental Trophoblastic Cells. In : *Placenta.* 2004: pp. 25: 45–52.
27. Bang-ning L, Ordonez N, Popek EJ. Inflammatory cytokine expression is correlated with the level Of human immunodeficiency virus (HIV) transcripts in HIV-infected placental trophoblastic cells. *J Virol.* 1997: pp. 3628–35.
28. Fukushima K, Miyamoto S, Komatsu H, Tsukimori K, Kobayashi H. TNF α -induced apoptosis and integrin switching in human extravillous trophoblast cell. *Biology of reproduction.* 2003: pp.1771–8.
29. DiFederico E, Genbacev O. Preeclampsia is associated with widespread apoptosis of placental cytotrophoblasts within the uterine wall. *Am J Pathol.* 1999: pp.155-8.
30. Matsubara K, Abe E, Ochi H, Kusanagi Y, Ito M. Changes in serum concentrations of tumor necrosis factor α and adhesion molecules in normal pregnant women and those with pregnancy-induced hypertension. *J. Obstet. Gynaecol. Res.* 2003 : 29(6): pp.422–6.
31. Lake YW, King K. Immunology in pregnancy. In: *Turnbull Obstetrics.* Harcourt Publishers Limited. 2001: pp.93-107.

32. Reynir A. Preeclampsia. In : *Principals & practice of medical genetics*. Churchill Livingstone. 4th Ed. 2002 : pp.1496-1502.
33. Tower C : *Genetics in Preeclampsia*. Parthenon Publishing Group. 2004; pp. 41-8.
34. Richardson A, Sisay-Joof F, Ackerman H, Usen S, Katundu P, Taylor T, Molyneux M, Pinder M, Kwiatkowski D. Nucleotide diversity of the TNF gene region in an African village. *Gen Immun*. 2001; 2: 343–348.
35. Saarela T, Hiltunen M, Helisalmi S, Heinonen S, Laakso M. Tumour necrosis factor- gene haplotype is associated with pre-eclampsia. *Mol Hum Reprod*. 2005; 11(6): pp.437-440.
36. Heiskanen J, Romppanen EL, Hiltunen M, Iivonen S, Mannermaa A, Punnonen K, Heinonen S. Polymorphism in the tumor necrosis factor-alpha gene in women with preeclampsia. *J Assist Reprod Genet* 2002 May;19(5): pp.220-3.
37. Kaiser T, Grehan M, Brennecke SP, Moses EK. Association of the TNF2 allele with eclampsia. *Gynecol Obstet Invest* 2004;57(4): pp.204-9.
38. Lachmeijer AM, Crusius JB, Pals G, Dekker GA, Arngrimsson R, ten Kate LP. Polymorphisms in the tumor necrosis factor and lymphotoxin-alpha gene region and preeclampsia. *Obstet Gynecol*. 2005 : 98(4): pp.612-9.
39. Chen G, R Wilson, Wang SH, Zheng HZ, Walker JJ, McKillop JH. Tumour necrosis factor-alpha (TNF-alpha) gene polymorphism and expression in preeclampsia. *Clin Exp Immunol*. 1996 Apr : 104(1):pp 154-9.
40. Richard L, Naeya. *Disorders of the placenta, Fetus and Neonate : Diagnosis and clinical significance*. 1992 : pp.123-5.
41. Osman I, Young A, Ledingham MA, Thomson AJ, Jordan F, Greer IA, Norman JE. Leukocyte density and pro-inflammatory cytokine expression in human fetal membranes, decidua, cervix and myometrium before and during labour at term. *Molecular Human Reproduction* Vol.9, No.1 2003: pp. 41-45,
42. S. Vassiliadis,1,3,CA A. Ranella,1 L. Papadimitriou,Makrygiannakis2 and I. Athanassakis1. Serum levels of pro- and anti inflammatory cytokines in non-pregnant women, during pregnancy, labour and abortion. *Mediators of Inflammation*, 1998 : pp.69–72