

## DAFTAR PUSTAKA

1. Muttukrishna S, Groome N, Redman, Sargent. Serum Inhibin A and Activin A are elevated prior to the onset of preeclampsia. *Hum Reprod* 2000;15:1640-5.
2. Tannetta DS, Muttukrishna S, Groome NP, Redman C, Sargent IL. Endothelial Cells and Peripheral Blood Mononuclear Cells are a Potential Source of Extraplacental Activin A in Preeclampsia. *J Clin Endocrinol Metab* 2003; 88 : 5995-6001.
3. Davidson E, Riley S, Roberts S, Shearing C, Groome N. Maternal serum activin, inhibin, human chorionic gonadotrophin and  $\alpha$ -fetoprotein as second trimester predictors of pre-eclampsia. *BJOG* 2003;110: 46-52
4. Hanisch CG, Pfeiffer KA, Schlebusch H, Schmolling J. Adhesion molecules, activin and inhibin candidates for the biochemical prediction of hypertensive disease in pregnancy. *Arch Gynecol Obstet* 2004 ; 270 : 110-15
5. Ledger WL. Measurement of inhibin A and activin A in pregnancy-possible diagnostic applications. *Mol Cell Endocrinol.* 2001; 180: 117-21
6. Bersinger NA, Groome N, Muttukrishna S. Pregnancy-associated and placental proteins in the placental tissue of normal pregnant women and patients with pre-eclampsia at term. *Eur. J. Endocrinol.* 2002; 147: 785-93
7. Granger J, Alexander B, Llinas M, Bennett W, Khalil R. Pathophysiology of hypertension during preeclampsia linking placental ischemia with endothelial dysfunction. *Hypertension* 2001;38:718

8. Reis F, D'Antona D, Petraglia F. Predictive value of hormone measurements in mother and fetal complications of pregnancy. *Endocrine reviews* 2002; 23: 230-57.
9. Keelan JA, Taylor R, Schellenberg J, Groome N, Mitchel M, North R. Serum Activin A, Inhibin A and Follistatin Concentrations in Preeclampsia or Small for Gestational Age Pregnancies. *Am J Obstet Gynecol* 2002;99: 267-74
10. Reynold C, Mabie W, Sibai B. Hypertensive States Of Pregnancy. In: DeCherney, Nathan L, editors. *Current Obstetric And Gynecologic Diagnosis And Treatment*. 9<sup>th</sup> Ed. Boston :McGraw-Hill; 2003 .p. 338-53.
11. Wallace E, Kolsky M, Edwards, Baker, Jenkin G. Maternal serum activin A levels in association with intrauterine fetal growth restriction. *BJOG* 2003;110: 306-10
12. Silver HM, et al. Mechanism of increased maternal serum total avtivin A and inhibin A in preeclapsia. *J Soc Gynecol Investig.* 2002; 9: 308-12
13. Gallinelli, Gennazeni AD, Matteo ML, Caruso A, Woodruff. Episodic secretion of activin A in pregnant women. *Euro J Endocrinol* 1996;135:340-4
14. Caniggia I, Lye S, Cross J. Activin is a local regulator of human cytotrophoblast cell differentiation. *J Endocrinol* 1977;138:3976-86
15. The ABCs of Inhibins & Activins. Committed to the science of Advancing Diagnostics. Texas: DSLabs;2003
16. Budiono E. Pengaruh pemberian vitamin E terhadap kadar malondialdehid pada pengidap diabetes mellitus tipe 2 [tesis]. Yogyakarta : Bagian Ilmu Penyakit Dalam FK UGM; 2002

17. Diferidico E, Genbacev O, Fisher S. Preeclampsia is associated with widespread apoptosis of placentar cytotrophoblasts within the uterine wall. *Am.J.Pathol* 1999;155:293-301
18. Birdsall M, Ledger W, Groome N, Abdalla H, Muttukrishna S. Inhibin A and Activin A in the First Trimester of Human Pregnancy. *J Clin Endocrinol Metab* 1997; 82:1557-60
19. Grobman WA, Wang EY. Serum levels of activin A and inhibin A and the subsequent development of preeclampsia. *Am J Obstet Gynecol* 2000 ; 96
20. Manuelpillai U, Schneider-kolsky, Dole A, Wallace EM. Activin A and activin receptors in gestational tissue from preeclamptic pregnancies. *J. Endocrinol* 2001;171 : 57-64
21. Madazli R. Kuseyrioglu B, Uzun H, Uludag S, Ocak V. Prediction of preeclampsia with maternal mid trimester placentar growth factor, activin A, fibronectin and uterine artery doppler velocimetry. *Inter J. Gyneclol Obstet* 2005 ; 89 : 251-7
22. Mohan, Asselin J, Sargent IL, Groome NP, Muttukrishna. Effect of cytokines and growth factors on the secretion of inhibin A, activin A and follistatin by term placentar villous trophoblasts in culture. *Eur. J. Endocrinol.* 2001;145: 505-11
23. Blumenstein M, Mitchell MD, Groome NP, Keelan JA. Hypoxia inhibits activin A production by term villous trophoblast in vitro. *Placenta* 2002 ;23:735-41

24. National Heart Lung and Blood Institute. National High Blood Pressure Education Program : Working Group Report on High Blood Pressure in Pregnancy. Bethesda : National Heart Lung and Blood Institute;2000.p.38
25. National Heart Lung and Blood Institute. National High Blood Pressure Education Program: Working Group Report on High Blood Pressure in Pregnancy. National Heart, Lung and Blood Institute (NHLBI); 2000 . p. [201 references]
26. Pedoman pengelolaan hipertensi dalam kehamilan di Indonesia. Edisi 2. Batam: Pokja penyusunan Pedoman Pengelolaan Hipertensi dalam Kehamilan di Indonesia Himpunan Kedokteran Feto Maternal ; 2005
27. Manuepillai, schneider-kolsky ME, Thirunavukarasu P, Dole A, Waldron K, Wallace M. Effect of hypoxia on plasental activian A and follistatin synthesis. *Plasenta* 2003 ; 24 : 77-83
28. Wibowo B. Kematian perinatal pada preeklampsia-eklampsia [tesis]. Semarang : Bagian Obstetri Ginekologi FK UNDIP; 1997
29. Anggorowati D, Hadisaputro H. Kejadian preeklampsia/eklampsia di RSDK tahun 1997 – 1999. Kumpulan makalah / kuliah utama KOGI X ; Denpasar Bali:POGI cabang Semarang:2000
30. Adhie PA, Wibowo B. Hubungan kadar hematokrit dan trombosit ibu terhadap keluaran perinatal pada penderita preeklampsia berat. Dalam : Kumpulan Naskah Lengkap POGI Cabang Semarang. PIT XIV POGI Bandung.2004: p. 49-54

31. Brinkman C. Kelainan kehamilan hipertensif. Esensial Obstetri Dan Ginekologi. Edisi 2. Jakarta: Hipokrates; 2001. p. 179-91.
32. Cunningham, Gant, Leveno, Gilstrap, Hauth, Wenstrom. Williams Obstetrics .22<sup>ST</sup> Ed. New York : McGraw-Hill; 2005. p. 761-98.
33. Sibai BM, Farlie FM. Hypertensive diseases in pregnancy. In: Reece EA, Hobbins JC, Mahoney MJ, Petrie RH, editors. Medicine Of The Fetus and Mother. Philadelphia: J.B. Lippincott company; 1992. p. 924-40.
34. Ganong WF. Physiology of Reproduction in Women. In : DeCherney, Nathan L, editors. Current Obstetric and Gynecologic Diagnosis and Treatment. 9<sup>th</sup> Ed. Boston: McGraw-Hill; 2003 .p. 145-6
35. Underwood L, Wyk JJ. Normal and Aberrant Growth. In: Williams Textbook of Endocrinology. 8<sup>TH</sup> Ed. Philadelphia: Saunders Company; 1992. p. 1092.
36. Greenspan F, Baxter J. Endokrinologi Dasar Dan Klinik. Edisi 4. Jakarta : EGC; 1995. p. 560-1
37. Blackburn C, Keelan J, Taylor R, North R. Maternal serum activin A not elevated before preeclampsia in women who are high risk. Am J Obstet Gynecol 2003; 188:140-4.
38. Librach. Interleukin-1 beta regulates human cytotrophoblast metalloproteinase activity and invasion in vitro. J Biol Chem 2002; 269 : 17125–31
39. Zeeman GG, Alexander JM, McIntire D, Byrd W, Leveno K. Inhibin A and superimposed preeclampsia in women with chronic hypertension. Am J Obstet Gynecol 2003; 101: 232-5

40. Granger J, Alexander B, Linas M, Benett W, Khalil R. Pathophysiology of hypertension during preeclampsia linking plasental ischemia with endothelial dysfunction. *Hypertension* 2001;38: 718
41. Gibson P. Hypertension and preeclampsia. Available from: URL, : <http://www.emedicine.com/med/topic3250.htm>
42. O'Connor et al. Serum activin A and follistatin concentrations during human pregnancy: a cross-sectional and longitudinal study. *Hum Reprod* 1999;14: 827-32
43. Peltier MR. Immunology of term and preterm labour. *J Reprod Biol Endocrinol* 2003;1:122
44. Konsensus pengelolaan diabetes melitus tipe 2 di Indonesia. Jakarta : Pengurus Besar Perkumpulan Endokrinologi Indonesia ; 2002
45. Cunningham, Gant, Leveno, Gilstrap, Hauth, Wenstrom. *Williams Obstetrics* .22<sup>ST</sup> Ed. NewYork :McGraw-Hill;2005.p. 131
46. Wolf M, Kettyle E, Sandler L, Ecker JL, Roberts J, Thadhani R. Obesity and preeclampsia : potential role of inflammation. *Obstet Gynecol* 2001;98 : 757-