

DAFTAR PUSTAKA

1. Saharso D. Gangguan perkembangan neurologis. Dalam : Firmansyah A, Sastroasmoro S, penyunting. Buku Naskah lengkap KONIKA XI. Jakarta : IDAI ; 1999. h. 571-88.
2. Hartono B, Panggabean R, Njiokiktjien C. Masalah-masalah dalam perkembangan psikomotor. Semarang : Wonodri Offset Ltd ; 2003.
3. Kinsbourne M, Graf WD. Disorders of mental development. Dalam : Menkes JH, Sarnat HB, penyunting. Textbook of child neurology. Edisi ke-6. London: Lippincott Williams & Wilkins ; 2000. h. 1155-211
4. Kosim MS. Asfiksia neonatorum. Dalam: Kumpulan makalah pelatihan dokter spesialis anak dalam bidang NICU untuk RSUD kelas B tingkat nasional. Semarang : 1998.
5. Hasan R, Alatas H. Buku Ajar Ilmu Kesehatan Anak. Jakarta : Bagian Ilmu Kesehatan Anak FK-UI ; 1985.
6. Moster D, Lie R T, Markestad T. Joint association of Apgar scores and early neonatal symptoms with minor disabilities at school age. Arch. Dis. Child. Fetal Neonatal Ed. 2002;86:16-21.
7. Gomella TL, Cunningham MD, Eyal FG, Zenk KE. Perinatal asphyxia. Dalam: Gomella TL, penyunting. Neonatology; Management. Procedures, On-Call Problems, Diseases and Drugs. New York : Lange Medical Book/McGraw-Hill Co; 2004.h. 512-21.
8. Nelson KB, Ellenberg JH. Apgar scores as predictors of chronic neurologic disability. Pediatrics 1981; 68:36-44.
9. Indarso F. Dampak jangka panjang bayi asfiksia. Dalam : Firmansyah A, Sastroasmoro S, Trihono PP. penyunting. Buku naskah lengkap konika XI. Jakarta: Ikatan Dokter Anak Indonesia Pusat ; 1999.h. 547-57.
10. Ellis M, Manandhar N, Shrestha PS, Manandhar DS. Outcome at 1 year of neonatal encephalopathy in Kathmandu, Nepal. Developmental Medicine & Child Neurology 1999; 41: 689-95.
11. Miller SP, Latal B, Clark H. Clinical signs predict 30-month neurodevelopmental outcome after neonatal encephalopathy. American Journal of Obstetrics and Gynecology 2004; 190: 93-9.
12. Dixon G, Badawi N, Jennifer JK, Keogh JM, Silburn S. Early Developmental Outcomes After Newborn Encephalopathy. Pediatrics 2002;109:26-33.
13. Ambalavanan N, Carlo WA, ShankaranS, Bann C. Predicting Outcomes of Neonates Diagnosed With Hypoxic-Ischemic Encephalopathy. Pediatrics 2006;118: 2084-93.
14. Badawi N, Keogh JM, Dixon G, Kurinczuk JJ. Developmental outcomes of newborn encephalopathy in the term infant. The Indian journal of pediatrics 2001; 68 : 527-30.

15. Menkes JH, Sarnat HB. Neuroembriology, genetic programming, and malformations of the nervous system. Dalam : Menkes JH, Sarnat HB, penyunting. Textbook of child neurology . Edisi ke-6. London : Lippincott Williams &Wilkins ; 2000.h. 277-400.
16. Soetjningsih. Tumbuh kembang anak. Surabaya : EGC ; 1995.
17. Passat J. Kelainan perkembangan. Dalam : Soetomenggolo TS, Ismael S, Penyunting. Buku Ajar Neurologi Anak. Jakarta : BP IDAI ; 2000.h.104-36.
18. Johnston MV, Treshcer WH, Ishida A, Nakajima W. Neurobiology of hypoxic-ischemic injury in the developing brain. *Pediatric Res.* 2000; 49: 735-41.
19. Mercuri E, Anker S, Guzzetta A, Barnett AL, Haataja L. Visual function at school age in children with neonatal encephalopathy and low Apgar scores. *Arch Dis Child Fetal Neonatal Ed* 2004 ;89:F258–F262.
20. Shapiro SM. Bilirubin Toxicity in the Developing Nervous System. *Ped Neurol* 2003 ; 29 (5) : 410-21.
21. Mundkur N. Neuroplasticity in children. *Indian Journal Pediatr* 2005;72(10): 855-57.
22. Johnston MV. Clinical disorders of brain plasticity. *Brain Dev* 2004; 26: 73-80.
23. Sharma A, Dorman A, Dorman MF, Sphar AJ. The influence of a sensitive period on central auditory development in children with unilateral and bilateral cochlear implants. *Hearing Research* 2005;203: 134-143.
24. Kattwinkel EJ. Textbook of neonatal resuscitation. Edisi bahasa Indonesia, alih bahasa: Adjie S, Suradi R, Darmasetiawani N, Djauriah AM, Amir I, Kosim MS, Harahap F. Jakarta : Perinasia ; 2000.
25. William MG. Perinatal asphyxia. *Clin Evid* 2004; 12:1-2.
26. Finster M, Wood M. The Apgar Score Has Survived the Test of Time. *Anesthesiology* 2005; 102:855–7.
27. Shah P, Riphagen S, Beyene J, M Perlman. Multiorgan dysfunction in infants with post-asphyxial hypoxic-ischaemic encephalopathy. *Arch. Dis. Child. Fetal Neonatal Ed.* 2004;89:152-155.
28. Soetomenggolo TS, Ismael S. Asfiksia dan trauma perinatal. Dalam : Soetomenggolo TS, Ismael S, Penyunting. Buku Ajar Neurologi Anak, Cetakan -2. Jakarta : BP IDAI, 2000 : 307-38.
29. Volpe J.J. Hypoxic-Ischemic Encephalopathy. Dalam :Volpe JJ, penyunting. *Neurology of the Newborn.* Edisi ke-4. Philadelphia : WB.Saunders Co ; 2001.h.217-394.
30. YuVYH, Monintja HE. Asfiksia perinatal. Dalam : YuVYH, Monintja HE, penyunting. Beberapa masalah perawatan intensif neonatus. Jakarta: Balai Penerbit FKUI ; 1997.h.129-54.
31. Toth-Heyn P, Drukker A, Guignard JP. The stressed neonatal kidney : from pathophysiology to clinical management of neonatal vasomotor nephropathy. *Pediatr. Nephrol.* 2000; 14: 227-39.
32. Guignard JP, Gouyon GP. Management of acute renal failure in newborn. *Pediatr. Nephrol.* 2000; 14 : 1037-44.

33. Sinha SK. Neonatal encephalopathy. Dalam : Nagaraj R, Sagar DV, Fernandes A, penyunting. Recent advances in neonatology edisi ke-1. New Delhi: Jaepee Brothers ; 2003.h. 60-65.
34. Leviton A, Nelson KB. Problems with definitions and classifications of newborn encephalopathy. *Pediatr Neurol* 1992;8:85–90.
35. Menkes JH, Sarnat HB. Perinatal asphyxia and trauma. Dalam : Menkes JH, Sarnat HB, penyunting. Textbook of child neurology.Edisi ke-6. London: Lippincott Williams & Wilkins ; 2000.h. 401-466.
36. Johnston MV, Treshcer WH, Ishida A, Nakajima W. Neurobiology of hypoxic-ischemic injury in the developing brain. *Pediatric Res.* 2000; 49: 735-41.
37. Aurora S, Snyder EY. Perinatal Asphyxia. Dalam: Cloherty JP, Eichenwald EC, Stark AR, editor. Manual of Neonatal Care. Edisi ke-5 . Philadelphia : Lippincott Williams & Wilkins ; 2004. h. 536-55.
38. Nai-kang K, Passaro E. Apoptosis: Programmed cell death. *ARCH SURG* 1998;133:773-5.
39. Utomo MT, Etika R, Harianto H, Indarso F, Damanik SM. Perinatal Hypoxic Ischemic Encephalopathy. Dalam : Naskah lengkap Continuing Education Ilmu Kesehatan Anak XXXVI. Surabaya : IDAI ; 2006. Available at: <http://www.pediatrik.com/pkb/20060220-rle3yn-pkb.pdf>.
40. Apgar V. A proposal for a new method of evaluation of the newborn infant. *Anesth Analg* 1953;32:260–7.
41. Yazawa K. Neonatal Encephalopathy and cerebral palsy. *J Nippon Med Sch* 2005;72(2): 85-88.
42. Aylward GP. Bayley Infant Neurodevelopmental Screener. San Antonio : Harcourt Brace & Company ; 1995.
43. Robertson CMT, Finner NN. Long-term follow up of term neonates with perinatal asphyxia. *Clin Perinatol* 1993;20:483-500.
44. Futrakul S, Praisuwanna P, Thaitumyanon P. Risk Factors for Hypoxic-Ischemic Encephalopathy in Asphyxiated Newborn Infants. *J Med Assoc Thai* 2006; 89 (3): 322-8
45. Matthew E, Nilu M, Dharma S , Anthony M. Risk factors for neonatal encephalopathy in Kathmandu, Nepal, a developing country: unmatched case-control study. *BMJ* 2000;320:1229-1236.
46. Gilstrap L.C, Cunningham G.F. Operative delivery by vacuum. Dalam : Gilstrap L.C, Cunningham G.F, penyunting. Textbook of operative obstetrics. Edisi ke-2. New York : McGraw-Hill ; 1995.h. 123-43.
47. Lakshmidivi V. Putta, Jeanne P. Spencer. Assisted Vaginal Delivery Using the Vacuum Extractor. *American Family Physician* 2000. available at: <http://www.aafp.org/afp/20000915/1316.html>.
48. Begum HA, Rahman A, Anowar S, Mortuza A, Nahar N. Long term outcome of birth asphyxiated infants. *Mymensingh Med J* 2006; 15(1): 61-5.
49. Carli G, Reiger I, Evans N. One-year neurodevelopmental outcome after moderate newborn hypoxic ischaemic encephalopathy. *J Paediatr Child Health* 2004;40:217–220.

50. Mariëlle VH, Linda S. Long-term cognitive and behavioral consequences of neonatal encephalopathy following perinatal asphyxia: a review. *Eur J Pediatr* 2007; 166:645–654.
51. Kułak W, Sobaniec W. Molecular mechanisms of brain plasticity: neurophysiologic and neuroimaging studies in the developing patients. *Roczniki Akademii Medycznej w Białymstoku* 2004;49: 227-36.
52. Hill A. Neonatal Seizures. *Pediatrics in Review* 2000 ; 21:117-21.
53. Ekert P. Predicting the outcome postasphyxial Hypoxic-Ischemic Encephalopathy within 4 hours of birth. *J. Pediatr* 1997; 131: 613-17.
54. Mellits ED, Holden KR, Freeman JM. Neonatal Seizures II. A Multivariate Analysis of Factors Associated with Outcome. *Pediatrics* 1982;70:177-85.
55. Cordes I, Roland EH, Hill A, Brian A. Lupton. Early Prediction of the Development of Microcephaly After Hypoxic-Ischemic Encephalopathy in the Full-Term Newborn. *Pediatrics* 1994;93:703-707.
56. Passat J. Malformasi susunan saraf pusat. Dalam : Soetomenggolo TS, Ismael S, Penyunting. *Buku Ajar Neurologi Anak*. Jakarta : BP IDAI ; 2000 .h. 137-49.
57. Lemons A, Schreiner RL, Gresham EL. Relationship of brain weight to head circumference in early infancy. *Hum Biol.* 1981; 53:351-354.
58. Mizuno K. Neonatal feeding performance as a predictor of neurodevelopmental outcome at 18 months. *Developmental Medicine & Child Neurology* 2005; 47: 299–304.
59. Soetjningsih. Gizi untuk tumbuh kembang anak. Dalam : Ranuh ING, Soetjningsih, Suyitno H, penyunting. *Buku ajar 1 tumbuh kembang anak dan remaja*. Edisi ke-1 Jakarta : Sagung Seto ; 2002.h. 22-50.
60. Ivanovic DM, Leiva BP, Perez HT, Olivares MG, Diaz NS, Urrutia MS, et al. Head size and intelligence, learning, nutritional status and brain development. Head, IQ, learning, nutrition and brain. *Neuropsychologia* 2004;42(8):1118-31.
61. Hayakawa M, Okumura A, Hayakawa F, Kato Y, Ohshiro M, Tauchi N, et al. Nutritional state and growth and functional maturation of the brain in extremely low birth weight infants. *Pediatrics* 2003;111:121-5.
62. Erny, Suharso D . Upaya untuk meningkatkan perkembangan otak anak. Naskah lengkap Continuing education Ilmu Kesehatan Anak XXXVI. Surabaya : IDAI ; 2006. Available at: <http://www.pediatrik.com/pkb/20060220-rle3yn-pkb.pdf>.