VII. KESIMPULAN DAN SARAN.

A. KESIMPULAN

1. Pengaturan jarak tanam berpengaruh nyata terhadap perbedaan kerapatan fluks radiasi matahari, pada jarak tanam yang lebar diperoleh kerapatan fluks radiasi yang lebih besar dari jarak tanam yang sempit.
2. Perbedaan kerapatan fluks radiasi matahari pada masing-masing jarak tanam berpengaruh terhadap kepadatan gulma tanaman kedelai, tetapi kurang berpengaruh terhadap komposisi jenisnya.
3. Gulma dari golongan rumput yang mendominasi lahan pada semua jarak tanam.

B. SARAN

Perlu dilakukan penelitian lebih lanjut mengenai pengaruh beberapa alternatif jarak tanam dan jumlah populasi dengan pendekatan yang lebih seksama terhadap perbedaan kerapatan fluks radiasi matahari dalam kaitannya dengan pertumbuhan gulma dan produktivitas tanaman kedelai.

This document is Undip Institutional Repository Collection. The author(s) or copyright owner(s) agree that UNDIP-IR may, without changing the content, translate the submission to any medium or format for the purpose of preservation. The author(s) or copyright owner(s) also agree that UNDIP-IR may keep more than one copy of this submission for purposes of security, back-up and preservation. (http://eprints.undip.ac.id)