



Lampiran 1. Struktur Hipoxantin




Lampiran 2.a Spektra IR Blanko Hipoxantin




No.	Bilangan Gelombang (cm ⁻¹)	% T
1.	3778	62,7
2.	3610	58,5
3.	3004	43,3
4.	2932	43,3
5.	2362	52,8
6.	1956	71,0
7.	1678	70,7
8.	1725	67,7
9.	1470	45,0
10.	1419	41,4
11.	1167	37,6
12.	1008	54,4
13.	912	50,9
14.	669	33,8
15.	492	58,16
16.	360	45,6

Lampiran 2.b Spektra IR Cd-hipoxantin



No.	Bilangan Gelombang (cm ⁻¹)	% T
1.	3820	66,0
2.	3640	62,0
3.	3520	62,5
4.	3016	49,9
5.	2908	50,6
6.	2572	69,0
7.	2356	62,1
8.	2044	70,2
9.	1908	69,7
10.	1731	69,3
11.	1419	59,2
12.	1206	45,7
13.	1023	65,7
14.	921	66,4
15.	735	38,7
16.	447	79,9

Lampiran 3. Spektra UV/Vis Blanko dan Cd-hipoxantin



Sampel	Panjang Gelombang (nm)	Absorbansi
Hipoxantin dalam kloroform	243,5	1,173
Kompleks Cd-hipoxantin dalam kloroform	274,5	1,052
	267,5	1,051
	342,0	1,341