

DAFTAR PUSTAKA

1. Perdossi. Konsensus nasional penanganan trauma kapitis dan trauma spinal. Jakarta : Perdossi ; 2006.
2. Salmond CH, Chatfield DA, Menon DK, Pickard JD, Sahakian BJ. Cognitive sequelae of head injury : involvement of basal forebrain and associated structures. *Brain* 2005; 128: 189-200.
3. Wilde MC, Castriotta RJ, Lai JM, Atanasov S, Massel BE, Kuna ST. Cognitive impairment in traumatic brain injury and obstructive sleep apnoe. *Arch Phys Med Rehabil* 2007; 1284 – 88.
4. Meythaler JM, Peduzzi JD, Eleftheriou E, Novack TA. Current concepts : diffuse axonal injury. *Arch Phys Med Rehabil* 2001; 82: 1461-71.
5. T Skansen, KA Kvistad, O Solheim, IH Strand, A Vik. Prevalence and impact of diffuse axonal injury in patients with moderate and severe head injury : a cohort study of early magnetic resonance imaging findings and 1-year outcome. *J Neurosurg* 2010; 113(3) : 556-63.
6. Marshall LF, Marshall SB, Klauber MR. A new classification of head injury based on computerized tomography. *J Neurosurg* 1991; 75 (suppl): S14-20.
7. Scheid R, Walther K, Guthke T, Preul C, von Cramon Y. Cognitive sequelae of diffuse axonal injury. *Arch Neurol* 2006; 63: 418-24.
8. Smits M, Hunink MGM, Rijssel DA, Dekker HM, Vos PE, Kool DR, et al. Outcome after complicated minor head injury. *Am J Neuroradiol* 2008; 29: 506 – 13.
9. Wiyoto. Gangguan fungsi kognitif pada stroke. Dalam : Pendidikan Kedokteran Berkelanjutan. Surabaya : Bag Ilmu Penyakit Saraf FK UNAIR ; 2002.
10. Sidiarto LD, Kusumoputro S. Memori anda setelah usia 50. Jakarta: Penerbit Universitas Indonesia; 2003.
11. Salazar AM, Warden DL, Schwab K. Cognitive rehabilitation for traumatic brain injury : a randomized trial. *J.Am.Med.Assoc* 2000; 283 (23) : 3075- 81.
12. Rapoport MJ, Mc Cullagh S, Shammi P, Feinstein A. Cognitive impairment

- associated with major depression following mild and moderate traumatic brain injury. *J Neuropsy Clin Neurosci* 2005; 17:161-5.
13. Rapoport M, Verhoeff NP, van Reekum R. Traumatic brain injury and dementia. *Can AD Rev* 2004 : 4-7.
 14. Jellinger KA, Paulus W, Wrocklage C, Litvan I. Traumatic brain injury as a risk factor for Alzheimer disease. Comparison of two retrospective autopsy cohorts with evaluation of ApoE genotype. *BMC Neurology* 2001; 1:3.
 15. Pang TT, Teng HK, Zeitsev E, Woo NT, Sakata K, Zhen SS, et al. Cleavage of pro BDNF by tPA/plasmin is essensial for long term hippocampal plasticity. *Science* 2004; 306 : 487-91.
 16. Geda YE, Roberts RO, Knopman DS, Christianson Teresa JH, Pankratz VS, Ivnik RJ, et al. Physical exercise, aging, and mild cognitive impairment A population-based study. *Arch Neurol* 2010 ; 67: 80-6.
 17. Kulak W, Sobaniec W. Molecular mechanism of brain plasticity: neurophysiologic and neuroimaging studies in the developing patients. *Ann Ac Med Bialos* 2004; 49 : 227-36.
 18. Molteni R, Ying Z, Gomez-Pinilla F. Differential effects of acute and chronic exercise on plasticity-related genes in the rat hippocampus revealed by microarray. *Eur J Neurosci* 2002; 16(6): 1107-16.
 19. Griesbach GS, Hovda DA, Molteni R, Wu A and Pinilla FG. Voluntary exercise following traumatic brain injury : brain-derived neurotrophic factor upregulation and recovery of function. *Neuroscience* 2004; 125: 129-39.
 20. Mundkur N. Neuroplasticiy in children. *Indian Journal of Ped* 2005;72:855-7.
 21. Johnston MV. Brain plasticity in paediatric neurology. *Eur J Paed Neurol* 2003;7:105-13.
 22. Dishman RK, Berthoud HR, Booth FW, Cotman CW, Edgerton VR, Fleshner MR, et al. *Neurobiology of exercise. Obesity* 2006; 14: 345-56.
 23. US Departement of Health and Human Services. 2008 Physical Activity Guidelines for Americans.
 24. Katz DI, Ashley MJ, O'Shanick GJ, Connors SH. Cognitive rehabilitation: the

- evidence, funding and case for advocacy in brain injury. McLean, VA: Brain Injury Association of America 2006.
25. Kreber LA, Hernandez T, Keatley MA. Physical exercise after traumatic brain injury: does the timing and type of exercise influence cognitive improvement?. National Injury Prevention and Control Conference at Denver, Colorado, May 9-11, 2005. (Abstract Book).
 26. Colcombe SJ, Kramer AF. Fitness effects on the cognitive function of older adults : a meta-analytic study. *Psychol Sci* 2003; 14(2) : 125-30.
 27. Bixby WR, Spalding TW, Haufler AJ, Deeny SP, Mahlow PT, Zimmerman JB, et al. The unique relation of physical activity to executive function in older men and women. *Med Sci Sports and Exerc* 2007; 39(8): 1408-16.
 28. Manoux AS, Hillsdon M, Brunner Eric. Effects of physical activity on cognitive functioning in middle age : evidence from the Whitehall II prospective cohort study. *Am J of Pub Health* 2005; 95(12).
 29. Suratno. Aspek klinis neurologis demensia. Proceeding of Symphosium Demensia. Pertemuan Regional Neurologi XV; Surakarta : FK UNS,1998.
 30. Liau LM, Bergsneider M, Becker DP. Pathology and pathophysiologyof head injury. In : Youman's, editor *Neurological Surgery*. 4th ed. Philadelphia: WB Saunders Company; 1996. p. 1549-93.
 31. Yudiarto FL. The changes of BDNF and HSP70 level in cerebrospinal fluid ventricle of severe traumatic brain injury patients to cognitive function (dissertation). Surabaya : Airlangga Univ.; 2006.
 32. Markam S. Pengantar Neuropsikologi. Jakarta: Balai Penerbit FKUI 2003: 23-92.
 33. Snell RS. Clinical neuroanatomy for medical students. 5th ed. Washington, DC: Lippincott Williams & Wilkins Inc. USA; 2001.
 34. Waxman SG. The limbic system. In : *Clinical Neuroanatomy*. New York : The MacGraw-Hill Companies; 2007.
 35. Devinsky O, D'Esposito M. *Neurology of cognitive and behavioral disorders*. New York : Oxford University Press US; 2004.

36. Arciniegas DB, Hield K, Wagner P. Cognitive impairment following traumatic brain injury, current treatment options in neurology. 2002; 4: 43-57.
37. Terry Jr AV, Buccafusco JJ. The cholinergic hypothesis of age and alzheimer's disease-related cognitive deficits: recent challenges and their implications for novel drug development. J Pharmacol Ther 2003; 306 (3) :821 – 27.
38. Gentleman SM, Leclercq PD, Moyes L, Graham DI, Smith C, Griffin WST, et al. Longterm intracerebral inflammatory response after traumatic brain injury. Forensic Science International 2004; 146: 97 – 104.
39. Reilly PL, Bullock MR. Head injury pathophysiology and management. 2nd ed. London : Hodder Arnold, 2005.
40. Capruso DX, Levin HS. Neurobehavioral outcome of head trauma. Neurol Clin 2006; 2 : 192 – 229.
41. Lifshitz J, Witgen BM, Grady MS. Acute cognitive impairment after lateral fluid percussion brain injury recovers by 1 month: evaluation by conditioned fear response. Behav Brain Res 2007; 177: 347-57.
42. Ashley MJ, Leal R, Mehta Z. Cognitive disorders: diagnosis and treatment in the tbi patient, in traumatic brain injury: rehabilitative treatment and case management II, 2002: 367-95.
43. Lundin A. Mild traumatic brain injury – clinical course and prognostic for postconcussion disorders. Karolinska Institute 2007; 91: 13 – 97.
44. Kramer AF, Hillman CH. Aging, physical activity, and neurocognitive function. In : McMorris T, Tomporowski PD, Audiffren M, editors. Exercise and Cognition. Indianapolis, IN: Wiley Publications; 2009.p. 45-55.
45. Flint J. The genetic basis of cognition. Brain 1999; 122: 2015-31.
46. Widyawati I. Penatalaksanaan Gangguan Belajar Pada Anak. Dalam: Penatalaksanaan Perkembangan & Belajar Pada Anak. Prosiding dari Pertemuan Ilmiah Tahunan I Perdosri di Jakarta tanggal 5-7 September 2002. hal : 12-21.
47. Kusumoputro S. Gangguan fungsi luhur pada cedera kranioserebral. Neurona 1999;16:12-5.

48. Meador KJ. Cognitive outcomes and predictive factors in epilepsy. *Neurology* 2002; 58:8.
49. Adam RD, Victor M, Ropper AH. *Principles of Neurology*. 8th ed. New York: Mc Graw-Hill; 2005.
50. Arizal, Daris A, Hidayat A. Gizi dan perannya. Dalam: Hardhywinoto, Setiabudhi T, editor. *Anak unggul berotak prima*. Jakarta: Gramedia Pustaka Utama; 2002.
51. Colvin RA, Davis N, Nipper W, Carter P. Zinc transport in the brain : routes of zinc influx and efflux in neurons. *J Nutrition* 2000; 130:1484 - 7.
52. Zoeller TR, Dowling ALS, Herzig CTA, Iannaccone EA, Gauger KJ, Bansal R. Thyroid hormone, brain development and the environment. *Environmental Health Perspectives* 2002; 110: 355-8.
53. Hannaford C. *Smart moves, why learning is not all in your head*. Virginia: Great Ocean Publishers; 1995.
54. Koo JW, Park CH, Choi SH, Kim NJ, Kim HS, Choe JC, et al. Postnatal environment can counteract prenatal effect on cognitive ability, cell proliferation and synaptic protein expression. *The FASEB J* 2003.
55. Britt-Marie S, Eva E, Sojka P. One year follow-up of mild traumatic brain injury: cognition, disability and life satisfaction of patients seeking consultation. *J Rehabil Med* 2007; 39: 405-11.
56. Emery CF. The role of physical exercise as a rehabilitative aid for cognitive loss in healthy and chronically ill older adults. In : Hill RD, Lars B, Neely AS, editors. *Cognitive Rehabilitation In Old Age*. 1st ed. New York : Oxford University Press; 2000.p.124-39.
57. Hillman CH, Erickson KI, Kramer AF. Be Smart, exercise your heart : exercise effects on brain and cognition. *Nat Rev Neuroscie* 2008; 9 : 58-65.
58. Hillman CH, Pontifex MB, Themanson JR. Acute aerobic exercise effects on event-related brain potentials. In : McMorris T, Tomporowski PD, Audiffren M, editors. *Exercise and Cognition*. Indianapolis, IN: Wiley Publications; 2009.p. 161-80.

59. van Praag H, Subert T, Zhao C, Gage FH. Exercise enhances learning and hippocampal neurogenesis in aged mice. *J Neurosci* 2005; 25(38):8680–5.
60. Brink S. Smart Move. US News & World Report. Available from: URL, : <http://www.keepmedia.compubs/USNewsWorldReport1995/05/15/231145.htm>
61. Pinilla FG, Ying Z, Roy RR, Molteni R. Voluntary exercise induces a BDNF-mediated mechanism that promotes neuroplasticity. *J Neurophysiol* 2002;88: 2187-95.
62. Carlson MC, Erickson KI, Kramer AF. Evidence for neurocognitive plasticity in at-risk older adults : the experience corps program. *J Gerontol A Biol Sci Med Sci* 2009; 64(12) : 1275-82.
63. Boake C, Francisco GE, Ivanhoe CB, Kothari S. Principles of brain injury rehabilitation. In : Braddom R, eds. Philadelphia : WB Saunders; 2000. p. 1073-1108.
64. Mahler DA, Froelicher VF, Miller NH, York TD. ACSM's guidelines for exercise testing and prescription, 5th ed. Baltimore : Lippincott Williams & Wilkins, 1995.
65. Bazarian JJ, Blyth B, Mookerje S, He H, and Mc Dermott MP. Sex differences in outcome after mild traumatic brain injury. *J Nuerotrauma* 2010; 27: 527-39.
66. Ashman TA, Gordon WA, Cantor JB, and Hibbard MR. Neurobehavioral consequences of traumatic brain injury. *MSJ Med* 2006; 73: 999-1005.