

DAFTAR PUSTAKA

1. Skurnik Y, Shoenfeld Y. Health effects of cigarette smoking. *Clin Dermatol*. 1998;16:545-56.
2. World Health Organization (WHO): The WHO report on the global tobacco epidemic, The MPOWER package. Geneva, Switzerland: World Health Organization, 2008.
3. Barnoya J, Glantz SA. Cardiovascular effects of second-hand smoke nearly as large as smoking. *Circulation*. 2005;111:2684-98.
4. Wei W, Kim Y, Boudreau N. Association of smoking with serum and dietary levels of antioxidants in adults: NHANES III, 1988–1994. *Am J Public Health*. 2001;91:258-64.
5. Moriarty SE, Shah JH, Lynn M. Oxidation of glutathione and cysteine in human plasma associated with smoking. *Free Radic Biol Med*. 2003;35:1582-8.
6. Farchi S, Forastiere F, Pistelli R, Baldacci S, Simoni M, Perucci CA, et al. Exposure to environmental tobacco smoke is associated with lower plasma beta-carotene levels among nonsmoking women married to a smoker. *Cancer Epidemiol Biomarkers Prev*. 2001;10:907-11.
7. Wannamethee G, Gordon DO, Gerald SA. Association between cigarette smoking, pipe/cigar smoking, and smoking cessation, and haemostatic and inflammatory markers for cardiovascular disease. *Eur Heart J*. 2005;26:1765-73.
8. Shahar L, Abhiram P, Yang EH. Smoking is associated with epicardial coronary endothelial dysfunction and elevated white blood cell count in patients with chest pain and early coronary artery disease. *Circulation*. 2007;115:2621-7.
9. Syamsulina R. Efek proteksi ekstrak buah merah terhadap stress oksidatif di eritrosit *Rattus novergicus* galur wistar yang terpapar asap rokok kretek. Tesis. Surabaya:UNAIR. 2006.
10. Young RP, Hopkins R, Eaton TE. Pharmacological actions of statins: potential utility in COPD. *Eur Respir Rev* 2009;18:222-32.

11. Sela S, Shurtz-Swirski R, Awad J, Shapiro G, Nasser L, Shasha SM. The Involvement of Peripheral Polymorphonuclear Leukocytes in the Oxidative Stress and Inflammation among Cigarette Smokers. *Isr Med Assoc J.* 2002;4:1015-9.
12. Kato Y, Yamamoto M, Ikegami J, Okumura S, Hara T, Shuto K. A possible mechanism of increase in serum alkaline phosphatase activity in rats given granulocyte colony-stimulating factor. *Exp Anim.* 1996;45:23-32.
13. Kawakami M, Tsutsumi H, Kumakawa T, Abe H, Hirai M, Kurosawa S, et al. Levels of serum granulocyte colony-stimulating factor in patients with infections. *Blood.* 1990;76:1962-4.
14. Nakamuta M, Ohashi M, Fukutomi T, Tanabe Y, Hiroshige K, Nawata H. Rise of plasma myeloperoxidase during interferon therapy. *J Gastroenterol Hepatol.* 1995;10:277-80.
15. Stenvinkel P, Rodríguez-Ayala E, Massy ZA, Qureshi AR, Barany P, Fellström B, et al. Statin treatment and diabetes affect myeloperoxidase activity in maintenance hemodialysis patients. *Clin J Am Soc Nephrol.* 2006;1:281-7.
16. Souza-Neto JL, Araújo-Filho I, Rego AC, Dominici VA, Azevedo IM, Egito ES, et al. Effects of simvastatin in abdominal sepsis in rats. *Acta Cir Bras.* 2006;21 Suppl 4:8-12.
17. Yamaguchia Y, Matsunoa S, Kagotaa S, Haginakab J, Kunitomoa M. Peroxynitrite-mediated oxidative modification of low-density lipoprotein by aqueous extracts of cigarette smoke and the preventive effect of fluvastatin. *Atherosclerosis* 2004;172:259-65.
18. Porreca E, Febbo C, Baccante G, Nisio M, Cucurullo F. Increased transforming growth factor-beta1 circulating levels and production in human monocytes after 3-hydroxy-3-methyl-glutaryl-coenzyme a reductase inhibition with pravastatin. *J Am Coll Cardiol.* 2002;39:1752-57.
19. Miossec P, Korn T, Kuchroo VK. Mechanisms of Disease. Interleukin-17 and Type 17 Helper T Cells. *N Engl J Med* 2009;361:888-98.
20. Garbin U, Fratta Pasini A, Stranieri C, Cominacini M, Pasini A, Manfro S, et al. Cigarette Smoking Blocks the Protective Expression of Nrf2/ARE Pathway in Peripheral Mononuclear Cells of Young Heavy Smokers Favouring Inflammation. *PLoS One.* 2009;4: e8225.

21. Yoshida O, Kondo T, Kureishi-Bando Y, Sugiura T, Maeda K, Okumura K, et al. Pitavastatin, an HMG-CoA reductase inhibitor, ameliorates endothelial function in chronic smokers. *Circ J*. 2010;74:195-202.
22. Smith CJ, Fischer TH. Particulate and vapor phase constituents of cigarette mainstream smoke and risk of myocardial infarction. *Atherosclerosis*. 2001;158:257-67.
23. Taylor AE, Johnson DC, Kazemi H. Environmental tobacco smoke and cardiovascular disease: A position paper from the Council on Cardiopulmonary and Critical Care, American Heart Association. *Circulation*. 1992;86:699-702.
24. Penn A, Snyder C. Arteriosclerotic plaque development is promoted by polynuclear aromatic hydrocarbons. *Carcinogenesis*. 1988;9:2185-9.
25. Ambrose JA, Barua RS. The pathophysiology of cigarette smoking and cardiovascular disease. *J Am Coll Cardiol*. 2004;43:1731-7.
26. Friedman GD, Klatsky AL, Siegelaub AB. The leukocyte count as a predictor of myocardial infarction. *N Engl J Med* 1974;290:1275-8.
27. Zalokar JB. Leukocyte counts and coronary heart disease in a Japanese cohort. *Am J Epidemiol* 1983;118:611-612.
28. Ernst E, Hammerschmidt DE, Bagge U. Leukocytes and the risk of ischemic disease. *JAMA*. 1987;257:2318-24.
29. Sela S, Shurtz-Swirski R, Cohen-Mazor M, Mazor R, Chezari J, Shapiro G, et al. Primed peripheral polymorphonuclear leukocyte: a culprit underlying chronic low-grade inflammation and systemic oxidative stress in chronic kidney disease. *J Am Soc Nephrol*. 2005;16:2431-8.
30. Iho S, Tanaka Y, Takauji R, Kobayashi C, Muramatsu I, Iwasaki H, et al. Nicotine induces human neutrophils to produce IL-8 through the generation of peroxynitrite and subsequent activation of NF-kappaB. *J Leukoc Biol*. 2003;74:942-51.
31. Terashima T, English D, Hogg JC, van Eeden SF. Release of polymorphonuclear leukocytes from the bone marrow by interleukin-8. *Blood*;1998;92:1062-9.
32. Taub DD, Anver M, Oppenheim JJ, Longo DL, Murphy, WJ. T lymphocyte recruitment by interleukin-8 (IL-8). IL-8-induced degranulation of neutrophils

releases potent chemoattractants for human T lymphocytes both in vitro and in vivo. *J Clin Invest.* 1996;97:1931-41.

33. Lavi S, Prasad A, Yang EH, Mathew V, Simari RD, Rihal CS, et al. Smoking is associated with epicardial coronary endothelial dysfunction and elevated white blood cell count in patients with chest pain and early coronary artery disease. *Circulation.* 2007;115:2621-27.
34. Endo A, Tsujita Y, Kuroda M, Tanzawa K. Inhibition of cholesterol synthesis in vitro and in vivo by ML-236A and ML-236B, competitive inhibitors of 3-hydroxy-3-methylglutaryl-coenzyme A reductase. *Eur J Biochem.* 1977;77:31-6.
35. Bakker-Arkema RG, Davidson MH, Goldstein RJ, Davignon J, Isaacs JL, Weiss SR, et al. Efficacy and safety of a new HMG-CoA reductase inhibitor, atorvastatin, in patients with hypertriglyceridemia. *JAMA.* 1996;275:128-133.
36. Maron DJ, Fazio S, Linton MF. Current Perspectives on Statins. *Circulation.* 2000;101:207-13.
37. Laufs U, Fata VL, Plutzky J, Liao JK. Upregulation of endothelial nitric oxide synthase by HMG CoA reductase inhibitors. *Circulation.* 1998;97:1129-35.
38. Williams JK, Sukhova GK, Herrington DM, Libby P. Pravastatin has cholesterol-lowering independent effects on the artery wall of atherosclerotic monkeys. *J Am Coll Cardiol.* 1998;31:684-91.
39. Ridker PM, Rifai N, Pfeffer MA, Sacks F, Braunwald E. Long-term effects of pravastatin on plasma concentration of C-reactive protein. *Circulation.* 1999;100:230-5.
40. Maack C, Kartes T, Kilter H, Schafers HJ, Nickenig G, Bohm M, et al. Oxygen free radical release in human failing myocardium is associated with increased activity of rac1-GTPase and represents a target for statin treatment. *Circulation* 2003;108:1567-74.
41. Takemoto M, Node K, Nakagami H, Liao Y, Grimm M, Takemoto Y, et al. Statins as antioxidant therapy for preventing cardiac myocyte hypertrophy. *J Clin Invest.* 2001;108:1429-37.

42. Rashid M, Tawara S, Fukumoto Y, Seto M, Yano K, Shimokawa H. Importance of Rac1 signaling pathway inhibition in the pleiotropic effects of HMG-CoA reductase inhibitors. *Circ J*. 2009;73:361-70.
43. Sakoda K, Yamamoto M, Negishi Y, Liao JK, Node K, Izumi Y. Simvastatin decreases IL-6 and IL-8 production in epithelial cells. *J Dent Res*. 2006;85:520-3.
44. Zhou Q, Liao JK. Pleiotropic Effects of Statins, Basic Research and Clinical Perspectives. *Circ J*. 2010;74:818-26.
45. Bao W, Hu E, Tao L, Boyce R, Mirabile R, Thudium DT, et al. Inhibition of Rho-kinase protects the heart against ischemia/reperfusion injury. *Cardiovasc Res*. 2004;61:548-58.
46. Paumelle R, Staels B. Peroxisome Proliferator-Activated Receptors Mediate Pleiotropic Actions of Statins. *Circ Res*. 2007;100:1394-5.
47. Pramushinta AA. Pengaruh pemberian teh hijau terhadap kadar enzim alkali phosphatase serum tikus wistar yang diberi kloramfenikol. Skripsi FK UNDIP Semarang, 20 agustus 2008.
48. Ramesh T, Sureka C, Bhuvana S, Hazeena Begum V. *Sesbania grandiflora* diminishes oxidative stress and ameliorates antioxidant capacity in liver and kidney of rats exposed to cigarette smoke. *J Physiol Pharmacol*. 2010;61:467-76.
49. Ramesh T, Sureka C, Bhuvana S, Hazeena Begum V. *Sesbania grandiflora* diminishes oxidative stress and ameliorates antioxidant capacity in liver and kidney of rats exposed to cigarette smoke. *J Physiol Pharmacol*. 2010;61:467-76.