



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	.500	.504	.508	.512	.516	.520	.524	.528	.532	.536
0.1	.540	.544	.548	.552	.556	.560	.564	.570	.571	.575
0.2	.579	.583	.587	.591	.595	.599	.603	.606	.610	.614
0.3	.618	.622	.626	.629	.633	.637	.641	.644	.648	.652
0.4	.655	.659	.663	.666	.677	.674	.677	.681	.684	.688
0.5	.692	.695	.699	.702	.705	.709	.712	.716	.719	.722
0.6	.726	.729	.732	.736	.739	.742	.745	.749	.752	.755
0.7	.758	.761	.764	.767	.770	.773	.776	.779	.782	.785
0.8	.788	.791	.794	.797	.800	.802	.805	.808	.811	.813
0.9	.816	.819	.821	.824	.826	.829	.832	.834	.837	.839
1.0	.841	.844	.846	.849	.851	.853	.855	.858	.860	.862
1.1	.864	.867	.869	.871	.873	.875	.877	.879	.881	.883
1.2	.885	.887	.889	.891	.893	.894	.896	.898	.900	.902
1.3	.903	.905	.907	.908	.910	.912	.913	.915	.916	.918
1.4	.919	.921	.922	.924	.925	.927	.928	.929	.931	.932
1.5	.933	.935	.936	.937	.938	.939	.941	.942	.943	.944
1.6	.945	.946	.947	.948	.950	.951	.952	.953	.954	.955
1.7	.955	.956	.957	.958	.959	.960	.961	.962	.963	.963
1.8	.964	.965	.966	.966	.967	.968	.969	.969	.970	.971
1.9	.971	.972	.973	.973	.974	.974	.975	.976	.976	.977
2.0	.977	.978	.978	.979	.979	.980	.980	.981	.981	.982
2.1	.982	.983	.983	.983	.984	.984	.985	.985	.985	.986
2.2	.986	.986	.987	.987	.988	.988	.988	.988	.988	.989
2.3	.989	.990	.990	.990	.990	.991	.991	.991	.991	.992
2.4	.992	.992	.992	.993	.993	.993	.993	.993	.993	.994
2.5	.994	.994	.994	.994	.995	.995	.995	.995	.995	.995
2.6	.995	.996	.996	.996	.996	.996	.996	.996	.996	.996
2.7	.997	.997	.997	.997	.997	.997	.997	.997	.997	.997
2.8	.997	.998	.998	.998	.998	.998	.998	.998	.998	.998
2.9	.998	.998	.998	.998	.998	.998	.999	.999	.999	.999
3.0	.999	.999	.999	.999	.999	.999	.999	.999	.999	.999
3.1	.999	.999	.999	.999	.999	.999	.999	.999	.999	.999
3.2	.999	.999	.999	.999	.999	.999	.999	.999	.999	.999

Sumber : Ronald E. Walpole (1995) : Pengantar Statistika.

Ukuran Sampel (n)	Tingkat Signifikansi D				
	0.20	0.15	0.10	0.05	0.01
1	.900	.925	.950	.975	.995
2	.684	.726	.776	.842	.929
3	.565	.597	.642	.708	.828
4	.494	.525	.564	.624	.733
5	.446	.474	.510	.565	.669
6	.410	.436	.470	.521	.618
7	.381	.405	.438	.480	.577
8	.358	.381	.411	.457	.543
9	.339	.350	.388	.432	.514
10	.322	.342	.368	.410	.490
11	.307	.326	.352	.391	.466
12	.295	.313	.338	.375	.450
13	.284	.302	.325	.361	.433
14	.274	.292	.314	.349	.418
15	.266	.283	.304	.338	.404
16	.258	.272	.295	.328	.392
17	.250	.266	.286	.318	.381
18	.244	.259	.278	.309	.371
19	.237	.252	.272	.301	.363
20	.231	.246	.264	.294	.356
25	.210	.220	.240	.270	.320
30	.190	.200	.220	.240	.290
35	.180	.190	.210	.230	.270
Diatas 35	$\frac{1.07}{\sqrt{n}}$	$\frac{1.14}{\sqrt{n}}$	$\frac{1.22}{\sqrt{n}}$	$\frac{1.36}{\sqrt{n}}$	$\frac{1.63}{\sqrt{n}}$

Sumber : Sidney Sigel (1997) : Statistik Non Parametrik

NPar Tests**Descriptive Statistics**

	N	Mean	Std. Deviation
kedatangan	15	5.87	.92

Descriptive Statistics

	Minimum	Maximum
kedatangan	5	8

One-Sample Kolmogorov-Smirnov Test

		kedatangan
N		15
Normal Parameters ^{a,b}	Mean	5.87
	Std. Deviation	.92
Most Extreme Differences	Absolute	.242
	Positive	.242
	Negative	-.172
Kolmogorov-Smirnov Z		.938
Asymp. Sig. (2-tailed)		.343

a. Test distribution is Normal.

b. Calculated from data.

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		waktu
N		88
Normal Parameters ^{a,b}	Mean	2.5341
	Std. Deviation	1.1542
Most Extreme Differences	Absolute	.178
	Positive	.178
	Negative	-.157
Kolmogorov-Smirnov Z		1.672
Asymp. Sig. (2-tailed)		.007

a. Test distribution is Normal.

b. Calculated from data.

One-Sample Kolmogorov-Smirnov Test 2

		waktu
N		88
Uniform Parameters ^{a,b}	Minimum	.00
	Maximum	5.00
Most Extreme Differences	Absolute	.207
	Positive	.207
	Negative	-.195
Kolmogorov-Smirnov Z		1.940
Asymp. Sig. (2-tailed)		.001

a. Test distribution is Uniform.

b. Calculated from data.

One-Sample Kolmogorov-Smirnov Test 3

		waktu
N		88
Poisson Parameter ^{a,b}	Mean	2.5341
Most Extreme Differences	Absolute	.076
	Positive	.057
	Negative	-.076
Kolmogorov-Smirnov Z		.711
Asymp. Sig. (2-tailed)		.692

a. Test distribution is Poisson.

b. Calculated from data.

One-Sample Kolmogorov-Smirnov Test 4

		waktu
N		88 ^c
Exponential parameter ^{a,t}	Mean	2.5632
Most Extreme Differences	Absolute	.335
	Positive	.164
	Negative	-.335
Kolmogorov-Smirnov Z		3.123
Asymp. Sig. (2-tailed)		.000

a. Test Distribution is Exponential.

b. Calculated from data.

c. There is 1 value outside the specified distribution range. This value is skipped.