

DAFTAR PUSTAKA

1. Chiassion JI, Lhoret RR. Prevention of type 2 diabetes: Insulin resistance and β -cell function. *Diabetes* 2004;53:S34-S8.
2. Hadisaputro S, Setyawan H. Epidemiologi dan faktor-faktor risiko terjadinya diabetes mellitus tipe 2. Dalam Diabetes mellitus ditinjau dari berbagai aspek penyakit. 2007;133-53.
3. Soegondo S, Soewondo P, Subekti I. Diagnosis dan klasifikasi diabetes melitus terkini dalam Penatalaksanaan diabetes melitus terkini. Balai penerbit FKUI 1995.
4. World Health Organization. Definition, Diagnosis and Classification of Diabetes Mellitus and its Complications. Geneva, Switzerland;1999:1-8.
5. American Diabetes Association. Diagnosis and Classification of diabetes mellitus. *Diabetes care* 2004;27:suppl 1:S5
6. Wiyono P. Pencegahan diabetes meletes tipe 2 sebagai usaha menghambat peningkatan prevalensi dan komplikasinya. Badan Penerbit Universitas Indonesia 2006:30-7.
7. Welch GN, Loscalzo J. Hemosysteine and Atherothrombosis. *The N Engl J Med* 1998;338:1042-49..
8. Suhartono T. Dislipidemia pada diabetes melitus. dalam Diabetes mellitus ditinjau dari berbagai aspek penyakit dalam. dalam rangka purna tugas Prof dr Rj Djokomoeljanto. Badan Penerbit Universitas Diponegoro 2007:31-5.
9. Venhaar MC, Wever RMF, Kastelein JJP, Loon DV. Effects of oral folic acid supplementation on endothelial function in familial hypercholesterolemia A randomized placebo-controlled trial. *Circul* 1999;100:335-8.
10. Huang RF, Hsu YC, Lin HL, Yang FL. Folate depletion and elevated plasma homocysteine promote oxidative stress in rat livers. *J Nutr* 2001;131: 33–38.

11. Gouaille CB. The homocysteine metabolism: an Focus on homocysteine. Springer Verlag France: 2001:14.
12. Owoyele BV, Yakubu MT, Alonge F, Olatunji, Soladoye A. Effects of folic acid intake on serum lipid profiles of apparently healthy young adult male nigerians. Af J Biomed Res 2008;139-42.
13. Nakano E, Higgins JA, Powers HJ. Short communication folate protects against oxidative modification of human LDL. Br J Nutr 2001;86:637-9.
14. Szkudelski T. The mechanism of alloxan and streptozotocin action in β cell of rat pancreas.Physiol Res 2001;50:536-46
15. Abeeleh.MA: Induction of diabetes mellitus in rats using intraperitoneal streptozotocin: A comparison between 2 strains of rats. Europ J Sci Res 2009;32(3):390-402
16. Komolafe O, Adeyemi D, Adewole S, Obuotor E. Streptozotocin-induced diabetes alters the serum lipid profiles of adult wistar rats. J Cardiovas Res 2009.
17. Keren P, George J. Effect of hyperglycemia and hiperlipidemia on atheroccleriosis in LDL reseptor-deficient mice.Diabetes 2000;49:1064-9.
18. Jacobs RL, House JD,Brosnan ME,Brosnan JT. Effects of streptozotocin-induced diabetes and of insulin treatmen on homocysteine metabolisme in the rat.Diabetes 1998;47:1967-70.
19. Nieman KM (1), Hartz CS, Szegedi SS, Garow TA, Sparks JD, Schalinske KL; Folat status modulates the induction of hepatic glycine N-methyltransferase and homocysteine metabolisme in diabetic rats. Am Physiol sociaety 2006.E1235-E42.
20. Olatunji LA, Soladoye AO:Low dietary folat impairs glicose tolerance and plasma lipid profil in oral contraceptive-treated rats. 2008 ;167-71.

21. Kusunoki J, Aragane K. Postprandial hyperlipidemia in streptozotocin-induced diabetic rats is due to abnormal increase in intestinal acyl-coenzyme A:cholesterol acyltransferase activity. *Arterioscler Thromb Vasc Biol* 2000;20:171-8.
22. Suyono S. Diabetes melitus di Indonesia. dalam Buku ajar Ilmu Penyakit Dalam Jilid III edisi IV.1852-6.
23. Semiardji.G. Penatalaksanaan dibetes mellitus tipe 2. Dalam: Pendidikan Berkesinambungan Patologi Klinik. Jakarta: Bagian Patologi Klinik Fakultas Kedokteran Universitas Indonesia. 2003;37-46.
24. Arora.S, Ojha.SK. Characterisation of streptozotocin induced diabetes mellitus in swiss albino mice. *Glob J Pharmacol* 2009;3(2): 81-84.
25. Wijaya A. Mekanisme molekuler diabetes tipe 2. dalam Forum diagnosticum 2005;2:1-14.
26. Akbarzadeh.A. Induction of diabetes by streptozotocin in rats. In *J Clin Biochem* 2007; 22: 60-4.
27. Lenzen S. The mechanism of alloxan and streptozotocin induced diabetes. *Diabetologia* 2008;51:216-26
28. Quyyumi AA. Endothelial function in health and disease: new insights into the genesis of cardiovascular disease. *Am J Med* 1998;105:32S-39S.
29. Nakhoul.F, Abassi.Z: inhibition of diabetic nephropathy in rats by an oral antidiabetic material extracted from yeast. *J Am Soc Nephrol* 2006;127-31.
30. Wijekoon EP, Hall B, Ratnam S, Brosnan ME, Zeisel SH, Brosnan JT. Homocysteine metabolism in ZDF (type 2) diabetic rats. *Diabetes* 2005; 54(11):3245–51.
31. Gursu MF, Baydas G, Cikim G, Canatan H. Insulin increases homocysteine levels in a dose-dependent manner in diabetic rats. *Arch Med Res* 2002;33: 305–7.

32. Wotherspoon F, Laight DW, Shaw KM,Cummings MH: Homocysteine, endothelial dysfunction and oxidative stress in type 1 diabetes mellitus. Br J diabetes Vasc Dis. 2003;3:334-40.
33. Yadav AS,Bhagwat VR, Rathod IM. Relationship of plasma homosistein with lipid profil parameter in ischemic heart disease. In J Clin Biochem 2006;21:106-10.
34. Friedman AN, Boston AG, Selhub J, Levey AS,Rosenberg IH. The kidney and homocysteine metabolism. J Am Soc Nephrol 2001;12:2181-9.
35. Snavely J. Hyperhomocysteinemia in end stagerenal disease: is treatment necessary? Nephrol Nurs J 2002;29:155-62.
36. Solomon BP, Chester, Duda. Homocysteine determination in plasma. Current Separations.1998;1-6.
37. Mayer EL, Jacobsen DW, Robinson K. Homocysteine and coronary atherosclerosis. J Am Coll Cardiol 1996; 27: 517-27.
38. Lenz SR, Haynes WG. Homocysteine :is it a clinically important cardiovascular risk factor? Cleve Clin J Med 2004 ;71(9):729-34
39. Refsum H.Total Homocysteine, guidline for determination in the clinical laboratory, Clinical Laboratory News, AACC, 2002;28:12-14.
40. Elias AN,Eng S. Homocysteine concentrations in patients with diabetes mellitus – relationship to microvascular and macrovascular disease: Diabetes, Obes and Metab, 2005;117–21.
41. Chiang PI,Wang YC,Chen WW, Yao F. Effects of insulin and glucose on cellular metabolic fluxes in homocysteine transsulfuration, remethylation, s-adenosylmethionine synthesis, and global deoxyribonucleic acid methylation: J Clin Endocrinol Metab 2009;1017–25
42. Guldener CV, Stehouwer CDA. Diabetes mellitus and hyperhomocysteinemia. Seminars in vascular medicine. 2002;351-9.

43. S Pinkney JH, Downs L, Hopton M, Mackness MI, Bolton CH. Endothelial dysfunction in Type 1 diabetes mellitus: relationship with LDL oxidation and the effects of vitamin E. *Diabet Med* 1999; 993–9.
44. Sacher RA, MCpherson RA alih bahasa Pendit BU, Wulandari D. Tinjauan klinis hasil pemeriksaan laboratorium;edisi 11.Penerbit buku kedokteran EGC.2002;300-3.
45. Mayes PA. Lipid dalam biokimia Harper.edisi 20,Jakarta :ECG,1897;288-301.
46. Lina Y, Intan M, Wijaya A. Dasar molecular metabolism kolesterol dan lipoprotein. dalam forum diagnosticum. Prodia diagnostics educational services.2004;1-27.
47. Tozawa m, Iseki K, Iseki C. Triglyceride, but not total cholesterol or low-density lipoprotein cholesterol levels, predict development of proteinuria, *Kidney International*. 2002;62:1743–9.
48. Kaniawati M,Wijaya A. Kualitas hdl-c menentukan tingkat proteksi terhadap aterosklerosis. Dalam forum diagnosticum. Prodia diagnostics educational services. 2005;1-11
49. Verges B (2). New insight into the pathophysiology of lipid abnormalities in type 2 diabetes. *Diabetes Metab* 2005;31:429-39.
50. Smith S, Lall AM. A study on lipid profile levels of diabetics and non-diabetics among naini region of Allahabad, India. *Turk J Biochem* 2008;33(4):138–41.
51. Shenkin A, Baines M, Fell SG, Lyon TDG. Vitamin and trace elements. In Tietz textbook clinical chemistry and molecular diagnostic 4ed. Philadelphia : Elsevier Inc : 2006: 1075-118.
52. Martin DW. Vitamin yang larut dalam air dalam biokimia Harper.edisi 20,Jakarta .ECG,1897;126-30.

53. Pinto X, Vilaseca M.A. A folate-rich diet is as effective as folic acid from supplements in decreasing plasma homocysteine concentration. *Int J Med Sci.* 2005;63-71.
54. Ramesh B, Pugalendi KV. Antihyperglycemic effect of umbilliferone instreptozotocin-diabetic rats: *J Med Food* 2006;9(4):562-6.
55. Nieman KM (2), Rowling MJ, Garrow TA, Schalinske KL. Modulation of methyl group metabolism by streptozotocin-induced diabetes and all-transretinoic acid. *J Biol Chem* 2004;708-12.
56. Charles River Laboratories. Clinical laboratory parameter for Crl:CD (SD) rats. Charles River laboratories , March 2006:11
57. World Health Organization. General guidelines for methodologies on research and evaluation of traditional medicine. Geneva, WHO; 2000 :28.
58. Rat homocysteine (Hcy) ELISA kit. (cited 03/03/2011). Available from:http://search.cosmobio.co.jp/cosmo_search_p/search_gate2/docs/CSB_CSBE08896R.20090603.pdf.
59. Dahlan S. Statistik deskriptif. Dalam Statistik untuk kedokteran dan kesehatan. Jakarta:ARKANS 2004:31-59.
60. Dahlan S. Uji hipotesis komparatif variabel numerik 2 kelompok. Dalam Statistik untuk kedokteran dan kesehatan. Jakarta:ARKANS, 2004:66-82.