

- L., R., Penuelas, J., Martínez-Vilalta, J., and Mangirón, M. 2003. Effects of drought on diameter increment of *Quercus ilex*, *Phillyrea latifolia*, and *Aleurites monnieri* in a holm oak forest of NE Spain. - Forest Ecol. Manage. 180: 177-186.
- L., R. and Penuelas, J. 2006. Contrasting Foliar Responses To Drought in *Quercus ilex* And *Phillyrea latifolia*. Biologia Plantarum 50 (3): 373-382.
- D., Nepstad, D., C, and Moutinho, P R. D. S. 2005. Micrometeorology and canopy control of flammability in mature and disturbed forests in an eastern Amazon landscape. J. Ecological Applications 15:1664-1678.
- dson, S.J., D.A. Peltzer, R.B. Allen, and M.S. McGlone. 2005. Response to environmental stress and species' life history proficiency along a chronosequence: responses among communities and within species. Ecology 86: 20–25.
- ieuwstadt, M. G. L.,and Sheil, D. 2005. Drought, fire and tree survival in a Borneo rain forest, East Kalimantan, Indonesia. J. Ecology 93: 191-201.
- r, J.M., J.T. Fahnstock, P.F. Sullivan, and R.A. Chimner. 2005. Leaf nutrient allocation and nutrient nutrition of Arctic plants in response to warming and deeper snow in northern Alaska. Oikos.109:167–177.
- , S. J., C. Carrasco, O. Calderon and S. Paton. 1999. The El Niño Southern Oscillation, variable fruit production, and famine in a tropical forest. Ecology 80:1632–1647.
- na , P.A., P. A. Leffelaar ,W. Gerritsma, L. Mommer, and N P.R. Anten . A physiological production model for cocoa (*Theobroma cacao*): presentation, validation and application.Agricultural Systems 84 : 195–215.