

# LAMPIRAN

## Data Penelitian

No	Kelompok	Trigliserida	VLDL	Rata-rata Pakan	Rata-rata Minum
1	K1	19.33	3.87	17.90	38.24
2	K1	29.74	5.95	18.38	37.24
3	K1	19.33	3.87	18.29	35.48
4	K1	17.84	3.57	18.38	35.38
5	K1	40.15	8.03	18.33	36.90
6	K1	31.97	6.39	18.48	35.29
7	K2	75.09	15.02	18.00	64.14
8	K2	112.27	22.45	17.52	60.86
9	K2	39.41	7.88	17.57	61.29
10	K2	127.88	25.58	17.67	61.67
11	K2	60.97	12.19	17.62	63.76
12	K2	116.73	23.35	18.14	67.81
13	P1	85.50	17.10	17.95	60.14
14	P1	84.01	16.80	17.71	71.00
15	P1	83.27	16.65	17.95	62.90
16	P1	47.58	9.52	17.90	70.29
17	P1	118.22	23.64	18.43	59.33
18	P1	110.78	22.16	18.67	66.62
19	P2	100.37	20.07	18.48	48.33
20	P2	130.86	26.17	18.05	52.38
21	P2	185.87	37.17	17.86	56.29
22	P2	115.99	23.20	17.95	49.57
23	P2	104.09	20.82	18.33	62.48
24	P2	98.14	19.63	18.29	47.76
25	P3	71.38	14.28	18.19	44.14
26	P3	75.84	15.17	17.90	54.67
27	P3	148.70	29.74	17.62	49.90
28	P3	93.68	18.74	18.19	44.33
29	P3	155.39	31.08	18.24	48.29
30	P3	136.06	27.21	18.24	49.24

Lampiran Hasil Uji Statistik

1. Hasil Uji Normalitas Triglicerida

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kadar Triglicerid	30	100.0%	0	.0%	30	100.0%

**Descriptives**

		Statistic	Std. Error
Kadar Triglicerid	Mean	87.8813	8.04125
	95% Confidence Interval for Mean		
	Lower Bound	71.4351	
	Upper Bound	104.3275	
	5% Trimmed Mean	86.8656	
	Median	89.5900	
	Variance	1939.851	
	Std. Deviation	44.04374	
	Minimum	17.84	
	Maximum	185.87	
	Range	168.03	
	Interquartile Range	71.38	
	Skewness	.070	.427
	Kurtosis	-.583	.833

**Tests of Normality**

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kadar Triglisericid	.094	30	.200*	.970	30	.527

a. Lilliefors Significance Correction

\*. This is a lower bound of the true significance.

2. Hasil Uji Normalitas VLDL

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kadar VLDL	30	100.0%	0	.0%	30	100.0%

**Descriptives**

		Statistic	Std. Error
Kadar VLDL	Mean	17.5763	1.60825
	95% Confidence Interval for Mean		
	Lower Bound	14.2870	
	Upper Bound	20.8655	
	5% Trimmed Mean	17.3731	
	Median	17.9180	
	Variance	77.594	
	Std. Deviation	8.80875	
	Minimum	3.57	
	Maximum	37.17	
	Range	33.61	
	Interquartile Range	14.28	

Skewness	.070	.427
Kurtosis	-.583	.833

#### Tests of Normality

	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Kadar VLDL	.094	30	.200*	.970	30	.527

a. Lilliefors Significance Correction

\*. This is a lower bound of the true significance.

### 3. Oneway Anova Triglicerida

#### Test of Homogeneity of Variances

Kadar Triglicerid

Levene Statistic	df1	df2	Sig.
3.381	4	25	.024

#### ANOVA

Kadar Triglicerid

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	33842.975	4	8460.744	9.437	.000
Within Groups	22412.709	25	896.508		
Total	56255.685	29			

#### 4. Hasil Uji Oneway Anova VLDL

##### Test of Homogeneity of Variances

Kadar VLDL

Levene Statistic	df1	df2	Sig.
3.381	4	25	.024

##### ANOVA

Kadar VLDL

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	1353.719	4	338.430	9.437	.000
Within Groups	896.508	25	35.860		
Total	2250.227	29			

#### 5. Uji Post Hoc Bonferroni Triglicerida

##### Multiple Comparisons

Kadar Triglicerid

Bonferroni

(I) kelompok perlakuan n	(J) kelompok perlakuan n	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
K1	K2	-62.33167*	17.28688	.014	-115.5441	-9.1192
	P1	-61.83333*	17.28688	.015	-115.0458	-8.6209
	P2	-96.16000*	17.28688	.000	-149.3725	-42.9475
	P3	-87.11500*	17.28688	.000	-140.3275	-33.9025
K2	K1	62.33167*	17.28688	.014	9.1192	115.5441
	P1	.49833	17.28688	1.000	-52.7141	53.7108
	P2	-33.82833	17.28688	.616	-87.0408	19.3841
	P3	-24.78333	17.28688	1.000	-77.9958	28.4291

P1	K1	61.83333*	17.28688	.015	8.6209	115.0458
	K2	-.49833	17.28688	1.000	-53.7108	52.7141
	P2	-34.32667	17.28688	.581	-87.5391	18.8858
	P3	-25.28167	17.28688	1.000	-78.4941	27.9308
P2	K1	96.16000*	17.28688	.000	42.9475	149.3725
	K2	33.82833	17.28688	.616	-19.3841	87.0408
	P1	34.32667	17.28688	.581	-18.8858	87.5391
	P3	9.04500	17.28688	1.000	-44.1675	62.2575
P3	K1	87.11500*	17.28688	.000	33.9025	140.3275
	K2	24.78333	17.28688	1.000	-28.4291	77.9958
	P1	25.28167	17.28688	1.000	-27.9308	78.4941
	P2	-9.04500	17.28688	1.000	-62.2575	44.1675

\*. The mean difference is significant at the 0.05 level.

## 6. Uji Post Hoc Benferroni VLDL

### Multiple Comparisons

Kadar VLDL

Bonferroni

(I) kelompok perlakuan	(J) kelompok perlakuan	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
K1	K2	-12.46633*	3.45738	.014	-23.1088	-1.8238
	P1	-12.36667*	3.45738	.015	-23.0092	-1.7242
	P2	-19.23200*	3.45738	.000	-29.8745	-8.5895
	P3	-17.42300*	3.45738	.000	-28.0655	-6.7805
K2	K1	12.46633*	3.45738	.014	1.8238	23.1088
	P1	.09967	3.45738	1.000	-10.5428	10.7422
	P2	-6.76567	3.45738	.616	-17.4082	3.8768

	P3	-4.95667	3.45738	1.000	-15.5992	5.6858
P1	K1	12.36667*	3.45738	.015	1.7242	23.0092
	K2	-.09967	3.45738	1.000	-10.7422	10.5428
	P2	-6.86533	3.45738	.581	-17.5078	3.7772
	P3	-5.05633	3.45738	1.000	-15.6988	5.5862
P2	K1	19.23200*	3.45738	.000	8.5895	29.8745
	K2	6.76567	3.45738	.616	-3.8768	17.4082
	P1	6.86533	3.45738	.581	-3.7772	17.5078
	P3	1.80900	3.45738	1.000	-8.8335	12.4515
P3	K1	17.42300*	3.45738	.000	6.7805	28.0655
	K2	4.95667	3.45738	1.000	-5.6858	15.5992
	P1	5.05633	3.45738	1.000	-5.5862	15.6988
	P2	-1.80900	3.45738	1.000	-12.4515	8.8335

\*. The mean difference is significant at the 0.05 level.