

REFERENCES

1. Brick J. Alcohol Overdose. Center of Alcohol Studies. 2004.
2. Niederau C. Alcoholic Hepatitis. Hepatology-A clinical textbook. 2010; (21):467-87.
3. Maher J J. Exploring Alcohol's Effects on Liver Function. *Alcohol Health & Research World* 1997; 21(1): 5.
4. Kumara SS, Huat BT. Extraction, isolation and characterization of anti-tumor principle, alpha-hadrian, from the seeds of *Nigella sativa*. *Planta Med*,2001;67(1):29–32.
5. Tabata M, Honda G, Sezik E and Yesilada E. A report on Traditional Medicine and Medical Plants in Turkey. *J of Ethnopharmacol* 1996; 25(2): 75-87.
6. Iddamaldeniya SS, Thabrew I, Wickramasinghe N, Ratnatunge N, Thammittiyagodage MG. Protection against diethylnitrosoamine-induced hepatocarcinogenesis by an indigenous medicine comprised of *Nigella sativa*, *Hemidesmus indicus* and *Smilax glabra*: a preliminary study. *J Carcinog* 2003; 18(2):1-6.
7. Fatty liver. [Update 2008; Cited 2011 May 5]. Available from: <http://www.medical-dictionary.thefreedictionary.com/Fatty+liver,+alcoholic>
8. Donohue T M, Osna N A. Systems in Alcohol-Induced Tissue Injury. *Alcohol Research & Health* 2006; 27(4): 317-24 .
9. Jensen K, Gluud C [Expression error: Missing operand for "The Mallory body: morphological, clinical and experimental studies (Part 1 of a literature survey)."].*Hepatology* 1994; 20(4): 1061-77.
10. Ronis M J J, Hakkak R, Korourian S, Albano E, Yoon S, Sundberg M I, et al. Alcoholic Liver Disease in Rats Fed Ethanol as Part of Oral or Intragastric Low-Carbohydrate Liquid Diets. *Expe Biol and Med* 2004; 10: 352-5.
11. Li J, Barbara A, Fu P, Bardag F, and Samuel W. Mechanism of the alcohol cyclic pattern: role of catecholamines. *Am J Physiol Gastrointest Liver Physiol* 2003; (285): 442–8.

12. Kumar R S, Ponmozhi M, Viswanathan P and Nalini N. Effect Of *Cassia Auriculata* Leaf Extract On Lipids In Rats With Alcoholic Liver Injury. Original Article. Asia Pacific J Clin Nutr 2002; 11(2): 157–63.
13. Pramyothin P, Ngamtin C, Poungshompoo S, Chaichantipyuth C. Hepatoprotective activity of *Phyllanthus amarus* Schum. Thonn. Extract in ethanol treated rats: In vitro and in vivo studies. Chulalongkorn University 2007; (5): 169-73.
14. Habib-ur-Rehman M, Hussain Z, Hameed F. Protection Against Ethanol Induced Hepatotoxicity By Silymarin in Albino Rats. Original article 2009; 5(4): 206-10.
15. Al-Ghamdi M S. Protective Effect of *Nigella sativa* Seeds Against Carbon Tetrachloride-induced Liver Damage. The American Journal of Chinese Medicine 2003; 31(5): 721–8.
16. Ismail M, Al-Naqeep G, Chan K W. *Nigella sativa* thymoquinone-rich fraction greatly improves plasma antioxidant capacity and expression of antioxidant genes in hypercholesterolemic rats. Free Radical Biology & Medicine 2010; (48): 664–72
17. Boggan W, Drexler E D, Erwin V G, Marshall J, Nichols G, Olney J. Understanding Alcohol: Investigations into Biology and Behavior. National Institutes of Health 2003; 7-17.
18. Amin A, Nanji, and Samuel W. French. Animal Models of Alcoholic Liver Disease Focus on the Intragastric Feeding Model. 2003; 27(4): 2.
19. O'Shea R S, Dasarathy S, McCullough A J. Alcoholic liver disease. Hepatology 2010; 51(1): 307-28.
20. Weathermon R, David W, Crabb. Alcohol and Medication Interactions. J of Alcohol Res & Heal 1999; 23(1): 40-51.
21. Zintzaras E, Stefanidis I, Santos M, and Vidal F. Do alcohol-metabolizing enzyme gene polymorphisms increase the risk of alcoholism and alcoholic liver disease? Hepatology 2006; 43(2): 352-61.
22. Mihas A A, Hung P D, Heuman D M, George Y W, Talavera F, Katz J. Alcoholic Hepatitis. 1994 [updated 2011 Jun 17; cited 2011 Jun 3]. Available

from:

<http://www.emedicine.medscape.com/article/170539overview#aw2aab6b2b2>

23. Tilg H, Kaser A. Management Of Acute Alcoholic Hepatitis. University Hospital Innsbruck, Innsbruck, Austria 2002; 10: 28-33.
24. Hill D B, Kugelmas M. Alcoholic liver disease. Treatment strategies for the potentially reversible stages. PubMed 1998; 103(4): 261- 75.
25. Lucey M R, Connor J T, Boyer T, Henderson J M, Rikkers L. Alcohol consumption by cirrhotic subjects: patterns of use and effects on liver function. The Am J of Gastroenterol 2008; 103(7): 1698-706.
26. Michael R. Lucey M R, Mathurin P and Morgan T R. Alcoholic hepatitis. N Engl J Med 2009; 360: 2758-69.
27. Lieber C S. New concepts of the pathogenesis of alcoholic liver disease lead to novel treatments. Curr Gastroenterol Rep 2004; 6(1): 60-5.
28. Lieber C S. S-Adenosyl-L-methionine and alcoholic liver disease in animal models: implications for early intervention in human beings. Alcohol 2002; 27(3): 173-7.
29. Song Z, Zhou Z, Uriarte S, Wang L, Kang Y J, Chen T, et al. S-adenosylhomocysteine sensitizes to TNF-alpha hepatotoxicity in mice and liver cells: a possible etiological factor in alcoholic liver disease. Hepatology 2004; 40(4): 989-96.
30. Yap F, Craddock L, and Yang J. Mechanism of AMPK Suppression of LXR-dependent Srebp-1c Transcription. Int. J. Biol Sci 2011; 7(5): 645-50.
31. Lieber C S. Ethanol metabolism, cirrhosis and alcoholism. Clinica Chimica Acta 1997; 257: 59-84.
32. Tuma D J and Casey C A. Dangerous Byproducts of Alcohol Breakdown Focus on Adducts. Alcohol Research & Health 2003; 27(4): 285-90
33. Nanji A A, Jokelainen K, Rahemtulla A, Miao L, Fogt F, Matsumoto H, Tahan S R, et al. Activation of nuclear factor kappa B and cytokine imbalance in experimental alcoholic liver disease in the rat. Hepatology 1999; 30(4): 934-43.

34. Petrasek J, Mandrekar P, Szabo G. Toll-like receptors in the pathogenesis of alcoholic liver disease. *Gastroenterol Res and Pract* 2010; 12.
35. Zhao X J, Dong Q, Bindas J, Piganelli J D, Magill A, Reiser J ,et al. TRIF and IRF-3 binding to the TNF promoter results in macrophage TNF dysregulation and steatosis induced by chronic ethanol. *J Immunol* 2008; 181(5): 3049-56.
36. Uesugi T, Froh M, Arteel G E, Bradford B U, Wheeler M D, Gabele E, et al. Role of lipopolysaccharide-binding protein in early alcohol-induced liver injury in mice. *J Immunol* 2002; 168: 2963-9.
37. Uesugi T, Froh M, Arteel G E, Bradford B U and Thurman R G. Toll-like receptor 4 is involved in the mechanism of early alcohol- induced liver injury in mice. *Hepatology* 2001; 34(1): 101- 7.
38. Yin M, Gabele E, Wheeler M D, Connor H, Bradford B U, Dikalova A, et al. Alcohol-induced free radicals in mice: direct toxicants or signaling molecules? *Hepatology* 2001; 34: 935-42.
39. Neuman MG. Cytokines—Central Factors inAlcoholic Liver Disease. *Alcohol Research & Health* 2003; 27(4): 307-16.
40. Thakur V, Pritchard M T, McMullen M R, Wang Q, Nagy L E. Chronic ethanol feeding increases activation of NADPH oxidase by lipopolysaccharide in rat Kupffer cells: role of increased reactive oxygen in LPS-stimulated ERK1/2. activation and TNF-alpha production. *J Leukoc Biol* 2006; 79(6): 1348-56.
41. Donohue T M. The ubiquitin-proteasome system and its role in ethanol-induced disorders. *Addict Biol* 2002; 7(1): 15-28.
42. Gorce F B,Vu J, Nan L, Riley N, Li J, French S W. Proteasome inhibition induces cytokeratin accumulation in vivo. *Exp and Mol Pathol* 2004; 76(2): 83-9.
43. Nasaruddin, Nazeri. Extraction of pharmacologically active thymoquinone in *Nigella sativa* L. 2006.

44. Nigella seeds: the miraculous Black Seed.[updated 2010 Nov 5; cited 2011 Mei 2]. Available from: <http://www.healthinfo21.com/2010/11/nigella-seeds-miraculous-black-seed.html>
45. Khan M L A .Nigellasativa.[update 2011 Jan17 ; cited 2011 Jun 3]. Available from : http://www.en.wikipedia.org/wiki/Nigella_sativa#cite_note-2
46. El-Tahir K E H ,Bakeet D M. The Black Seed *Nigella sativa* Linnaeus – A Mine for Multi Cures: A Plea for Urgent Clinical Evaluation of its Volatile Oil. J T U Med Sc 2006; 1(1): 1-19.
47. Krok KL, Lichtenstein GR .Colorectal cancer in inflammatory bowel disease. Curr Opin Gastroenterol 2004; 20(1): 43-8.
48. El-Gouhary I, Mohamed A, Suleiman S, Benguzzi H. Comparison of the amelioration effects of two enzyme inducers on the inflammatory process of experimental allergic encephalitis (EAE) using immunohistochemical technique. Biomed Sci Instrum 2005; 41: 376-81.
49. Mohamed A, Afidi DM, Garani O, Tucci M. Thymoquinone inhibits the activation of NF-kappaB in the brain and spinal cord of experimental autoimmune encephalomyelitis. Biomed Sci Instrum 2005; 41: 388-93.
50. Ismail M Y M.Therapeutic Role of Prophetic MedicineHabbat El Baraka (*Nigella sativa* L.) - A Review. World Appl. Sci. J 2009; 7(9):1203- 8.
51. Padhye S, Banerjee S, Ahmad A, Mohammad R, Sarkar F H. From here to eternity - the secret of Pharaohs:Therapeutic potential of black cumin seeds and Beyond.Chemopreventive and chemotherapeutic potential of Thymoquinone. Cancer Therapy 2008; 6: 495-510.
52. Badary OA, Taha RA, Gamal el-Din AM, bdel-Wahab MH.Thymoquinone is a potent superoxide anion scavenger. Drug Chem Toxicol 2003; 26(2): 87-98.
53. Mansour MA, Nagi MN, El-Khatib AS, Al-Bekairi AM. Effects of thymoquinone on antioxidant enzyme activities, lipid peroxidation and DT-diaphorase in different tissues of mice: a possible mechanism of action. Cell Biochem Funct 2002; 20(2): 143-51.
54. El-Dakhakhny M, Madi NJ, Lembert N, Ammon HP. *Nigella sativa* oil, nigellone and derived thymoquinone inhibit synthesis of 5-lipoxygenase

- products in polymorphonuclear leukocytes from rats. *J Ethnopharmacol* 2002; 81(2): 161-4.
55. Badary OA, bdel-Naim AB, bdel-Wahab MH, Hamada FM. The influence of thymoquinone on doxorubicin-induced hyperlipidemic nephropathy in rats. *Toxicology* 2000; 143(3): 219-26.
 56. Mohamed A, Shoker A, Bendjelloul F, Mare A, Alzrigh M, Benghuzzi H, Desin T. Improvement of experimental allergic encephalomyelitis (EAE) by thymoquinone; an oxidative stress inhibitor. *Biomed Sci Instrum* 2003; 39: 440-5.
 57. Badary OA, bd-Ellah MF, El-Mahdy MA, Salama SA, Hamada FM. Anticlastogenic activity of thymoquinone against benzo(a)pyrene in mice. *Food Chem Toxicol* 2007; 45(1): 88-92.
 58. Khalife KH, Lupidi G. Nonenzymatic reduction of thymoquinone in physiological conditions. *Free Radic Res* 2007; 41(2): 153-61.
 59. El-Saleh SC, Al-Sagair OA, Al-Khalaf MI. Thymoquinone and *Nigella sativa* oil protection against methionine-induced hyperhomocysteinemia in rats. *Int J Cardiol* 2004; 93(1): 19-23.
 60. Nagi MN, Alam K, Badary OA, al-Shabanah OA, al-Sawaf HA, Al-Bekairi AM. Thymoquinone protects against carbon tetrachloride hepatotoxicity in mice via an antioxidant mechanism. *Biochem Mol Biol Int*. 1999;47(1): 153-9.
 61. Kalonji - History, Nutrition, Benefits & Uses. Sahih Muslim: Book 26 Kitab As-Salam, Number 5489.
 62. Uddin R. Side effect of *Nigella sativa* [Internet]. 2011 [Uptated 2011jan 4; cited 2011Juli 13]. Available from:
<http://www.livestrong.com/article/349064-side-effects-of-nigella-sativa/>
 63. Jarvelainen H. Inflammatory Responses In Alcoholic Liver Disease. (Academic Dissertation) Helsinki, Faculty of Veterinary Medicine of the University of Helsinki 2000.