

DAFTAR PUSTAKA

1. Denise Laouari, Martine Burtin, Aure'lie Phelep, Frank Bienaime, Laure-He'le`ne Noel, David C. Lee, et al. A Transcriptional Network Underlies Susceptibility to Kidney Disease Progression. *EMBO Mol Med* [Internet]. 2011 [cited 2012 Dec 30]. 4:825-839. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/22711280>
2. Ângelo Cardoso Pereira, Moisés Carminatti, Natália Maria da Silva Fernandes, Luciana dos Santos Tirapani, Ruitter de Souza Faria, Fabiane Rossi dos Santos Grincenkov, et al. Association Between Laboratory and Clinical Risk Factors and Progression of the Predialytic Chronic Kidney Disease. *J Bras Nefrol* [Internet]. 2012 [cited 2012 Dec 23]. 34(1):68-75. Available from: http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0101-28002012000100011&lng=en&nrm=iso&tlng=en
3. Stevens LA, Li S, Wang C, et al. Prevalence of CKD and comorbid illness in elderly patients in the United States: results from the Kidney Early Evaluation Program (KEEP). *Am J Kidney Dis* 2010;55(Suppl):S23-33.
4. Stevens LA, Li S, Wang C, et al. Prevalence of CKD and comorbid illness in elderly patients in the United States: results from the Kidney Early Evaluation Program (KEEP). *Am J Kidney Dis* 2010;55(Suppl):S23-33.
5. Pradeep Arora, MD. Chronic Kidney Disease [internet] c2013[updated 2013 feb 6; cited 2013 feb 10]. Available from: <http://emedicine.medscape.com/article/238798-overview#a015>
6. Suwira K. Penyakit ginjal kronik. In: Sudoyo AW, Setiyohadi B, Alwi I, KMS, Setiati S, editors. *Buku ajar ilmu Penyakit Dalam*. II ed. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Diponegoro; 2009. P. 1035-40
7. American Diabetes Association. Microvascular and Macrovascular Complications of Diabetes. *Clinical diabetes* [Internet]. 2008 [cited 2013 Feb

- 15]: 26(2) 77-82. Available from: <http://clinical.diabetesjournals.org/content/26/2/77.full>
8. Josef Coresh, Elizabeth Selvin, Lesley A. Stevens, Jane Manzi, John W. Kusek, Paul Eggers, et al. Prevalence of Chronic Kidney Disease in the United States. *Journal American Medical Association* [Internet]. 2007 [cited 2012 Dec 30]. 298(17):238-247. Available from: <http://jama.jamanetwork.com/article.aspx?articleid=209357>
 9. URSD Annual Data Record. Chronic Kidney In The General Population.[internet]. 2012 [cited 2012 Nov 10] Available from: <http://www.usrds.org/adr.aspx>
 10. Agarwal SK, Dash SC, Irshad M et al. Prevalence of Chronic Renal Failure in adults in Delhi, India. *Nephrol Dial Transplant* [internet] 2005 [cited 2013 feb 14]; 20: 1638–1642. Available from: <http://ndt.oxfordjournals.org/>
 11. Carlos M. Orantes, Raúl Herrera, Miguel Almaguer, Elsy G. Brizuela, Carlos E. Hernández, Héctor Bayarre, et al. Chronic Kidney Disease and Associated Risk Factors in the Bajo Lempa Region of El Salvador: Nefrolempa Study, 2009. *MEDICC Review* [Internet]. 2011 [Cited 2012 Dec 23]. 13(4). Available from: http://www.medicc.org/mediccreview/articles/mr_221.pdf
 12. National Institute of Health. Chronic Kidney Disease [Internet] 2011 [cited 2013 Feb 20]. Available from: <http://www.nlm.nih.gov/medlineplus/ency/article/000471.htm>
 13. Darmono. Pola hidup sehat penderita diabetes melitus. In: Darmono, Suhartono T, Pemayun TGD, Padmomartono FS, editors. *Naskah lengkap diabetes melitus ditinjau dari berbagai aspek penyakit dalam*. Semarang: Badan Penerbit universitas Diponegoro; 2007 p.15-28
 14. PERKENI. *Konsensus Pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia*. Jakarta: Pengurus Besar Perkumpulan Endokrinologi Indonesia; 2006.
 15. Price SA. *Pankreas: Metabolisme glukosa dan diabetes mellitus. Patofisiologi : Konsep klinis proses-proses*. Jakarta 2005.

16. Hadisaputro S, Setyawan. 11. Epidemiologi dan faktor-faktor risiko terjadinya diabetes melitus tipe 2. In: Darmono, Suhartono T, Pemayun TGD, Padmomartono FS, editors. Naskah lengkap diabetes melitus ditinjau dari berbagai aspek penyakit dalam. Semarang: Badan Penerbit universitas Diponegoro; 2007 p.133-52
17. Price SA. Pankreas: Metabolisme glukosa dan diabetes mellitus. Patofisiologi : Konsep klinis proses-proses. Jakarta2005.
18. Lubis HR. Penyakit ginjal diabetik. in: Sudoyo AW, Setiyohadi B, Alwi I,K MS, Setiati S, editors. Buku ajar ilmu Penyakit Dalam. IV ed. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam FKUI; 2006. P. 610-611
19. Yogiartoro M. Hipertensi Esensial. In: Sudoyo AW, Setiyohadi B, Alwi I,K MS, Setiati S, editors. Buku ajar ilmu Penyakit Dalam. IV ed. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam FKUI; 2006
20. National Clinical Guideline Centre. Hypertension The Clinical Management of Primary Hypertension in Adults. [internet] 2011 [cited 2013 Feb 9]. Available from: <http://www.nice.org.uk/nicemedia/live/13561/56008/56008.pdf>
21. Jun R. Chiong , Wilbert S. Aronow b, Ijaz A. Khan c, Chandra K. Nair d, Krishnaswami Vijayaraghavan e, Richard A. Dart f, Thomas R. Behrenbeck g, Stephen A. Geraci. Secondary Hypertension. [internet] 2007 [cited 2013 Feb 19]. Available from: www.ncbi.nlm.nih.gov/pubmed/17462751
22. Tessy A. Hipertensi Pada Penyakit Ginjal. In: Sudoyo AW, Setiyohadi B, Alwi I,K MS, Setiati S, editors. Buku ajar ilmu Penyakit Dalam. IV ed. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam FKUI; 2006
23. National Kidney Foundation. High Blood Pressure and Chronic Kidney Disease. [internet] 2010 [cited 2013 Feb 9] Available from: <http://www.kidney.org/atoz/pdf/hbpandckd.pdf>
24. Sja'bani M. Batu Saluran Kemih In: Sudoyo AW, Setiyohadi B, Alwi I,K MS, Setiati S, editors. Buku ajar ilmu Penyakit Dalam. IV ed. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam FKUI; 2006

25. Sukandar E. Infeksi Saluran Kemih Pasien Dewasa. In: Sudoyo AW, Setiyohadi B, Alwi IK MS, Setiati S, editors. Buku ajar ilmu Penyakit Dalam. IV ed. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam FKUI; 2006
26. National Institute of Diabetes and Digestive and Kidney Diseases [internet] 2000[cited] maret 12 2013 available from : <http://www.kidney.niddk.nih.gov/kudiseases/pubs/pdf/PKD.pdf>
27. S. P. Stawicki, MD , Gary Lombardo, MD ABSITE CORNER Polycystic kidney disease [internet] 2010 [cited] maret 12 2013 available from: <http://www.opus12.org/uploads/223-193-1-PB-PKD.pdf>
28. Pramono LA, Setiati S, Soewondo P, Subekti I, Adisasmita A, Kodim N, Sutrisna B: Prevalence and predictors of undiagnosed diabetes mellitus in Indonesia[internet].2010[cited]agustus221013 available from: <http://www.ncbi.nlm.nih.gov/pubmed/21063043>
29. National Kidney Foundation.Diabetes and Chronic kidney disease [internet]. 2007; cited 2013 agustus 22. Available from: www.kidney.org/atoz/pdf/diabetes.pdf
30. Kementrian kesehatan republik indonesia. Hypertension problem in indonesia[internet]. 2012. Cited 2013 agustus 22. Available from: <http://www.depkes.go.id/en/index.php/news/press-release/753-hypertension-problem-in-indonesia-.html>
31. Purnomo, Basuki B; Dasar-dasar UROLOGI; Jakarta:infomedika,2000

LAMPIRAN

JenisKelamin

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Perempuan	28	49.1	49.1	49.1
Laki-laki	29	50.9	50.9	100.0
Total	57	100.0	100.0	

PGK			Statistic	Std. Error
Umur	Stadium 3	Mean	60.42	3.322
		95% Lower Bound Confidence Interval for Mean	53.44	
		Upper Bound	67.40	
		5% Trimmed Mean	60.91	
		Median	62.00	
		Variance	209.702	
		Std. Deviation	14.481	
		Minimum	32	
		Maximum	80	
		Range	48	
	Interquartile Range	24		
	Skewness	-.515	.524	
	Kurtosis	-.527	1.014	
	Stadium 4	Mean	58.79	4.186
		95% Lower Bound Confidence Interval for Mean	49.99	
		Upper Bound	67.58	
		5% Trimmed Mean	59.04	
		Median	59.00	
		Variance	332.953	
		Std. Deviation	18.247	
Minimum		27		
Maximum		86		

	Range		59	
	Interquartile Range		30	
	Skewness		-.169	.524
	Kurtosis		-.960	1.014
Stadium 5	Mean		55.68	2.971
	95% Lower Bound			
	Confidence Interval for Mean		49.44	
	Upper Bound		61.93	
	5% Trimmed Mean		56.04	
	Median		58.00	
	Variance		167.673	
	Std. Deviation		12.949	
	Minimum		24	
	Maximum		81	
	Range		57	
	Interquartile Range		11	
	Skewness		-.191	.524
	Kurtosis		1.574	1.014

PGK * Glomerulonefritis Crosstabulation

			Glomerulonefritis	Total
			-	-
PGK	Stadium 3	Count	19	19
		% within PGK	100.0%	100.0%
		% within Glomerulonefritis	33.3%	33.3%
		% of Total	33.3%	33.3%
	Stadium 4	Count	19	19
		% within PGK	100.0%	100.0%
		% within Glomerulonefritis	33.3%	33.3%
		% of Total	33.3%	33.3%
	Stadium 5	Count	19	19
		% within PGK	100.0%	100.0%

Total	% within Glomerulonefritis	33.3%	33.3%
	% of Total	33.3%	33.3%
	Count	57	57
	% within PGK	100.0%	100.0%
	% within Glomerulonefritis	100.0%	100.0%
	% of Total	100.0%	100.0%

PGK * Hipertensi Crosstabulation

			Hipertensi		Total
			-	+	-
PGK	Stadium 3	Count	9	10	19
		% within PGK	47.4%	52.6%	100.0%
		% within Hipertensi	31.0%	35.7%	33.3%
		% of Total	15.8%	17.5%	33.3%
Stadium 4	Count	11	8	19	
	% within PGK	57.9%	42.1%	100.0%	
	% within Hipertensi	37.9%	28.6%	33.3%	
	% of Total	19.3%	14.0%	33.3%	
Stadium 5	Count	9	10	19	
	% within PGK	47.4%	52.6%	100.0%	
	% within Hipertensi	31.0%	35.7%	33.3%	
	% of Total	15.8%	17.5%	33.3%	
Total	Count	29	28	57	
	% within PGK	50.9%	49.1%	100.0%	
	% within Hipertensi	100.0%	100.0%	100.0%	
	% of Total	50.9%	49.1%	100.0%	

PGK * DiabetesMelitus Crosstabulation

			DiabetesMelitus		Total
			-	+	-
PGK	Stadium 3	Count	17	2	19
		% within PGK	89.5%	10.5%	100.0%

		% within DiabetesMelitus	36.2%	20.0%	33.3%
		% of Total	29.8%	3.5%	33.3%
Stadium 4		Count	17	2	19
		% within PGK	89.5%	10.5%	100.0%
		% within DiabetesMelitus	36.2%	20.0%	33.3%
		% of Total	29.8%	3.5%	33.3%
Stadium 5		Count	13	6	19
		% within PGK	68.4%	31.6%	100.0%
		% within DiabetesMelitus	27.7%	60.0%	33.3%
		% of Total	22.8%	10.5%	33.3%
Total		Count	47	10	57
		% within PGK	82.5%	17.5%	100.0%
		% within DiabetesMelitus	100.0%	100.0%	100.0%
		% of Total	82.5%	17.5%	100.0%

PGK * GinjalPolikistik Crosstabulation

			GinjalPolikistik		Total
			-	+	-
PGK Stadium 3		Count	14	5	19
		% within PGK	73.7%	26.3%	100.0%
		% within GinjalPolikistik	33.3%	33.3%	33.3%
		% of Total	24.6%	8.8%	33.3%
Stadium 4		Count	13	6	19
		% within PGK	68.4%	31.6%	100.0%
		% within GinjalPolikistik	31.0%	40.0%	33.3%
		% of Total	22.8%	10.5%	33.3%
Stadium 5		Count	15	4	19
		% within PGK	78.9%	21.1%	100.0%
		% within GinjalPolikistik	35.7%	26.7%	33.3%
		% of Total	26.3%	7.0%	33.3%
Total		Count	42	15	57
		% within PGK	73.7%	26.3%	100.0%
		% within GinjalPolikistik	100.0%	100.0%	100.0%
		% of Total	73.7%	26.3%	100.0%

PGK * ObstruksidanISK Crosstabulation

			ObstruksidanISK		Total
			-	+	-
PGK	Stadium 3	Count	14	5	19
		% within PGK	73.7%	26.3%	100.0%
		% within ObstruksidanISK	33.3%	33.3%	33.3%
		% of Total	24.6%	8.8%	33.3%
	Stadium 4	Count	12	7	19
		% within PGK	63.2%	36.8%	100.0%
		% within ObstruksidanISK	28.6%	46.7%	33.3%
		% of Total	21.1%	12.3%	33.3%
	Stadium 5	Count	16	3	19
		% within PGK	84.2%	15.8%	100.0%
		% within ObstruksidanISK	38.1%	20.0%	33.3%
		% of Total	28.1%	5.3%	33.3%
Total	Count	42	15	57	
	% within PGK	73.7%	26.3%	100.0%	
	% within ObstruksidanISK	100.0%	100.0%	100.0%	
	% of Total	73.7%	26.3%	100.0%	

PGK * LainLain Crosstabulation

			LainLain		Total
			-	+	-
PGK	Stadium 3	Count	10	9	19
		% within PGK	52.6%	47.4%	100.0%
		% within LainLain	35.7%	31.0%	33.3%
		% of Total	17.5%	15.8%	33.3%
	Stadium 4	Count	8	11	19
		% within PGK	42.1%	57.9%	100.0%
		% within LainLain	28.6%	37.9%	33.3%
		% of Total	14.0%	19.3%	33.3%
	Stadium 5	Count	10	9	19
		% within PGK	52.6%	47.4%	100.0%
		% within LainLain	35.7%	31.0%	33.3%
		% of Total	17.5%	15.8%	33.3%
Total	Count	28	29	57	

% within PGK	49.1%	50.9%	100.0%
% within LainLain	100.0%	100.0%	100.0%
% of Total	49.1%	50.9%	100.0%

Hipertensi * PGK Crosstabulation

		PGK			Total
		Stadium 3	Stadium 4	Stadium 5	Stadium 3
Hipertensi -	Count	9	11	9	29
	Expected Count	9.7	9.7	9.7	29.0
+	Count	10	8	10	28
	Expected Count	9.3	9.3	9.3	28.0
Total	Count	19	19	19	57
	Expected Count	19.0	19.0	19.0	57.0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.562(a)	2	.755
Likelihood Ratio	.563	2	.754
Linear-by-Linear Association	.000	1	1.000
N of Valid Cases	57		

a 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.33.

PGK * DiabetesMelitus Crosstabulation

			DiabetesMelitus		Total
			-	+	-
PGK Stadium 3	Count		17	2	19
	% within PGK		89.5%	10.5%	100.0%
Stadium 4	Count		17	2	19
	% within PGK		89.5%	10.5%	100.0%
Stadium 5	Count		13	6	19
	% within PGK		68.4%	31.6%	100.0%
Total	Count		47	10	57

% within PGK	82.5%	17.5%	100.0%
--------------	-------	-------	--------

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.881(a)	2	.144
Likelihood Ratio	3.670	2	.160
Linear-by-Linear Association	2.860	1	.091
N of Valid Cases	57		

a 3 cells (50.0%) have expected count less than 5. The minimum expected count is 3.33.

Test Statistics(a)

		PGK
Most Extreme Differences	Absolute	.323
	Positive	.323
	Negative	.000
Kolmogorov-Smirnov Z		.929
Asymp. Sig. (2-tailed)		.354

a Grouping Variable: DiabetesMelitus

ObstruksidanISK * PGK Crosstabulation

			PGK			Total
			Stadium 3	Stadium 4	Stadium 5	Stadium 3
ObstruksidanISK -	Count		14	12	16	42
	Expected Count		14.0	14.0	14.0	42.0
ObstruksidanISK +	Count		5	7	3	15
	Expected Count		5.0	5.0	5.0	15.0
Total	Count		19	19	19	57
	Expected Count		19.0	19.0	19.0	57.0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.171(a)	2	.338
Likelihood Ratio	2.219	2	.330
Linear-by-Linear Association	.533	1	.465
N of Valid Cases	57		

a 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.00.

GinjalPolikistik * PGK Crosstabulation

		PGK			Total
		Stadium 3	Stadium 4	Stadium 5	Stadium 3
GinjalPolikistik -	Count	14	13	15	42
	Expected Count	14.0	14.0	14.0	42.0
GinjalPolikistik +	Count	5	6	4	15
	Expected Count	5.0	5.0	5.0	15.0
Total	Count	19	19	19	57
	Expected Count	19.0	19.0	19.0	57.0

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.543(a)	2	.762
Likelihood Ratio	.546	2	.761
Linear-by-Linear Association	.133	1	.715
N of Valid Cases	57		

a 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.00.

No. CM	Jenis kelamin	Umur	BB	Kreatinin	Hipertensi	Diabetes	Obs,inf	G.polikistik	
a549822	Laki-laki	60	59	1.35	+	-	-	-	48.56
c340166	Laki-laki	50	60	1.66	+	-	-	+	45.18
c207127	Laki-laki	58	82	2.15	-	+	+	-	43.44
c231022	Laki-laki	74	65	1.38	+	-	+	-	43.18
c37498	Perempuan	32	45	1.62	+	-	-	+	41.67
c354751	Laki-laki	74	60	1.34	-	-	-	+	41.04
c196721	Laki-laki	65	45	1.17	-	-	+	-	40.06
b330499	Perempuan	59	65	1.86	+	-	-	-	39.31
c096112	Laki-laki	44	72	2.47	-	-	-	-	38.87
c334213	Laki-laki	53	75	2.36	-	-	-	-	38.40
b267871	Laki-laki	64	90	2.54	+	-	-	-	37.3
c181787	Laki-laki	74	53	1.33	+	-	+	+	36.53
c248559	Laki-laki	62	61	1.81	-	-	-	-	36.51
b001398	Perempuan	75	40	0.99	-	-	-	-	36.48
c262173	Perempuan	45	55	2.09	-	-	-	+	34.72
c171004	Laki-laki	65	60	1.84	+	-	-	-	33.97
c136695	Laki-laki	80	55	1.41	-	-	-	-	32.51
c353697	Laki-laki	34	55	2.67	+	-	+	-	30.33
c358677	Perempuan	80	39	1.08	+	+	-	-	30.09
c323624	Laki-laki	46	75	3.38	+	-	-	+	28.97
c33027	Laki-laki	27	61	3.31	-	-	-	+	28.92
c389220	Laki-laki	69	67	2.3	+	-	+	+	28.73
c167609	Perempuan	46	40	1.82	-	-	-	-	28.69

c341186	Perempuan	76	46	1.47	+	-	+	+	27.82
c301211	Perempuan	68	39	1.42	+	-	+	-	27.46
c362648	Laki-laki	61	80	3.6	+	-	-	-	24.38
c318134	Perempuan	46	50	2.89	-	-	-	-	22.59
c356911	Laki-laki	81	45	1.7	+	-	+	+	21.69
c172006	Laki-laki	52	60	3.7	-	-	-	-	19.82
c362708	Perempuan	80	40	1.69	-	+	+	-	19.72
c232891	Perempuan	44	50	3.4	-	-	-	-	19.61
b394325	Laki-laki	70	72	3.63	-	-	-	-	19.28
c372406	Laki-laki	86	60	2.55	+	+	+	-	17.65
c350828	Perempuan	27	60	5.45	-	-	-	-	17.28
c089572	Perempuan	55	70	4.98	-	-	-	-	16.59
c213117	Perempuan	41	40	3.38	-	-	-	-	16.27
c193444	Perempuan	59	49	3.54	-	-	+	-	15.57
b285336	Laki-laki	83	60	3.16	+	-	-	+	15.03
c139995	Laki-laki	59	70	5.96	-	-	-	-	13.21
b440537	Perempuan	63	50	4.1	-	-	+	-	13.04
61720	Laki-laki	24	70	8.91	+	-	-	-	12.66
B198645	Perempuan	40	61	6.7	+	-	-	+	12.65
c231552	Perempuan	60	30	2.65	-	-	-	+	12.58
b427564	Perempuan	80	35	2.4	+	-	-	-	12.15
c151471	Perempuan	64	50	4.35	-	-	-	-	12.13
c063968	Laki-laki	58	60	5.84	-	+	-	+	11.7
b066028	Perempuan	81	45	3.24	-	-	-	-	11.38
c304838	Perempuan	60	45	4.4	+	+	-	-	11.36

c351704	Perempuan	49	60	6.87	-	-	-	-	11.04
c363468	Perempuan	56	55	6.39	+	-	-	-	10.04
c374181	Perempuan	50	55	6.97	-	+	+	-	9.86
c330903	Perempuan	55	48	5.92	+	-	-	-	9.57
c122467	Perempuan	59	60	7.09	+	+	-	-	9.52
c140793	Laki-laki	49	60	9.79	+	+	-	-	7.75
c329377	Perempuan	45	48	8.86	-	-	-	-	7.15
c305093	Laki-laki	60	60	9.85	+	+	-	-	6.77
c372392	Laki-laki	46	59	11.44	+	-	+	+	6.73

Lampiran : Dokumentasi Penelitian



Biodata Penulis

Nama : Ahmad Fakhruddin
NIM : G2A 008 194
Tempat/Tanggal lahir : Sukamara / 23 Mei 1991
Jenis Kelamin : Laki-laki
Alamat : Jalan Jrobang 2 Jatingaleh Semarang
Email : ahmadfakhruddinray@gmail.com

Riwayat Pendidikan Formal

- 1) SD : Lulus tahun 2003
- 2) SMP : Lulus tahun 2006
- 3) SMA : Lulus tahun 2009
- 4) FK Undip : Masuk tahun : 2009