# DAFTAR PUSTAKA


1. PERKENI. *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. Perkumpulan Endokrinologi Indonesia; 2011.
2. Tjokoprawiro A, Hendromartono, Sutjahjo A, Pranoto A, Murtiwi S, Adi S, Wibisono S. *Diabetes Mellitus*. Dalam : Tjokroprawiro A, Setiawan Boedi S, Pranoto A, Nasronudin, Santoso D, Soegiarto G, editors. Buku Ajar Ilmu Penyakit Dalam. Surabaya : Airlangga University Press, 2007; 29.
3. Jayarama N, Reddy M, Lakshmaiah V. *Prevalence and Pattern of Dyslipidemia in Type 2 Diabetes Mellitus Patients in a Rural Tertiary Care Centre, Southern India.* Global Journal of Medicine and Public Health [internet]. 2012 [cited 2010 November]; 1(3): 24. Available from : http://www.gjmedph.org/uploads/O2-Vo1No3.pdf
4. Suhartono T. *Dislipidemia pada Diabetes Melitus.* Dalam: Darmono, Suhartono T, Pemayun TGD, Padmomartono FS, editors. Diabetes Melitus Ditinjau dari Berbagai Aspek Penyakit Dalam. Semarang: Badan Penerbit Universitas Diponegoro; 2007; 31-34
5. PERKENI. *Konsensus Pengelolaan Dislipidemia di Indonesia.* Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam Fakultas Kedokteran UI; 2012.
6. Boedhi-Darmojo R. *Bersama MONICA Melaksanakan Hidup Sehat.* Bunga Rampai Karangan Ilmiah Prof. Dr. R. Boedhi-Darmojo. Semarang : FK UNDIP; 1994; 433-50.

7. Blebil AQ, Hassan Y, Dujaili JA, dan Aziz NA. *Pattern of Dyslipidemia in Type 2 Diabetic Patients in yhe State of Penang, Malaysia.* International Journal of Pharmacy and Pharmaceutical Sciences [internet]. 2012. [cited 2012 oktober]; 4: 305-308. Available from : http://www.ijppsjournal.com/Vol4Issue1—3001.pdf
8. Jisieike-Onuigbo NN, Unuigbe EI, Oguejiofor CO. *Dyslipidemias in Type 2 Diabetes Melitus Patients in Nnewi South-East Nigeria.* Annals of African Medicines [internet]. 2011 [cited 2012 Oktober]; 10(4): 285-289. Available from: http://www.ajol.info/index.php/aamarticle.../64474.pdf
9. Powers AC. *Diabetes Mellitus*. Dalam : Jameson JL, editor. Harrison's Endocrinology Ed. 16. United States of America: Library of Congress Cataloging, 2006; 283-330.
10. Hendromartono, Tjokroprawiro A, Sutjahjo A, Pranoto A, Murtiwi S, Adi S, dkk. *Dislipidemia*. Dalam: Tjokroprawiro A, Setiawan Boedi S, Pranoto A, Nasronudin, Santoso D, Soegiarto G, editors. Buku Ajar Ilmu Penyakit Dalam. Surabaya : Airlangga University Press; 2007; 93-106.
11. Rader DJ, Hobbs HH. *Disorders of Lipoprotein Metabolism*. Dalam : Jameson JL, editor. Harrison's Endocrinology Ed. 16. United States of America: Library of Congress Cataloging; 2006; 333-354
12. Suarjana MD. *Hubungaan Kadar Ketonuria dengan Kadar Dislipidemia pada Penderita Diabetes Melitus Tipe 2* [thesis]. Semarang: Fakultas Kedokteran UNDIP. 1999; 1-59. Available from : http://eprints.undip.ac.id/14380/1/2000FK385.pdf

13. Carey RM, Williams GH, Young WF, editors. *Dyslipidemia.* Hormone Health Network [internet]. c2010. [updated 2010 Februari; cited 2013 Februari]. Available from: http://www.hormone.org/Cardiovascular/dyslipidemia.cfm

14. Purnamasari D. *Diagnosis dan Klasifikasi Diabetes Melitus.* Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editors. Buku Ajar Ilmu Penyakit Dalam Ed.5. Jakarta: Interna Pubishing; 2009; 1881

15. Fincke BG, Clark JA, Linzer M, Spiro A, Miller DR, Lee A, dkk. *Assessment of Long-term Complications due to Type 2 Diabetes Using Patient Self-report : The Diabetes Complications Index*. J Ambulatory Care Manage [internet]. 2005 [cited 2013 February]; 28 (3): 262–273. Available from : http://www.bu.edu/lab/files/2011/11/Fincke-Clark-Linzer-Spiro-III-Miller-Lee-Kazis.-2005.-Assessment-of-long-term-complications-due-to-diabetes-using-patient-self-report.pdf

16. Adam JMF. *Dislipidemia*. Dalam: Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S, editors. Buku Ajar Ilmu Penyakit Dalam Ed.5. Jakarta: Interna Pubishing; 2009; 1984-1992.

17. Uttra KM, Devrajani BR, Shah SZA, Devrajani T, Das T, Raza S, Naseem. *Lipid Profile of Patients with Diabetes mellitus(A Multidisciplinary Study)*. World Applied Sciences Journal [internet]. 2011 [cited 2013 July]; 12 (9): 1382-1384. Available from : http://www.idosi.org/wasj/wasj12(9)/3.pdf

18. Bello-Sani F, Bakari AG, Anumah FE. *Dyslipidaemia in persons with type 2 diabetes mellitus in Kaduna, Nigeria.* Int J Diabetes & Metabolism [internet].

2007 [cited 2013 July]; 15: 9-13. Available from : http://ijod.uaeu.ac.ae/iss_1501/c.pdf

19. Habib SS, Aslam M, Hameed W. *Gender Differences in Lipids and Lipoprotein(a) Profiles in Healthy Individuals and Patients with Type 2 Diabetes Mellitus.* Pak J Physiol [internet]. 2005 [cited June 2013]; 1 (1-2). Available from: www.pps.org.pkPJP1-1-2Shahidhabib.pdf

20. Tagoe DNA, Amo-Kodieh P. *Type 2 diabetes mellitus influences lipid profile of diabetic patients*. Scholars Research Library Annals of Biological Research [internet]. 2013 [cited July 2013]; 4 (6): 88-92. Available from: http://scholarsresearchlibrary.com/ABR-vol4-iss6/ABR-2013-4-6-88-92.pdf

21. Sert M, Morgul G, Tetiker BT. *Diabetic dyslipidemia is a well-known issue, but what about lipoprotein a levels in Type 2 diabetics?*. Int J Diabetes & Metab [internet]. 2010 [cited June 2013]; 18: 81-87. Available from: http://ijod.uaeu.ac.ae/iss_1802/f.pdf.

22. Juutilainen A, Kortelainen S, Lehto S, Rönnema T, Pyörälä K, Laakso M, *Gender Difference in the Impact of Type 2 Diabetes on Coronary Heart Disease Risk.* American Diabetes Association. 2004. [Updated 2004 August; cited 2013 June]. Available from: http://care.diabetesjournals.org/content/27/12/2898.full

LAMPIRAN

**KOMISI ETIK PENELITIAN KESEHATAN (KEPK)**
**FAKULTAS KEDOKTERAN UNIVERSITAS DIPONEGORO**
**DAN RSUP dr KARIADI SEMARANG**
**Sekretariat : Kantor Dekanat FK Undip Lt.3**
**Jl. Dr. Soetomo 18. Semarang**
**Telp.024-8311523/Fax. 024-8446905**

RSUP Dr. KARIADI

## *ETHICAL CLEARANCE*
***No.139/EC/FK/RSDK/2013***

Komisi Etik Penelitian Kesehatan Fakultas Kedokteran Universitas Diponegoro/ RSUP Dr. Kariadi Semarang, setelah membaca dan menelaah Usulan Penelitian dengan judul :

**POLA DISLIPIDEMIA PADA PENDERITA DIABETES MELITUS TIPE 2**
**DI RSUP DR.KARIADI SEMARANG**

| | | |
|---|---|---|
| Peneliti Utama | : | Andromedae Kartika P |
| Pembimbing | : | dr. Tony Suhartono, Sp.PD,KEMD,FINASIM |
| Penelitian | : | Dilaksanakan di RSUP Dr. Kariadi Semarang, |

Setuju untuk dilaksanakan, dengan memperhatikan prinsip-prinsip yang dinyatakan dalam Deklarasi Helsinki 1975, yang diamended di Seoul 2008 dan Pedoman Nasional Etik Penelitian Kesehatan (PNEPK) Departemen Kesehatan RI 2011

Penelitian ini tidak memerlukan Informed consent karena mengggunakan Data Rekam Medik RSUP Dr. Kariadi Semarang.

Semarang, 6 Mei 2013

Komisi Etik Penelitian Kesehatan
Fakultas Kedokteran Undip/RSUP Dr. Kariadi
Ketua

KOMISI ETIK PENELITIAN KESEHATAN KEPK FK. UNDIP RS. Dr. KARIADI SEMARANG

Prof.Dr.dr.Suprihati, M.Sc, Sp.THT-KL(K)
NIP. 19500621197703 2 001

KEMENTERIAN KESEHATAN RI
DIREKTORAT JENDERAL BINA UPAYA KESEHATAN
**RUMAH SAKIT UMUM PUSAT DOKTER KARIADI**
Jalan Dr. Sutomo No. 16 Semarang, PO BOX 1104
Telepon : ( 024 ) 8413993, 8413476, 8413764 Fax : ( 024 ) 8318617
Website : http://www.rskariadi.com email : rsdk@indosat.net.id ; rsdk@rskariadi.com
RSUP Dr. KARIADI
Sehatkan Hemapu Sehat

Nomor : DL.00.02/I.II/ 1172 /2013
Lamp. : –
Perihal : *Penelitian*

18 MAY 2013

Yth. Dekan Fakultas Kedokteran
Universitas Diponegoro
Jl. Prof. H. Soedarto, SH. Tembalang
di –
SEMARANG

Menindak lanjuti surat Saudara No.1117 /UN7.3.4/D1/PP/2013 tanggal 18 Maret 2013 perihal Permohonan ijin peminjaman rekam medis, dengan ini kami sampaikan bahwa :

| | | |
|---|---|---|
| Nama peneliti | : | Andromedaa Kartika P. |
| Judul penelitian | : | Pola Dislipidemia Pada Penderita Diabetes Melitus Tipe 2 di RSUP Dr. Kariadi Semarang. |
| Pembimbing | : | dr. Tony Suhartono, Sp.PD-KEMD, FINASIM |

pada prinsipnya diijinkan untuk melaksanakan Penelitian di Instalasi Rekam Medis, Jantung dan Geriatri RSUP Dr. Kariadi dengan ketentuan :

- Waktu pelaksanaan penelitian dapat dilakukan sewaktu hari kerja selama ±4 bulan, dengan jumlah sampel yang dibutuhkan adalah ±66 CM.
- Tidak mengganggu pelayanan.
- Pihak Institusi dan mahasiswa dapat mentaati peraturan serta tata-tertib yang berlaku di RSUP Dr. Kariadi.
- Memberikan laporan hasil penelitian kepada RSUP Dr. Kariadi dan Bagian/Instalasi tempat penelitian dilaksanakan.

Atas perhatian dan kerjasama Saudara diucapkan terima kasih.

An. Direktur Utama
Direktur SDM dan Pendidikan

RSUP Dr. KARIADI

Dr. Agus Suryanto, Sp.PD-KP
NIP 19610818 198812 1 001

*Tembusan Yth :*
1. Direktur Utama RSUP Dr. Kariadi (*sebagai laporan*)
2. Ka.Inst. Rekam Medis
3. Ka.Inst. Jantung
4. Ka.Inst. Geriatri
5. Ka.Inst. Diklat
6. Yang bersangkutan

## HASIL ANALISA

*Frequency Table*

**kategori usia**

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---|---|---|---|---|---|
| Valid | 30-40 | 1 | 1.5 | 1.5 | 1.5 |
| | 41-50 | 18 | 27.3 | 27.3 | 28.8 |
| | 51-60 | 24 | 36.4 | 36.4 | 65.2 |
| | >=61 | 23 | 34.8 | 34.8 | 100.0 |
| | Total | 66 | 100.0 | 100.0 | |

**jenisKelamin**

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---|---|---|---|---|---|
| Valid | laki-laki | 36 | 54.5 | 54.5 | 54.5 |
| | perempuan | 30 | 45.5 | 45.5 | 100.0 |
| | Total | 66 | 100.0 | 100.0 | |

**kategoriKolesterolTotal**

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---|---|---|---|---|---|
| Valid | normal | 31 | 47.0 | 47.0 | 47.0 |
| | borderline | 17 | 25.8 | 25.8 | 72.7 |
| | tinggi | 18 | 27.3 | 27.3 | 100.0 |
| | Total | 66 | 100.0 | 100.0 | |

**kategoriTG**

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---|---|---|---|---|---|
| Valid | normal | 22 | 33.3 | 33.3 | 33.3 |
| | borderline | 18 | 27.3 | 27.3 | 60.6 |
| | tinggi | 23 | 34.8 | 34.8 | 95.5 |
| | sangat tinggi | 3 | 4.5 | 4.5 | 100.0 |
| | Total | 66 | 100.0 | 100.0 | |

**kategoriHDL**

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---|---|---|---|---|---|
| Valid | rendah | 50 | 75.8 | 75.8 | 75.8 |
| | normal | 16 | 24.2 | 24.2 | 100.0 |
| | Total | 66 | 100.0 | 100.0 | |

**kategoriLDL**

| | | Frequency | Percent | Valid Percent | Cumulative Percent |
|---|---|---|---|---|---|
| Valid | normal | 16 | 24.2 | 24.2 | 24.2 |
| | mendekati optimal | 17 | 25.8 | 25.8 | 50.0 |
| | borderline | 19 | 28.8 | 28.8 | 78.8 |
| | tinggi | 11 | 16.7 | 16.7 | 95.5 |
| | sangat tinggi | 3 | 4.5 | 4.5 | 100.0 |
| | Total | 66 | 100.0 | 100.0 | |

**Jenis kelamin * usia**

| | | | kategori usia | | | Total |
|---|---|---|---|---|---|---|
| | | | 41-50 | 51-60 | >=61 | |
| jenisKelamin | laki-laki | Count | 8 | 18 | 11 | 37 |
| | | Expected Count | 10.1 | 14.0 | 12.9 | 37.0 |
| | | % within jenisKelamin | 21.6% | 48.6% | 29.7% | 100.0% |
| | | % within kategori usia | 44.4% | 72.0% | 47.8% | 56.1% |
| | | % of Total | 12.1% | 27.3% | 16.7% | 56.1% |
| | perempuan | Count | 10 | 7 | 12 | 29 |
| | | Expected Count | 7.9 | 11.0 | 10.1 | 29.0 |
| | | % within jenisKelamin | 34.5% | 24.1% | 41.4% | 100.0% |
| | | % within kategori usia | 55.6% | 28.0% | 52.2% | 43.9% |
| | | % of Total | 15.2% | 10.6% | 18.2% | 43.9% |
| Total | | Count | 18 | 25 | 23 | 66 |
| | | Expected Count | 18.0 | 25.0 | 23.0 | 66.0 |
| | | % within jenisKelamin | 27.3% | 37.9% | 34.8% | 100.0% |
| | | % within kategori usia | 100.0% | 100.0% | 100.0% | 100.0% |
| | | % of Total | 27.3% | 37.9% | 34.8% | 100.0% |

**Crosstabs PROFIL LIPID * USIA**

**kategoriKolesterolTotal * kategori usia Crosstabulation**

| | | | kategori usia | | | Total |
|---|---|---|---|---|---|---|
| | | | 41-50 | 51-60 | >=61 | |
| kategoriKolesterolTotal | normal | Count | 10 | 9 | 12 | 31 |
| | | Expected Count | 8.5 | 11.7 | 10.8 | 31.0 |
| | | % within kategoriKolesterolTotal | 32.3% | 29.0% | 38.7% | 100.0% |
| | | % within kategori usia | 55.6% | 36.0% | 52.2% | 47.0% |
| | | % of Total | 15.2% | 13.6% | 18.2% | 47.0% |
| | borderline | Count | 4 | 8 | 5 | 17 |
| | | Expected Count | 4.6 | 6.4 | 5.9 | 17.0 |
| | | % within kategoriKolesterolTotal | 23.5% | 47.1% | 29.4% | 100.0% |
| | | % within kategori usia | 22.2% | 32.0% | 21.7% | 25.8% |
| | | % of Total | 6.1% | 12.1% | 7.6% | 25.8% |
| | tinggi | Count | 4 | 8 | 6 | 18 |
| | | Expected Count | 4.9 | 6.8 | 6.3 | 18.0 |
| | | % within kategoriKolesterolTotal | 22.2% | 44.4% | 33.3% | 100.0% |
| | | % within kategori usia | 22.2% | 32.0% | 26.1% | 27.3% |
| | | % of Total | 6.1% | 12.1% | 9.1% | 27.3% |
| Total | | Count | 18 | 25 | 23 | 66 |
| | | Expected Count | 18.0 | 25.0 | 23.0 | 66.0 |
| | | % within kategoriKolesterolTotal | 27.3% | 37.9% | 34.8% | 100.0% |
| | | % within kategori usia | 100.0% | 100.0% | 100.0% | 100.0% |
| | | % of Total | 27.3% | 37.9% | 34.8% | 100.0% |

| | | | kategori usia | | | Total |
|---|---|---|---|---|---|---|
| | | | 41-50 | 51-60 | >=61 | |
| kategoriTG | normal | Count | 6 | 8 | 8 | 22 |
| | | Expected Count | 6.0 | 8.3 | 7.7 | 22.0 |
| | | % within kategoriTG | 27.3% | 36.4% | 36.4% | 100.0% |
| | | % within kategori usia | 33.3% | 32.0% | 34.8% | 33.3% |
| | | % of Total | 9.1% | 12.1% | 12.1% | 33.3% |
| | borderline | Count | 5 | 6 | 7 | 18 |
| | | Expected Count | 4.9 | 6.8 | 6.3 | 18.0 |
| | | % within kategoriTG | 27.8% | 33.3% | 38.9% | 100.0% |
| | | % within kategori usia | 27.8% | 24.0% | 30.4% | 27.3% |
| | | % of Total | 7.6% | 9.1% | 10.6% | 27.3% |
| | tinggi | Count | 6 | 9 | 8 | 23 |
| | | Expected Count | 6.3 | 8.7 | 8.0 | 23.0 |
| | | % within kategoriTG | 26.1% | 39.1% | 34.8% | 100.0% |
| | | % within kategori usia | 33.3% | 36.0% | 34.8% | 34.8% |
| | | % of Total | 9.1% | 13.6% | 12.1% | 34.8% |
| | sangat tinggi | Count | 1 | 2 | 0 | 3 |
| | | Expected Count | .8 | 1.1 | 1.0 | 3.0 |
| | | % within kategoriTG | 33.3% | 66.7% | .0% | 100.0% |
| | | % within kategori usia | 5.6% | 8.0% | .0% | 4.5% |
| | | % of Total | 1.5% | 3.0% | .0% | 4.5% |
| Total | | Count | 18 | 25 | 23 | 66 |
| | | Expected Count | 18.0 | 25.0 | 23.0 | 66.0 |
| | | % within kategoriTG | 27.3% | 37.9% | 34.8% | 100.0% |
| | | % within kategori usia | 100.0% | 100.0% | 100.0% | 100.0% |
| | | % of Total | 27.3% | 37.9% | 34.8% | 100.0% |

| | | | kategori usia | | | Total |
|---|---|---|---|---|---|---|
| | | | 41-50 | 51-60 | >=61 | |
| kategoriHDL | rendah | Count | 17 | 18 | 15 | 50 |
| | | Expected Count | 13.6 | 18.9 | 17.4 | 50.0 |
| | | % within kategoriHDL | 34.0% | 36.0% | 30.0% | 100.0% |
| | | % within kategori usia | 94.4% | 72.0% | 65.2% | 75.8% |
| | | % of Total | 25.8% | 27.3% | 22.7% | 75.8% |
| | normal | Count | 1 | 7 | 8 | 16 |
| | | Expected Count | 4.4 | 6.1 | 5.6 | 16.0 |
| | | % within kategoriHDL | 6.2% | 43.8% | 50.0% | 100.0% |
| | | % within kategori usia | 5.6% | 28.0% | 34.8% | 24.2% |
| | | % of Total | 1.5% | 10.6% | 12.1% | 24.2% |
| Total | | Count | 18 | 25 | 23 | 66 |
| | | Expected Count | 18.0 | 25.0 | 23.0 | 66.0 |
| | | % within kategoriHDL | 27.3% | 37.9% | 34.8% | 100.0% |
| | | % within kategori usia | 100.0% | 100.0% | 100.0% | 100.0% |
| | | % of Total | 27.3% | 37.9% | 34.8% | 100.0% |

| | | | kategori usia | | | Total |
|---|---|---|---|---|---|---|
| | | | 41-50 | 51-60 | >=61 | |
| kategoriLDL | normal | Count | 3 | 5 | 8 | 16 |
| | | Expected Count | 4.4 | 6.1 | 5.6 | 16.0 |
| | | % within kategoriLDL | 18.8% | 31.2% | 50.0% | 100.0% |
| | | % within kategori usia | 16.7% | 20.0% | 34.8% | 24.2% |
| | | % of Total | 4.5% | 7.6% | 12.1% | 24.2% |
| | mendekati optimal | Count | 7 | 7 | 3 | 17 |
| | | Expected Count | 4.6 | 6.4 | 5.9 | 17.0 |
| | | % within kategoriLDL | 41.2% | 41.2% | 17.6% | 100.0% |
| | | % within kategori usia | 38.9% | 28.0% | 13.0% | 25.8% |
| | | % of Total | 10.6% | 10.6% | 4.5% | 25.8% |
| | borderline | Count | 4 | 8 | 7 | 19 |
| | | Expected Count | 5.2 | 7.2 | 6.6 | 19.0 |
| | | % within kategoriLDL | 21.1% | 42.1% | 36.8% | 100.0% |
| | | % within kategori usia | 22.2% | 32.0% | 30.4% | 28.8% |
| | | % of Total | 6.1% | 12.1% | 10.6% | 28.8% |
| | tinggi | Count | 4 | 4 | 3 | 11 |
| | | Expected Count | 3.0 | 4.2 | 3.8 | 11.0 |
| | | % within kategoriLDL | 36.4% | 36.4% | 27.3% | 100.0% |
| | | % within kategori usia | 22.2% | 16.0% | 13.0% | 16.7% |
| | | % of Total | 6.1% | 6.1% | 4.5% | 16.7% |
| | sangat tinggi | Count | 0 | 1 | 2 | 3 |
| | | Expected Count | .8 | 1.1 | 1.0 | 3.0 |
| | | % within kategoriLDL | .0% | 33.3% | 66.7% | 100.0% |
| | | % within kategori usia | .0% | 4.0% | 8.7% | 4.5% |
| | | % of Total | .0% | 1.5% | 3.0% | 4.5% |
| Total | | Count | 18 | 25 | 23 | 66 |
| | | Expected Count | 18.0 | 25.0 | 23.0 | 66.0 |
| | | % within kategoriLDL | 27.3% | 37.9% | 34.8% | 100.0% |
| | | % within kategori usia | 100.0% | 100.0% | 100.0% | 100.0% |
| | | % of Total | 27.3% | 37.9% | 34.8% | 100.0% |

## Crosstabs PROFIL LIPID * JENIS KELAMIN

**Crosstab**

| | | | kategoriKolesterolTotal | | | Total |
|---|---|---|---|---|---|---|
| | | | normal | borderline | tinggi | |
| jenisKelamin | laki-laki | Count | 19 | 9 | 8 | 36 |
| | | Expected Count | 16.9 | 9.3 | 9.8 | 36.0 |
| | | % within jenisKelamin | 52.8% | 25.0% | 22.2% | 100.0% |
| | | % within kategoriKolesterolTotal | 61.3% | 52.9% | 44.4% | 54.5% |
| | | % of Total | 28.8% | 13.6% | 12.1% | 54.5% |
| | perempuan | Count | 12 | 8 | 10 | 30 |
| | | Expected Count | 14.1 | 7.7 | 8.2 | 30.0 |
| | | % within jenisKelamin | 40.0% | 26.7% | 33.3% | 100.0% |
| | | % within kategoriKolesterolTotal | 38.7% | 47.1% | 55.6% | 45.5% |
| | | % of Total | 18.2% | 12.1% | 15.2% | 45.5% |
| Total | | Count | 31 | 17 | 18 | 66 |
| | | Expected Count | 31.0 | 17.0 | 18.0 | 66.0 |
| | | % within jenisKelamin | 47.0% | 25.8% | 27.3% | 100.0% |
| | | % within kategoriKolesterolTotal | 100.0% | 100.0% | 100.0% | 100.0% |
| | | % of Total | 47.0% | 25.8% | 27.3% | 100.0% |

| | | | kategoriTG | | | | Total |
|---|---|---|---|---|---|---|---|
| | | | normal | borderline | tinggi | sangat tinggi | |
| jenisKelamin | laki-laki | Count | 13 | 9 | 11 | 3 | 36 |
| | | Expected Count | 12.0 | 9.8 | 12.5 | 1.6 | 36.0 |
| | | % within jenisKelamin | 36.1% | 25.0% | 30.6% | 8.3% | 100.0% |
| | | % within kategoriTG | 59.1% | 50.0% | 47.8% | 100.0% | 54.5% |
| | | % of Total | 19.7% | 13.6% | 16.7% | 4.5% | 54.5% |
| | perempuan | Count | 9 | 9 | 12 | 0 | 30 |
| | | Expected Count | 10.0 | 8.2 | 10.5 | 1.4 | 30.0 |
| | | % within jenisKelamin | 30.0% | 30.0% | 40.0% | .0% | 100.0% |
| | | % within kategoriTG | 40.9% | 50.0% | 52.2% | .0% | 45.5% |
| | | % of Total | 13.6% | 13.6% | 18.2% | .0% | 45.5% |
| Total | | Count | 22 | 18 | 23 | 3 | 66 |
| | | Expected Count | 22.0 | 18.0 | 23.0 | 3.0 | 66.0 |
| | | % within jenisKelamin | 33.3% | 27.3% | 34.8% | 4.5% | 100.0% |
| | | % within kategoriTG | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | % of Total | 33.3% | 27.3% | 34.8% | 4.5% | 100.0% |

| | | | kategoriHDL | | |
|---|---|---|---|---|---|
| | | | rendah | normal | Total |
| jenisKelamin | laki-laki | Count | 29 | 7 | 36 |
| | | Expected Count | 27.3 | 8.7 | 36.0 |
| | | % within jenisKelamin | 80.6% | 19.4% | 100.0% |
| | | % within kategoriHDL | 58.0% | 43.8% | 54.5% |
| | | % of Total | 43.9% | 10.6% | 54.5% |
| | perempuan | Count | 21 | 9 | 30 |
| | | Expected Count | 22.7 | 7.3 | 30.0 |
| | | % within jenisKelamin | 70.0% | 30.0% | 100.0% |
| | | % within kategoriHDL | 42.0% | 56.2% | 45.5% |
| | | % of Total | 31.8% | 13.6% | 45.5% |
| Total | | Count | 50 | 16 | 66 |
| | | Expected Count | 50.0 | 16.0 | 66.0 |
| | | % within jenisKelamin | 75.8% | 24.2% | 100.0% |
| | | % within kategoriHDL | 100.0% | 100.0% | 100.0% |
| | | % of Total | 75.8% | 24.2% | 100.0% |

| | | | kategoriLDL | | | | | Total |
|---|---|---|---|---|---|---|---|---|
| | | | normal | mendekati optimal | borderline | tinggi | sangat tinggi | |
| jenisKelamin | laki-laki | Count | 11 | 9 | 12 | 3 | 1 | 36 |
| | | Expected Count | 8.7 | 9.3 | 10.4 | 6.0 | 1.6 | 36.0 |
| | | % within jenisKelamin | 30.6% | 25.0% | 33.3% | 8.3% | 2.8% | 100.0% |
| | | % within kategoriLDL | 68.8% | 52.9% | 63.2% | 27.3% | 33.3% | 54.5% |
| | | % of Total | 16.7% | 13.6% | 18.2% | 4.5% | 1.5% | 54.5% |
| | perempuan | Count | 5 | 8 | 7 | 8 | 2 | 30 |
| | | Expected Count | 7.3 | 7.7 | 8.6 | 5.0 | 1.4 | 30.0 |
| | | % within jenisKelamin | 16.7% | 26.7% | 23.3% | 26.7% | 6.7% | 100.0% |
| | | % within kategoriLDL | 31.2% | 47.1% | 36.8% | 72.7% | 66.7% | 45.5% |
| | | % of Total | 7.6% | 12.1% | 10.6% | 12.1% | 3.0% | 45.5% |
| Total | | Count | 16 | 17 | 19 | 11 | 3 | 66 |
| | | Expected Count | 16.0 | 17.0 | 19.0 | 11.0 | 3.0 | 66.0 |
| | | % within jenisKelamin | 24.2% | 25.8% | 28.8% | 16.7% | 4.5% | 100.0% |
| | | % within kategoriLDL | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | | % of Total | 24.2% | 25.8% | 28.8% | 16.7% | 4.5% | 100.0% |

## Explore

**Tests of Normality**

| | Kolmogorov-Smirnov[a] | | | Shapiro-Wilk | | |
|---|---|---|---|---|---|---|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| kadarKolesterolTotal | .078 | 66 | .200* | .980 | 66 | .345 |
| kadarTG | .167 | 66 | .000 | .805 | 66 | .000 |
| kadarHDL | .089 | 66 | .200* | .982 | 66 | .451 |
| kadarLDL | .055 | 66 | .200* | .976 | 66 | .225 |

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

**Tests of Normality**

| | Kolmogorov-Smirnov[a] | | | Shapiro-Wilk | | |
|---|---|---|---|---|---|---|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| tran_TG | .088 | 66 | .200* | .976 | 66 | .238 |

a. Lilliefors Significance Correction

*. This is a lower bound of the true significance.

## T-Test

**Group Statistics**

| | jenisKelamin | N | Mean | Std. Deviation | Std. Error Mean |
|---|---|---|---|---|---|
| kadarKolesterolTotal | laki-laki | 37 | 197.89 | 49.834 | 8.193 |
| | perempuan | 29 | 217.48 | 53.109 | 9.862 |
| kadarHDL | laki-laki | 37 | 32.11 | 10.690 | 1.757 |
| | perempuan | 29 | 33.66 | 12.199 | 2.265 |
| kadarLDL | laki-laki | 37 | 122.32 | 41.063 | 6.751 |
| | perempuan | 29 | 137.31 | 41.889 | 7.779 |
| tran_TG | laki-laki | 37 | 2.2624 | .25115 | .04129 |
| | perempuan | 29 | 2.2607 | .15944 | .02961 |

### Independent Samples Test

| | | Levene's Test for Equality of Variances | | t-test for Equality of Means | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | 95% Confidence Interval of the Difference | |
| | | F | Sig. | t | df | Sig. (2-tailed) | Mean Difference | Std. Error Difference | Lower | Upper |
| kadarKolesterolTotal | Equal variances assumed | .052 | .820 | -1.540 | 64 | .128 | -19.591 | 12.721 | -45.004 | 5.823 |
| | Equal variances not assumed | | | -1.528 | 58.362 | .132 | -19.591 | 12.821 | -45.252 | 6.070 |
| kadarHDL | Equal variances assumed | .469 | .496 | -.548 | 64 | .585 | -1.547 | 2.821 | -7.183 | 4.088 |
| | Equal variances not assumed | | | -.540 | 56.054 | .592 | -1.547 | 2.867 | -7.290 | 4.196 |
| kadarLDL | Equal variances assumed | .107 | .745 | -1.459 | 64 | .150 | -14.986 | 10.274 | -35.511 | 5.539 |
| | Equal variances not assumed | | | -1.455 | 59.715 | .151 | -14.986 | 10.299 | -35.590 | 5.618 |
| tran_TG | Equal variances assumed | 4.548 | .037 | .033 | 64 | .974 | .00177 | .05354 | -.10519 | .10872 |
| | Equal variances not assumed | | | .035 | 61.600 | .972 | .00177 | .05081 | -.09981 | .10334 |