

## DAFTAR PUSTAKA

1. Prawirohardjo S. Ilmu Kebidanan. 4 ed. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo; 2010.
2. Depkes. Ibu Selamat, Bayi Sehat, Suami Siaga. Jakarta 2010; Available from: <http://www.depkes.go.id/index.php/berita/press-release/790-ibu-selamat-bayi-sehat-suami-siaga.html>.
3. Dinkes. Profil Kesehatan Provinsi Jawa Tengah tahun 2011. 2011. p. 1-120.
4. Depkes. Lima Strategi Operasional Turunkan Angka Kematian Ibu. Jakarta 2011; Available from: <http://www.depkes.go.id/index.php/berita/press-release/1387-lima-strategi-operasional-turunkan-angka-kematian-ibu.htm>.
5. OHSU. Children Born to Mothers With Preeclampsia Are at Increased Risk for Stroke Later in Life. Portland 2009; Available from: [http://www.ohsu.edu/xd/about/news\\_events/news/2009/preeclampsiaincreasesrisk.cfm?WT\\_rank=1](http://www.ohsu.edu/xd/about/news_events/news/2009/preeclampsiaincreasesrisk.cfm?WT_rank=1).
6. Fugelseth D, Ramstad HB, Kvehaugen AS, Nestaas E, Stoylen A, Staff AC. Myocardial function in offspring 5-8 years after pregnancy complicated by preeclampsia. *Early human development*. 2011 Aug;87(8):531-5.
7. Powe CE, Levine RJ, Karumanchi SA. Preeclampsia, a disease of the maternal endothelium: the role of anti-angiogenic factors and implications for later cardiovascular disease. *Circulation* 2011;123(24):2856-69.
8. Bellamy L, Casas JP, Hingorani AD, Williams DJ. Pre-eclampsia and risk of cardiovascular disease and cancer in later life: systematic review and meta-analysis. *BMJ*. [Meta-Analysis Research Support, Non-U.S. Gov't Review]. 2007 Nov 10;335(7627):974.

9. Venkateswaramurthy N, John C, Perumal P. Study On Anti-Hypertensives in Preeclampsia. *Asian Journal of Pharmaceutical and Clinical Research*. 2012;5(3):126-8.
10. Szczepaniak-Chichel L, Breborowicz GH, Tykarski A. Treatment of arterial hypertension in pregnancy. *Archives of Perinatal Medicine*. 2007;13(2):7-16.
11. Sunarto, Suparji, Ayu AK. Hubungan Antara Hipertensi, Proteinuria Ibu Preeklampsia Dengan Kejadian Asfiksia Neonatorum Di RSUD Dr. Harjono S. Ponorogo. *Jurnal Penelitian Kesehatan Suara Forikes*. 2010;1(4):289-94.
12. James PR, Piercy CN. Management of Hypertension Before, During, and After Pregnancy *Heart Journal*. 2004;90:1499-504.
13. Dorland, Newman WA. *Kamus Kedokteran Dorland Edisi 29*. Jakarta: EGC; 2002.
14. Indriani S, Kumala F. Faktor-Faktor Yang Mempengaruhi Kejadian Preeklampsia Pada Ibu Hamil. *Jurnal Keperawatan*. 2010;3(2):44-7.
15. Duckitt K, Harrington D. Risk factors for pre-eclampsia at antenatal booking: systematic review of controlled studies. *BMJ*. 2005;1-7.
16. Sudoyo AW, Setiyohadi B, Alwi I, Simadibrata M, Setiati S. *Buku Ajar Ilmu Penyakit Dalam Edisi V*. Jakarta: InternaPublishing; 2009.
17. Wingardi CN. *Obesitas Dalam Kehamilan Sebagai Faktor Risiko Terjadinya Preeklampsia*. Semarang: Universitas Diponegoro; 2007.
18. Bharathi KN, Prasad K, Jagannath P, Nalini KS. A Comparison Of Nifedipine With Methyldopa For Control Of Blood Pressure In Mild To Moderate Pregnancy Induced Hypertension. *Journal of Clinical and Diagnostic Research*. 2010;4:2406-9.
19. Mann JR, McDermott S, Griffith MI, Hardin J, Gregg A. Uncovering the complex relationship between pre-eclampsia, preterm birth and cerebral palsy. *Paediatric Perinatal Epidemiology*. 2011;25(2):100-10.

20. Syarif A, Estuningtyas A, Setiawati A, Muchtar A, Arif A. *Farmakologi Dan Terapi Edisi 5*. Jakarta: Balai Penerbit FKUI; 2009.
21. Raras AA. *Pengaruh Preeklampsia Berat Pada Kehamilan Terhadap Keluaran Maternal dan Perinatal Di RSUP Dr Kariadi Tahun 2010*. Semarang: Universitas Diponegoro; 2011.
22. Magee LA, Helewa M, Moutquin J, Dadelszen P. Diagnosis, Evaluation, and Management of the Hypertensive Disorders of Pregnancy. *Journal of Obstetrics and Gynaecology Canada*. 2008;30(3):1-48.
23. Mayo Clinic s. *Complications of Preeclampsia*. 2011; Available from: <http://www.mayoclinic.com/health/preeclampsia/DS00583/DSECTION=complications>
24. Hildbrand P, Eigenmann C, Gugger M, Marti HP, Hullin R. Pre-eclampsia with acute heart failure postpartum as primary manifestation of systemic lupus erythematosus. *The European Journal of Heart Failure*. 2005;7:1057– 8.
25. Munkhaugen J, Vikse BE. New aspects of pre-eclampsia: lessons for the nephrologist. *oxfordjournals*. 2009;24:2964–7.
26. Oyelese Y, Ananth CV. Placental Abruption. *Am J Obstet Gynecol*. 2006 October;108(4):1005–16.
27. Jayasutha J, Ismail A, Senthamarai R. Evaluation on efficacy of Methyldopa monotherapy and combination therapy with Nifedipine in pregnancy-induced hypertension. *Der Pharmacia Lettre*. 2011;3(3):383-7.
28. Martin J, Thigpen B, Moore R. Stroke and Severe Preeclampsia and Eclampsia: A Paradigm Shift Focusing on Systolic Blood Pressure. *Am J Obstet Gynecol*. 2005;105(2):246-54.
29. Roth A, Elkayam U. Acute Myocardial Infarction Associated With Pregnancy. *Journal of the American College of Cardiology*. 2008;52(3):171-80.

## LAMPIRAN

### Luaran Maternal

#### Terjadinya Solusio Plasenta pada Ibu Hamil

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	71	100.0	100.0	100.0

#### Terjadinya Eklampsia pada Ibu Hamil

	Frequency	Percent	Valid Percent	Cumulative Percent
ya	7	9.9	9.9	9.9
Valid tidak	64	90.1	90.1	100.0
Total	71	100.0	100.0	

#### Terjadinya HELLP Syndrome pada Ibu Hamil

	Frequency	Percent	Valid Percent	Cumulative Percent
ya	15	21.1	21.1	21.1
Valid tidak	56	78.9	78.9	100.0
Total	71	100.0	100.0	

#### Terjadinya Infark Miokard pada Ibu Hamil

	Frequency	Percent	Valid Percent	Cumulative Percent
ya	8	11.3	11.3	11.3
Valid tidak	63	88.7	88.7	100.0
Total	71	100.0	100.0	

**Terjadinya Stroke pada Ibu Hamil**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	71	100.0	100.0	100.0

**Terjadinya Kematian Maternal pada Ibu Hamil**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid tidak	71	100.0	100.0	100.0

## PENURUNAN TEKANAN DARAH SISTOLIK

## Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Sistole Sebelum Pemberian Obat	176.06	71	18.399	2.184
	Sistole Setelah Pemberian Obat	152.82	71	16.919	2.008

## Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Sistole Sebelum Pemberian Obat & Sistole Setelah Pemberian Obat	71	.660	.000

## Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 $\Delta$ sistole	23.239	14.616	1.735	19.780	26.699	13.397	70	.000

## PENURUNAN TEKANAN DARAH DIASTOLIK

## Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Diastole Sebelum Pemberian Obat	112.96	71	15.620	1.854
	Diastole Setelah Pemberian Obat	95.56	71	12.379	1.469

## Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Diastole Sebelum Pemberian Obat & Diastole Setelah Pemberian Obat	71	.641	.000

## Paired Samples Test

	Paired Differences					t	df	Sig. (2-tailed)
	Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
				Lower	Upper			
Pair 1 $\Delta$ diastole	17.394	12.214	1.450	14.503	20.285	12.000	70	.000

