

## DAFTAR PUSTAKA

1. Canada Health Ministry. *Annual report 2001-2002*. Saskatchewan: Saskatchewan Government.2002
2. Weiser TG, Regenbogen SE, Thompson KD, Haynes AB, Lipsitz SR, Berry WR, Gawande AA. *An estimation of the global volume of surgery: a modelling strategy based on available data*. Department of Health Policy and Management, Harvard School of Public Health, Boston, MA, USA.
3. Rumah Sakit Umum Pusat Dokter Kariadi. *Laporan Penyusunan Unit Cost Periode tahun 2006*. Rumah Sakit Umum Pusat Dokter Kariadi.2006.
4. Hobbs G. Complication during Anesthesia. In : Aitkenhead AR, Rowbotham DJ, Smith G, eds. *Textbook of Anesthesia*. 4<sup>th</sup> Ed. London: Elsevier Science Limited. 2001. p. 501-24
5. Soenarjo. Resusitasi cairan. In : Soenarjo,Riwanto I, eds. *Penanganan penderit Gawat Darurat*. Semarang: Badan Penerbit Universitas Diponegoro. 2000. P-42-7
6. Morgan, GE. Fluid Management & Transfusion. In : Morgan GE, Mikhael MS, Murray MJ, eds. *Clinical Anesthesiology*. 4<sup>th</sup> ed. New York: Mc Graw Hill Companies; 2006. p 690-707
7. Prough DS, Wolf SW, Funston S, Svensen CHJ. Acid Base. Fluids and Electrolytes. In : Barash PG, Cullen BF, Stoelting RK, eds. *Clinical*

- Anesthesia. 5<sup>th</sup> Ed. Philadelphia : Lippincott Williams and Wilkins. 2006.  
P 175-207
8. Stoeltingh RK, Miller RD, eds. Basics of Anesthesia. 4<sup>th</sup> ed. Philadelphia :  
Churcill Livingstone; 2000. P 233-46
  9. Hall BA, Frigas E, Matesic D, Gillet MD, Sprung J. Case report:  
Intraoperative Anaphylactoid Reaction and Hidroxyethyl Starch in  
Balanced Electrolyte Solution. Can J Anasthesia 2006: 53: p989-93.
  10. Kasper SM, Dahlmann H, Mellinghoff H, Ellering JM Baumann M,  
Buzello W. Lactated Ringer's solution versus Hydroxyethyl starch for  
volume replacement in autologous blood donors with cardiovascular  
disease : a controlled randomized trial. Vox Sang 1998;75;26-31.
  11. Kozek-Langenecker. The effect of Drugs used in Anesthesia on Trombosit  
Membrane Receptors and on Trombosit Function. Medical Chemistry  
Reviews 2004;1 :101-10
  12. Sunatrio S. *Resusitasi Cairan*. Jakarta: Media Aesculapius FKUI: 2000.
  13. Smeltzer, S. C., Bare, B. G., Hinkle, J. L., & Cheever, K. H. (2010).  
Brunner & Suddarth's Textbook of Medical-Surgical Nursing, Twelfth  
Edition. Philadelphia: Wolters Kluwer Health/ Lippincott Williams &  
Wilkins.
  14. Kaye, AD, Kucera IJ. Intravascular Fluid and Electrolyte Physiology. In :  
Miller RD, ed Miller's Anesthesia. 6<sup>th</sup>. Philadelphia : Elsevier Churcill  
Livingstone; 2005.p 1763-98.

15. Sibylle A, Kozek Langenecker. Effects on Hydroxyethyl Starch Solution on Homeostasis. *Anesthesiology* 2005 ; 103 : 654-60.
16. Wettstein P, Haeberli A, Stutz M, Rohner M, Corbetta C, Gabi K, Schnider T et al. Decreased factor XIII Availability for thrombin and early loss of Clot Firmness in Patients with unexplained Intraoperative Bleeding. *Anesth Anag* 2004; 99: p 1564-9.
17. Wilkes NJ, Woolf RL, Powanda MC, Gan TJ, et al. Hydroxyethyl Starch in Balanced Electrolyte Solution – Pharmacokinetic and Pharmacodynamics
18. Kosterling H, Giffhorn J, Negendak-Damenz B. Effect of Expafusin (HES 40/0,5) on the Corpuscular Elements of Blood and Inhibitors of Blood Coagulation. *Infusionsther Klin Ernahr.* 1995: 12 (6) : p 304-7.
19. Fries D, Innerhofer P, Klinger A, Berresheim U, Mittermayr M, Calatzis A et al. The Effect of the Combined Coagulation System : an in vitro study using Thrombelastograph Coagulation Analysis (ROTEG). *Anesth Analg* 2002 ; 94 : p 1280-7.
20. Standl T, Burmeister M A, Schroeder F, Currlin R. Hydroxyethyl Starch (HES) 130/0,4 Provide larger and Faser Increases in Tissue Oxygen Tension Comparison with Prehemodilution Values Than HES 70/0,5 or HES 200/0,5 in Volunteers Undergoing Acute Normovolume Hemodilution. *Anesth Analg* 2003; 96: p936-43.
21. Vogt NH, Bothner U, Lerch G, Lindaer KH, Georgief NH. Large Dose Administration of 6% Hydroxyethyl Starch 200/0,5 to Total Hip

- Arthroplasty : Plasma Homeostasis and Renal Function Compared to Use of 5% Human Albumin. *Anesth Analg* ; 1996 ; 83 ; 262-8.
22. Ganong, William F. *Buku Ajar Fisiologi Kedokteran Ed:20*. EGC: 2001.
23. Guyton, Arthur C. *Buku Ajar Fisiologi Kedokteran Ed:9*. EGC. 2005.
24. Heinze, et al. Comparison of HES 130/0,42 and HES 200/0.5 for hemodynamic stabilization in major urological surgery. *European Society of Anesthesiology*, 2005.
25. Westerman RW, Davey KL, Porter K. Assessing the potential for major trauma transfusion guidelines in the UK. *Emergency Medicine Journal*. 2008;25:134–5.
26. Sarimawar, dkk. *Pencapaian dan tantangan Status Kesehatan Maternal di Indonesia*. *Jurnal Ekologi Indonesia* vol 10 no.1 Maret 2011.
27. John AM, et al. Hydroxyethyl Starch or Saline for Fluid Resuscitation in Intensive Care. *N Engl J Med*. 2012;367:1901-1911

Lampiran 2. Ethical Clearance



KOMISI ETIK PENELITIAN KESEHATAN (KEPK)  
FAKULTAS KEDOKTERAN UNIVERSITAS DIPONEGORO  
DAN RSUP dr KARIADI SEMARANG  
Sekretariat : Kantor Dekanat FK Undip Lt.3  
Jl. Dr. Soetomo 18, Semarang 50231  
Telp/Fax. 024-8318350



**ETHICAL CLEARANCE**  
No. 119/EC/FK-RSDK/2014

Komisi Etik Penelitian Kesehatan Fakultas Kedokteran Universitas Diponegoro/ RSUP Dr. Kariadi Semarang, setelah membaca dan menelaah Usulan Penelitian dengan judul :

**PERBEDAAN PENGARUH PEMBERIAN INFUS HES DENGAN BERAT MOLEKUL  
40 KD DAN 200 KD TERHADAP MEAN ARTERIAL PRESSURE:  
KAJIAN PADA PASIEN DENGAN Pendarahan SAMPAI  
20 % ESTIMATED BLOOD VOLUME**

Peneliti Utama : Dini Hisan Wijdani  
Pembimbing : Ery Leksana, Sp.An, KIC,KAG  
Penelitian : Dilaksanakan di Instalasi Rekam Medik RSUP dr.  
Kariadi Semarang

Setuju untuk dilaksanakan, dengan memperhatikan prinsip-prinsip yang dinyatakan dalam Deklarasi Helsinki 1975, yang diamended di Seoul 2008 dan Pedoman Nasional Etik Penelitian Kesehatan (PNEPK) Departemen Kesehatan RI 2011

Peneliti harus melampirkan 2 kopi lembar Informed consent yang telah disetujui dan ditandatangani oleh peserta penelitian pada laporan penelitian.

Peneliti diwajibkan menyerahkan :

- Laporan kemajuan penelitian (clinical Trial)
- Laporan kejadian efek samping jika ada
- Laporan ke KEPK jika penelitian sudah selesai & dilampiri Abstrak Penelitian.

Semarang, 26 MAY 2014

Komisi Etik Penelitian Kesehatan  
Fakultas Kedokteran Undip/RSUP Dr. Kariadi  
Ketua

Prof.Dr.dr.Suprihati, M.Sc. Sp.THT-KL(K)  
NIP. 19500621197703 2 001





KEMENTERIAN KESEHATAN RI  
DIREKTORAT JENDERAL BINA UPAYA KESEHATAN  
RUMAH SAKIT UMUM PUSAT DOKTER KARIADI

Jalan Dr. Sutomo No. 16 Semarang, PO BOX 1104  
Telepon : ( 024 ) 8413993, 8413476, 8413764 Fax : ( 024 ) 8318617  
Website : <http://www.rskariadi.com> email : [rsdk@indosat.net.id](mailto:rsdk@indosat.net.id) ; [rsdk@rskariadi.com](mailto:rsdk@rskariadi.com)



RSUP Dr. KARIADI  
Selamat Menyoal Sehat

**SURAT IZIN  
MELAKSANAKAN PENELITIAN**

DL.00.02/1.II/1362/2014

Yang bertanda tangan di bawah ini :

Nama : Dr. Agus Suryanto, Sp.PD-KP, MARS  
NIP : 19610818 198812 1001  
Jabatan : Direktur SDM dan Pendidikan RSUP Dr. Kariadi

Memberikan ijin melakukan penelitian untuk :

Nama peneliti : Dini Hisan Wijdani  
Institusi peneliti : Universitas Diponegoro (Fakultas Kedokteran)  
Judul penelitian : Perbedaan Pengaruh Pemberian Infus Hes Dengan Berat Molekul 40 KD Dan 200 KD Terhadap Mean Arterial Pressure (Kajian Pada Pasien Dengan Pendarahan Sampai 20% Estimated Blood Volume)  
Pembimbing : dr. Ery Leksana, Sp.An, KIC, KAO  
DPJP : -  
Lokasi penelitian : Instalasi Rekam Medis

untuk melaksanakan kegiatan penelitian selama ± bulan.

Peneliti wajib melakukan :

1. Laporan monitoring evaluasi penelitian secara periodik
2. Laporan selesai penelitian dengan menyerahkan monitoring evaluasi penelitian
3. Menyerahkan laporan hasil akhir penelitian (1 berkas)

Semarang, 24 MAY 2014

Ans. Direktur Utama  
Direktur SDM dan Pendidikan  
RSUP Dr. KARIADI

Dr. Agus Suryanto, Sp.PD-KP, MARS  
NIP. 19610818 198812 1001