

DAFTAR PUSTAKA

1. Bray GE, Ryan DH. Overweight and The Methabolic Sindrome: from Bench to Bedside. Springer Science; 2006. 125-128, 156-159.
2. Grundy SM, Bryan HB, James IC, Sidney CS, Claude. Harmonizing the metabolic syndrome: a joint interim statement of the International Diabetes Federation Task Force on Epidemiology and Prevention; National Heart, Lung, and Blood Institute American Heart Association, World Heart Federation, International Atherosclerosis Society, and International Association for the Study of Obesity; 2009. 109;433-438.
3. Kementerian Kesehatan Republik Indonesia. Profil Kesehatan Indonesia 2012; Jakarta. Kementerian Kesehatan Republik Indonesia; 2013. 978-602-8937-89-4.
4. International Diabetes Federation. The IDF consensus definition of Metabolic Syndrome in Children and Adolescents; Brussels (Belgium); 2007. 2-930229-49-7.
5. Myers VH, Catherine M. Champagne Nutritional effects on blood pressure. Luoisiana; Lippincot Williams & Wilkin; 2007. 0957-9672
6. Padilla J, Wallace JP, Park S. Accumulation of Physical Activity Reduces Blood Pressure in Pre- and Hypertension. Bloomington. Clinical Exercise Physiology Laboratory, Department of Kinesiology; Indiana University; 2005. 0195-9131.
7. U.S. Department of Health and Human Services. Physical Activity Guidelines for Americans. Washington DC (America); U.S. Department of Health and Human Service; 2008.2-4, 8-14.
8. Diabetes UK. Evidence-based nutrition guidelines for the prevention and management of diabetes; Diabetes UK; 2011.

9. Sargowo D, Andarini S. Pengaruh Komposisi Asupan Makan terhadap Komponen Sindrom Metabolik pada Remaja. Malang; Jurnal Kardiologi Indonesia; 2011. 32; 14-23.
10. E. Sobngwi, Mbanya JC, Unwin NC, Kengne AP, Fezeu L, Minkoulou EM et al. Physical activity and its relationship with obesity, hypertension and diabetes in urban and rural Cameroon. Yaounde; International Journal of Obesity; 2002. 1009-1016.
11. Bian S, Gao Y, Zhang M, Wang X, Liu W, Zhang D, et al. Dietary nutrient intake and metabolic syndrome risk in Chinese adults : a case-control study; Nutrition Journal; 2013. 12:106.
12. Barasi ME, Nutrition at A Glance. Jakarta; Erlangga; 2007. 26-45.
13. Tenenbaum A, Adler Y, Boyko V, Tenenbaum H, Fisman EZ, Tanne D et al. Insulin resistance is associated with increased risk of major cardiovascular events in patients with preexisting coronary artery disease; Am Heart J; 2007. 559-65.
14. Furukawa S, Fujita T, Shimabukuro M, Iwaki M, Yamada Y, Nakajima Y. Increased oxidative stress in obesity and its impact on metabolic syndrome. Department of Medicine and Pathophysiology ; Osaka; 2004. 1752-61.
15. Ceriello A, Motz E. Is Oxidative Stress the Pathogenic Mechanism Underlying Insulin Resistance, Diabetes and CVD?, *Arterioscler Thromb Vac Bio* 2004 ; 24 : 816-823.1
16. Sartika, Cyntia R. Penanda Inflamasi, Stress Oksidatif dan Disfungsi Endotel pada Sindroma Metabolik. *Forum Diagnosticum*. Jakarta; Prodia Diagnostics Educational Services; 2006. 35-38.
17. Gunawan L. Hipertensi : tekanan darah tinggi. Yogyakarta; Kanisius; 2001. 12-14.
18. Budiyanto. Gizi dan kesehatan. Edisi I. Malang : Universitas Muhammadiyah Malang Press ; 2002. 25-29.

19. Moelia RS. Major Diagnosis fisik. Jakarta : UI Press; 2001. 89-95.
20. American Heart Association . Understanding Blood Pressure Reading. Washington DC; American Heart Association. 2013.
21. Wiyono, P. Hipoglikemia Pada Pasien Diabetes Mellitus. Edisi 3. Jakarta; Balai Penerbit FKUI; 1996. 15-26.
22. American Diabetes Association. Standards of medical care in diabetes. American Diabetes Association; 2011.
23. American Diabetes Association. Diagnosis and classification of diabetes mellitus. American Diabetes Association; 2009.
24. WHO. Physical Activity Definition. http://www.who.int/topics/physical_activity/en/ Diakses : 20 January 2014.
25. Sallis JF, Haskell WL, Wood P, Fortman S, Rogers T, Blair S, et al. Physical Activity Assessment In The Five City Project. Baltimore (Amerika); 1997. 121(1);91-106.
26. Health Education Authority. Young people and Physical Activity. London ; Health Education Authority; 1997. 7521-0647.
27. Supariasa IDN. Penilaian Status Gizi . Penerbit Buku Kedokteran EGC; Jakarta; 2002. 88-99.
28. WHO. Nutrition Fact Sheet Available : <http://www.who.int/topics/nutrition/en/>. Diakses pada : 15 January 2014.
29. Almatsier, S. Prinsip Dasar Ilmu Gizi. Gramedia; Jakarta; 2004. 132-150.
30. Perkeni. Konsensus Pengendalian dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia 2011. Jakarta. 2011. 9.

31. Kementerian Kesehatan Republik Indonesia. Peraturan Menteri Kesehatan Indonesia Nomor 75 tahun 2013. Jakarta. 2013. 5 – 10.
32. Rahl, Riva. Physical Activity and Health Guidelines. American College of Sports Medicine. San Fransico. 2010. 73.
33. Nanang Prayitno. Faktor - Faktor Yang Berhubungan Dengan Tekanan Darah Di Puskesmas Telaga Murni, Cikarang Barat Tahun 2012. Cikarang. 2012. 34-37.
34. Duvivier, Bernard M. Minimal Intensity Physical Activity (Standing and Walking) of Longer Duration Improves Insulin Action and Plasma Lipids More than Shorter Periods of Moderate to Vigorous Exercise (Cycling) in Sedentary Subjects When Energy Expenditure Is Comparable. Maastricht University Medical Centre. Maastricht (Belanda). 2013. 2-4.
35. Hawley , Gibala M. What's new since Hippocrates? Preventing type 2 diabetes by physical exercise and diet. Diabetologia. 2012. 55: 535–539.
36. Marijke, R Hopman. Introducing physical activity to type 2 Diabetes Mellitus patients and those at risk: learning points from the Netherlands. Department of Health Promotion, ; Leiden. 2009. 5-12
37. Yudi Setiawan. Pengaruh senam DM terhadap Penurunan Gula Darah Pasien Dm di RSUD Banyumas ; Banyumas. 2009. 54-56.