

DAFTAR PUSTAKA

1. Lloyd-Jones D, Adams R, Carnethon M, Simone G, Ferguson TB, Flegal K, et al. Heart disease and stroke statistik –2009 update. A report from the American Heart Association Statistic Committee and Stroke Statistic Subcommitte. Circulation. 2009; 119(3):e21–181, on: <http://circ.ahajournals.org/cgi/content/full>. [cited on March 27 2012]
2. Larry B, Adam R, Albert MJ, Appel LJ, Bushnell CD, Culebras A. et al. Guidelines for the primary prevention of stroke. A guideline for guideline healthcare professionals from the American Heart Association/ American Stroke Association. Stroke. 2011;42:517-84
3. Furie KL, Kasner SE, Adam RJ, Albers GW, Bush RL, Fagan SC. Guidelines for the Prevention of stroke in patiens with stroke or transient ischemic attack. A guideline for guideline healthcare professionals from the American Heart Association/ American Stroke Association. Stroke. Oct 21, 2010. Available on: <http://stroke.ahajournals.org>. [cited on November 17 2010]
4. Gofir A. Pengantar manajemen stroke komprehensif. Dalam: Gofir A, ed. Manajemen komprehensif stroke. Yogyakarta: Pustaka Cendekia Press, 2007; 1-4
5. Departemen Kesehatan Republik Indonesia. Laporan Nasional Riset Bidang Kesehatan 2007. Jakarta: Departemen Kesehatan Republik Indonesia; 2007
6. LKBN ANTARA. Stroke penyebab kematian tertinggi di Indonesia. Pertemuan regional WHO, Jakarta, edisi 1 Maret 2011.
7. Centers for Disease Control and Prevention. May is stroke awareness month. CDC Features, May 23th 2011. On: <http://www.cdc.gov/features/stroke/html>. [cited on February 3 2012]
8. Mohan K, Wolfe CDA, Rudd AG, Heuschmann PU, Kolominsky-Rabas K, Grieve AP. Risk and cumulative risk of stroke recurrence. A systematic review and meta-analysis. Stroke. 2011;42:1489-94
9. Smith EE, Koroshetz WJ. Epidemiology of stroke. In: Furie KL, Kelly PJ, editor. Handbook of stroke prevention ini clinical practise. Totowa, New Jersey: Humana Press; 2004: 9-17.
10. Ropper AH, Brown RH. Adam's and Victor principles of neurology 8thed . New York : McGraw Hill 2005 ; 660-745z

11. Arenillas JF. Intracranial atherosclerosis, Current concepts. Suplement to: Stroke. 2011; 42 (1): S 20-3
12. Kitamura A, Iso H, Imano H, Ohira T, Okada T, Sato S. Carotid intima-media thickness and plaque characteristics as a risk factor for stroke in Japanese elderly men. Stroke. 2004; 35: 2788-94.
13. Gorelick P, Han J, Huang Y, Wong KS. Epidemiology. In: Kim JS, Caplan RL, Wong KS (eds). Intracranial atherosclerosis. Singapore: Wiley-Blackwell, 2008: 33-42
14. Lee EJ, Kim HJ, Bae JM, Kim JC, Han H.J, Park CS. Relevance off common carotid intima-media thickness and carotid plaque as risk factors for ischemic stroke in patients with type 2 diabetes mellitus. Am J Neuroradiol. 2007; 28: 916-19
15. Markus H. Transcranial doppler ultrasound. British Medical Bulletin. 2000;56(2): 378-88
16. Minematsu K, Bang OY, Uehara T. Risk factors. In: Kim JS, Caplan LR, Wong KS. Intracranial atherosclerosis. West Sussex: Wiley-Blackwell; 2008: 45-51
17. Guyton AC, Hall J. Text book of medical physiology (Buku ajar fisiologi kedokteran), Terjemahan Bahasa Indonesia; Rahman LY, ed. 11th ed. Jakarta: EGC; 2007
18. Barasi ME, Nutrition at a Glance (Ilmu Gizi). Terjemahan Bahasa Indonesia; Safitri A. Jakarta: Erlangga, 2009: 32-7, 118 – 21
19. Hooper L, Summerbell C, Higgins JPT, Thompson RL, Capps NE, Smith GD, et al. Dietary fat intake and prevention of cardiovascular disease; Sistematic review. BMJ.com. 2001;322: 757-63
20. De Freitas EV, Brandao AA, Pozzan R, Magalhaes ME, Castier M, Brandao et al. Study of the intima media thickening in carotid arteries of healthy elderly with high blood pressure and elderly with high blood pressure and dyslipidemia. Clin Interv Aging. 2008; 3(3): 525–34.
21. Boden-Albala B, Elkind MSV, White H, Szumski A, Paik MC, Sacco RL. Dietary total fat intake and ischemic stroke risk: The Northern Manhattan Study. Neuroepidemiology; 2009;32:296-301
22. Wolfe MS, Sawyer JK, Morgan TM, Bullock BC, Rudel LL. Dietary polyunsaturated fat decreased coronary artery atherosclerosis in a pediatric-aged population of green monkeys. AHA, Arteriosclerosis and Thrombosis, 1994;14:587-97.

23. Kris-Etherton PM. monounsaturated fatty acids and risk of cardiovascular disease. *Circulation*. 1999;100:1253-58
24. Merchant AT, Kelemen LE, de Koning L, Lonn E, Vuksan V, Jacobs R, et al. Interrelation of saturated fat, trans fat, alcohol intake, and subclinical atherosclerosis. *Am J Clin Nutr*. 2008 Jan; 87(1):168-74
25. He K, Rimm EB, Rosner BA, Stampfer MJ, Willett WC, Merchant AT, et al. Dietary fat intake and risk of stroke in male US healthcare professionals: 14 year prospective cohort study. *BMJ Oktober* 2003; VOL. 327:777-81
26. Mozaffarian D, Rimm EB, Herrington DM. Dietary fats, carbohydrate, and progression of coronary atherosclerosis in postmenopausal women. *Am J of Clinical Nutrition*, 2004;80(5):1175-84
27. Tell GS, Evans GW, Folsom AR, Shiakawa T, Carpenter MA, Heiss G. Dietary fat intake and carotid artery wall thickness: The Atherosclerosis Risk in Communities (ARIC) Study. *Am J of Epidemiology*, 1994; 39(10): 979-89
28. Prati P, Tosetto A, Vanuzzo D, Bader G, Casaroli M, Canciani L, et al. Carotid intima media thickness and plaques can predict the occurrence of ischemic cerebrovascular events. *Stroke*. 2008; 39: 2470-6
29. Dawson JD, Sonka, M, Blecha MB, Lin W, Davis PH. Risk factors associated with aortic and carotid intimal-medial thickness in adolescents and young adults: the Muscatine Offspring Study. *J Am Coo Cardiol*. 2009 June 16;53(24): 2273 – 9
30. Shahar E, Chambliss LE, Rosamond WD, Boland LL, Ballantyne CM, McGovern PG, et al. Plasma lipid profile and incident ischemic stroke: The Atherosclerosis Risk in Communities (ARIC) Study. *Stroke*. 2003; 34:623-31
31. Noerjanto M. Stroke non hemoragik. Dalam: Hadinoto S, Setiawan, Soetedjo, ed. Pengelolaan mutakhir stroke. Semarang: BP UNDIP. 1992: 29-45
32. Misbach J, Jannis J. Diagnosis stroke. Dalam: Misbach J. Stroke: aspek diagnostik, patofisiologi, manajemen. ed ke-2. Jakarta: BP FKUI, 2011:57-84
33. Chiu D, Vascular disease. In: Rolak LA, Neurology secret. 4th ed. Philadelphia: Elsevier; 2005: 259-70
34. Midori A, Yenari D. Pathophysiology of acute ischemic stroke. *CCJM*. 2004; 71: S 25-7

35. Suroto. The Biomolecular aspect of acute ischemic stroke . Management of acute stroke. Neurology up date. Temu Regional Neurologi XIX. Semarang: Balai Penerbit Diponegoro, 2002; 23-5
36. Susilowati R, Dahlan P, Haryana SM . Post acute stroke: The Biomolecular aspec. Dalam: Soetedjo, Duarsa AB, ed. Management of Post Stroke. Neurology up date. Temu Regional Neurologi XIX. Semarang: Badan Penerbit Diponegoro. 2002 ; 28-30
37. Ahmad A. Neurorestorasi dan neurorehabilitasi pada pasien stroke. Dalam: Goffir A, ed. Manajemen komprehensif stroke. Yogyakarta: Pustaka Cendekia Press, 2007; 98-100.
38. Tugasworo D. Prevensi sekunder stroke. Dalam: Soetedjo, Duarsa AB, editor. Management of post stroke. Neurology up date. Temu Regional Neurologi XIX. Semarang: Badan Penerbit Diponegoro, 2002 ; 37-67
39. Stary HC, Chandler AB, Dinsmore RE, Fuster V, Glagov S, Insull W, et al. A definition of advanced types of atherosclerotic lesions and a histological classification of atherosclerosis. Circulation. 1995; 92:1355-74
40. Ross R. Atherosclerosis an inflammatory disease. N Engl J Med. 1999; 340(2): 115-25
41. Spagnoli L, Bonanno E, Sangiorgi G, Mauriello A. Role of inflammation in atherosclerosis. J Nucl Med, 2007;48(11): 1800-15
42. Chen XY, Fisher M. Pathologics characteristics. In: Kim JS, Caplan LR,Wong KS. Intracranial atherosclerosis. WestSussex: Wiley-Blackwell, 2008:19-28
43. Verma S, Anderson TJ. Fundamentals of endothelial function for the clinical cardiologist. Circulation 2002;105:546-9
44. Berenson GS, Srinivasan SR, Bao W, Newman WP, Tracy RT, Wattigney WA. Association between multiple cardiovascular risk factors and atherosclerosis in children and young adults. N Engl J Med 1998; 338: 1650-56
45. Ryu JE, Howard G, Craven TE, Bond MG, Hagaman AP, Crouse JR. Postprandial triglyceridemia and carotid atherosclerosis in middle age subject. Stroke. 1992;23:823-8
46. Nelms MN, Sucher K, Long S, Lacey K, Kittler PG, Nelms RG, et al.. Nutrition therapy and patophysiology. Belmont: Thomson Brooks/Cole; 2007: 371-395, 694-7

47. Mathieu P, Pibarot P, Despres JP. Metabolic syndrom: the danger signal in atherosclerosis. *Vascular Health and Risk Management*. 2006; 2(3): 285-302
48. Ridker PM, Silvertown JD. Inflammation, C-Reactive Protein, and atherothrombosis. *J Periodontol* 200B:79:1554-1551
49. Ohira T, Shahar E, Chambless LE, Rosamond WD, Mosley TH, Folsom AR. Risk factors for ischemic stroke subtypes: The Atherosclerosis Risk in Communities Study. *Stroke, AHA Journal*: 2006;37 : 2493-8
50. Cunningham KS, Gotlieb AI. The role of shear stress in the pathogenesis of atherosclerosis. *Laboratory Investigation*. 2005; 85: 9–23
51. Kim JS, Caplan LR,Wong KS Kim JS, Caplan LR,Wong KS. Stroke mechanisms. In: Kim JS, Caplan LR,Wong KS. *Intracranial atherosclerosis*. West Sussex: Wiley-Blackwell, 2008: 57-66
52. Sidhu PS. Ultrasound the carotid and vertebral arteries. *British Medical Bulletin*. 2000; 56(2): 346-66
53. Silver B, Lutsep HL, (ed). Carotid Ultrasound. E-Medicine from WebMD. Medscape; Updated July 211. on: <http://emedicine.medscape.com/article/1155193-overview>. [cited on March 27 2012]
54. Huang WY, Weng WC, Chen Yu YY, Wu CL, Peng TI, Chen KH. Predictive factors of outcome and stroke recurrence in patients with unilateral atherosclerosis-related internal carotid artery occlusion. *Neurology India*, 2008; 56 (2): 173-8
55. Gibson RS. Principles of nutritional assessment. 2nd ed. Oxford: Oxford University Press, 2005:1-22, 41-60, 105-123
56. Gibney M, Elia M, Ljungqvist O, Dowsett. Nutrition Society: Clinical nutrition. Oxford: Blackwell Science, 2005: 268-93
57. Hennig B, Toborek M, Boissoneault GA. Lipids, inflammatory cytokines, and endothelial cell injury. In: Gershwin ME, German JB, Keen CL, eds. *Nutrition and immunology, principles and practise*. Totowa: Humana Press Inc, 2000: 203-13
58. Adam JM, Soegondo S, Semiardji G, Adriansyah H. Petunjuk praktis penatalaksanaan dislipidemia. Jakarta : PB.PERKENI, 2004: 1-19
59. World Health Organization. The Asia-Pacific perspective: redefining obesity and its treatment. Geneva: World Health Organization, 2000.

60. EFSA Panel on Dietetic Products, Nutrition, and Allergies. Scientific opinion on dietary reference value for carbohydrate and dietary fibre. EFSA Journal. 2010;8(3): 1462
61. Health belief model. Twente: Twente University. Available from: URL: http://www.utwente.nl/health_communication. Last Update: 1 Mar 2012. [cited on June 29 2012]
62. Guideline Stroke 2011. Jakarta: Perhimpunan Dokter Spesialis Saraf Indonesia. Jakarta: Perdossi, 2011: 4-26, 104-24
63. Madiyono B, Moeslichan S, Sastroasmoro S, Budiman I, Purwanto SH. Perkiraan besar sampel. Dalam: Sastroasmoro S, Ismael S. Dasar-dasar metodologi penelitian klinis. Edisi ke-2. Jakarta: Sagung Seto, 2002: 259-86
64. National Institutes of Health. USA Reference Card From the Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (JNC VII). NIH Publication at USA Department of Health and Human Services, May 2003, on: <http://www.nhlbi.nih.gov/guidelines/hypertension/phycard.pdf>. [cited on March 3 2012]
65. Perkumpulan Endokrinologi Indonesia. Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia. Jakarta: Perkeni, 2011.
66. Mavri A, Stegnar M, Sentonik JT, Videnik V. Impact of weight reduction on early carotid atherosclerosis in obese premenopausal women. *Obesity Research*. 2001;9; 511–6
67. Henley S, Nisner S. Fats and cholesterol in the diet. University of Arizona: 1999, on: <http://cals.arizona.edu/pubs/health/az1126.html>. [cited on June 27 2012]