

DAFTAR PUSTAKA

1. Kaushik A, Pineda C, Kest H. Diagnosis and management of dengue fever in children. *Peds in Review* 2010;31(2):30.
2. WHO. Guidelines for diagnosis, treatment, prevention and control. WHO Library Cataloguing in Publication Data; 2009. p. 4.
3. Kementrian Kesehatan. Profil pengendalian penyakit dan penyehatan lingkungan tahun 2012. Direktorat Jenderal Pengendalian dan Penyehatan Lingkungan 2013: 114-5.
4. Karyanti MR, Hadinegoro SR. Perubahan epidemiologi demam berdarah dengue di Indonesia. *Sari Pediatri* 2009:424-32.
5. WHO. Handbook for clinical management of dengue. WHO Library Cataloguing in Publication Data; 2012. p. 39.
6. Garna H, editor. Buku ajar divisi infeksi dan penyakit tropis. Jakarta: Sagung Seto; 2012. p. 336.
7. Hasibuan WS. Chapter II [Online]. 2010 [cited 2014 Okt 17]; Available from:
URL:<http://repository.usu.ac.id/bitstream/123456789/20820/4/Chapter%20II.pdf>
8. Silitonga ML. Chapter I [Online]. 2011 [cited 2014 Okt 17]; Available from:
URL:<http://repository.usu.ac.id/bitstream/123456789/26614/5/Chapter%20I.pdf>
9. Djati AP, Rahayujati B, Raharto S. Faktor risiko demam berdarah dengue di kecamatan wonosari kabupaten gunungkidul provinsi DIY tahun 2010. Prosiding Seminar Nasional Kesehatan FKIK Unsoed 2012:1-16.
10. Souza LJ, Pessanha LB, Mansur LC, Souza LA, Ribeiro MBT, Silveira MV et al. Comparison of clinical and laboratory characteristics between children and adults with dengue. *Braz J Infect Dis* 2013; 17(1):27-31.
11. Hammond SN, Balmaseda A, Pérez L, Tellez Y, Saborío SI, Mercado JC et al. Differences in dengue severity in infants, children, and adults in a 3-year

- hospital-based study in Nicaragua. Am J Trop Med Hyg 2005;73(6):1063-70.
12. Thein TL, Gan VC, Lye DC, Yung CF, Leo YS. Utilities and limitations of the world health organization 2009 warning signs for adult dengue severity. PLoS Negl Trop Dis 2013;7(1):2023.
 13. NaTHNaC . Travel health information sheets dengue fever [Online]. 2013 [cited : 2015 Januari 18]. Available from: URL:<https://www.nathnac.org/pro/factsheets/dengue.htm>
 14. Soedarmo SSP, Garna H, Hadinegoro SRS, Satari HI, editors. Buku ajar infeksi dan pediatri tropis. 2nd ed. Jakarta: Ikatan Dokter Anak Indonesia; 2012. p. 155-66.
 15. Sidiek A. Hubungan tingkat pengetahuan ibu mengenai penyakit dbd terhadap kejadian penyakit dbd pada anak. Universitas Diponegoro; 2012.
 16. Pusat data dan surveilans epidemiologi kementerian kesehatan republik indonesia. Demam berdarah dengue. Buletin jendela epidemiologi 2010;2.
 17. Mayetti. Hubungan gambaran klinis dan laboratorium sebagai faktor risiko syok pada demam berdarah dengue. Sari Pediatri 2010;11(5):367-73.
 18. Meisyaroh M, Askar M, Simunati. Faktor yang berhubungan dengan derajat keparahan dbd (demam berdarah dengue) pada anak di RSUP dr. Wahidin Sudirohusodo Makassar [Online]. 2013 [cited : 2015 Februari 23]. Available from: URL:<http://library.stikesnh.ac.id/files/disk1/4/e-library%20stikes%20nani%20hasanuddin--meriemmeis-156-1-artikel-5.pdf>
 19. Rajapakse S. Intravenous immunoglobulins in the treatment of dengue illness. Trans R Soc Trop Med Hyg 2008;103:867-70.
 20. Sudaryono. Perbedaan manifestasi klinis dan laboratorium berdasarkan jenis imunoglobulin pada penderita demam berdarah dengue. Universitas Sebelas Maret Surakarta 2011.
 21. Guyton AC, Hall JE, Rachman YL, Hartanto H, editors. Buku ajar fisiologi kedokteran. 11st ed. Jakarta: ECG; 2007.


22. Ikatan Dokter Anak Indonesia. Demam berdarah dengue [Online]. 2009 [cited : 2015 Februari 6]. Available from: URL:<http://idai.or.id/kesehatananak/artikel>
23. Weerakoona KGAD, Chandrasekaramb S, Jayabahub JPSNK, Gunasenac S Kularatnea SAM. Acute abdominal pain in dengue haemorrhagic fever: a study in Sri Lanka, 2009. *Dengue Buletin* 2009;33:70-74.
24. Intranet. Pathophysiology of digestion. Pathophysiology of liver. Pathophysiology of kidneys. Disorders of acid-base balance. Disorder of water-electrolytic balance [Online]. [cited : 2015 Februari 6]. Available from: URL: [http://intranet.tdmu.edu.ua/data/kafedra/internal/patolog_phis/classes_stud/en/pharm/prov_pharm/ptn/2/12.CM5\(1\).Pathophysiology%20of%20digestion_liver,%20kidneys....htm](http://intranet.tdmu.edu.ua/data/kafedra/internal/patolog_phis/classes_stud/en/pharm/prov_pharm/ptn/2/12.CM5(1).Pathophysiology%20of%20digestion_liver,%20kidneys....htm)
25. Krucik G. Nausea and vomiting. [Online]. 2012 [cited : 2015 Februari 6]. Available from: URL:<http://www.healthline.com/health/nausea-and-vomiting#Overview1>
26. Healthwise. Severe or persistent vomiting. [Online]. 2013 [cited : 2015 Juli 1]. Available from: URL:<http://www.webmd.com/digestive-disorders/severe-or-persistent-vomiting>
27. Byatnal A, Mahajan N, Koppal S, Ravikiran A, Thriveni R, Parvathi DMK. Unusual yet isolated oral manifestastions of persistent thrombocytopenia – a rare case report. *Braz J Oral Sci* 2013;12(3).
28. Pediatric Clerkship. Hepatomegaly. [Online]. [cited : 2015 Juli 1]. Available from: URL: <https://pedclerk.bsd.uchicago.edu/page/hepatomegaly>
29. Baratawidjaya KG. Imunologi dasar. 6nd ed. Jakarta: Fakultas Kedokteran Universitas Indonesia; 2004. p. 349.
30. Hanafusa S, Chanyasanha C, Sujirarat D, Khuankhunsathid I, Yaguchi A, Suzuki T. Clinical feature and differences between child and adult dengue infections in Rayong Province, Southeast Thailand. *SE Asian J Trop Med* 2008;39(2):252-9.


31. Tantawichien T. Dengue fever and dengue hemorrhagic fever in adolescents and adult. *Paediatr Int Child Health* 2012;32:22-27.
32. Kittigul L, Pitakarnjanakul P, Sujirarat D, Siripanichgon K. The differences of clinical manifestations and laboratory findings in children and adults with dengue virus infection. *J Clin Vir* 2007;39(2):76-81.
33. Setiati TE, Soemantri AG. Demam Berdarah dengue pada anak patofisiologi, resusitasi mikrovaskuler dan terapi komponen darah. semarang: pelita insani;2009.p.30.
34. Guilarde AO, Turchi MD, Siqueira JB, Feres VCR, Rocha B, Levi JE et al. Dengue and dengue hemorrhagic fever among adult: clinical outcome related to viremia, serotype and antibody response. *J Infect Dis* 2008;197(6):817-824.
35. Soedarmo SP, Tjokronegoro A. Demam berdarah dengue sepuluh tahun penelitian pada anak di Jakarta. Jakarta: Fakultas Kedokteran Universitas Indonesia;1985. p. 21-36.
36. Nopianto H. Faktor-faktor yang berpengaruh terhadap lama rawat inap pada pasien demam berdarah dengue di RSUP dr. Kariadi Semarang. Universitas Diponegoro 2012.
37. Wichmann O, Hongsiriwon S, Bowonwatanuwong C, Chotivanich K, Sukthana Y and Pukrittayakamee S. Risk factors and clinical features associated with severe dengue infection in adults and children during the 2001 epidemic in Chonburi, Thailand. *Trop Med Int Health* 2004;9(9):1022-29.

Lampiran 1. Ethical clearance



Lampiran 2. Surat izin penelitian





Lampiran 3. Output analisis program statistik

Bivariat warning sign nyeri abdomen

Crosstab

		Nyeri abdomen warning sign		Total
		Tidak	Ya	
Subjek	Anak	Count	16	50
		Expected Count	18.0	50.0
		% within Subjek	32.0%	68.0%
	Dewasa	Count	20	50
		Expected Count	18.0	50.0
		% within Subjek	40.0%	60.0%
Total		Count	36	100
		Expected Count	36.0	100.0
		% within Subjek	36.0%	64.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.694 ^a	1	.405		
Continuity Correction ^b	.391	1	.532		
Likelihood Ratio	.696	1	.404		
Fisher's Exact Test				.532	.266
Linear-by-Linear Association	.688	1	.407		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 18.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Subjek (Anak / Dewasa)	.706	.311	1.603
For cohort Nyeri abdomen warning sign = Tidak	.800	.472	1.356
For cohort Nyeri abdomen warning sign = Ya	1.133	.843	1.523
N of Valid Cases	100		

Bivariat warning sign muntah persisten

Subjek * Muntah persisten warning sign

Crosstab

		Muntah persisten warning sign		Total
		Tidak	Ya	
Subjek	Anak	Count	34	50
	Anak	Expected Count	33.5	50.0
	Anak	% within Subjek	68.0%	32.0%
	Dewasa	Count	33	50
	Dewasa	Expected Count	33.5	50.0
	Dewasa	% within Subjek	66.0%	34.0%
Total		Count	67	100
		Expected Count	67.0	100.0
		% within Subjek	67.0%	33.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.045 ^a	1	.832		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.045	1	.832		
Fisher's Exact Test				1.000	.500
Linear-by-Linear Association	.045	1	.832		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 16.50.

b. Computed only for a 2x2 table

Bivariat warning sign perdarahan mukosa (ptekie, epistaksis dan perdarahan gusi)

Subjek * Perdarahan mukosa kulit, hidung dan gusi warning sign

Crosstab

		Perdarahan mukosa kulit, hidung dan gusi warning sign		Total
		Tidak	Ya	
Subjek	Anak	Count	6	50
		Expected Count	14.0	50.0
		% within Subjek	12.0%	88.0%
	Dewasa	Count	22	50
		Expected Count	14.0	50.0
		% within Subjek	44.0%	56.0%
Total		Count	28	100
		Expected Count	28.0	100.0
		% within Subjek	28.0%	72.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	12.698 ^a	1	.000		
Continuity Correction ^b	11.161	1	.001		
Likelihood Ratio	13.305	1	.000		
Fisher's Exact Test				.001	.000
Linear-by-Linear Association	12.571	1	.000		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 14.00.

b. Computed only for a 2x2 table

Bivariat warning sign kulit pucat dan akral dingin

Subjek * Kulit pucat dan akral dingin warning sign

Crosstab

		Kulit pucat dan akral dingin warning sign		Total
		Tidak	Ya	
Subjek	Anak	Count	48	50
		Expected Count	48.5	1.5
		% within Subjek	96.0%	4.0%
	Dewasa	Count	49	50
		Expected Count	48.5	1.5
		% within Subjek	98.0%	2.0%
Total		Count	97	100
		Expected Count	97.0	3.0
		% within Subjek	97.0%	3.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.344 ^a	1	.558		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.350	1	.554		
Fisher's Exact Test				1.000	.500
Linear-by-Linear Association	.340	1	.560		
N of Valid Cases	100				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.50.

b. Computed only for a 2x2 table

Bivariat warning sign pembesaran hepar

Subjek * Pembesaran hati warning sign

Crosstab

		Pembesaran hati warning sign		Total
		Tidak	Ya	
Subjek	Anak	Count	38	50
		Expected Count	43.0	50.0
		% within Subjek	76.0%	100.0%
	Dewasa	Count	48	50
		Expected Count	43.0	50.0
		% within Subjek	96.0%	100.0%
Total		Count	86	100
		Expected Count	86.0	100.0
		% within Subjek	86.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	8.306 ^a	1	.004		
Continuity Correction ^b	6.728	1	.009		
Likelihood Ratio	9.090	1	.003		
Fisher's Exact Test				.008	.004
Linear-by-Linear Association	8.223	1	.004		
N of Valid Cases	100				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.00.

b. Computed only for a 2x2 table

Analisis multivariat

Case Processing Summary

Unweighted Cases ^a		N	Percent
	Included in Analysis	100	100.0
Selected Cases	Missing Cases	0	.0
	Total	100	100.0
	Unselected Cases	0	.0
	Total	100	100.0

a. If weight is in effect, see classification table for the total number of cases.

Block 0: Beginning Block

Classification Table^{a,b}

	Observed	Predicted		Percentage Correct	
		Subjek			
		Anak	Dewasa		
Step 0	Subjek	Anak	0	50	
		Dewasa	0	50	
Overall Percentage				100.0	
				50.0	

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)
Step 0 Constant	.000	.200	.000	1	1.000	1.000

Variables not in the Equation

	Score	df	Sig.
Step 0 Variables	WS3(1)	12.698	.000
	WS5(1)	8.306	.004
Overall Statistics	19.860	2	.000

Block 1: Method = Backward Stepwise (Likelihood Ratio)

Hosmer and Lemeshow Test

Step	Chi-square	df	Sig.
1	.026	2	.987


Variables in the Equation

	B	S.E.	Wald	df	Sig.	Exp(B)	95% C.I. for EXP(B)	
							Lower	Upper
WS3(1)	1.855	.562	10.899	1	.001	6.391	2.125	19.222
Step 1 ^a	WS5(1)	2.186	.856	6.527	1	.011	8.900	1.664
	Constant	-2.410	.849	8.064	1	.005	.090	47.617

a. Variable(s) entered on step 1: WS3, WS5.

Lampiran 4. Dokumentasi penelitian

Dokumentasi pengambilan data rekam medis RSUP dr. Kariadi Semarang



Dokumentasi rekam medis RSUP dr. Kariadi Semarang

Lampiran 5. Biodata mahasiswa

Identitas

Nama : Dila Apriliani Zein

NIM : 22010111130085

Tempat/tanggal lahir : Cilacap, 20 April 1992

Jenis kelamin : Wanita

Alamat : Sidanegara Indah B8 No. 286 Cilacap, Jawa Tengah

No. Hp : 085647602557

e-mail : dilazein@gmail.com

Riwayat Pendidikan Formal

- | | | |
|-------------|--------------------------------------|-------------------|
| 1. SD | : SD YKPP 1 Cilacap | Lulus tahun: 2004 |
| 2. SMP | : SMP Negeri 1 Cilacap | Lulus tahun: 2007 |
| 3. SMA | : SMA Negeri 1 Cilacap | Lulus tahun: 2010 |
| 4. FK UNDIP | : S1 Program Studi Pendidikan Dokter | Lulus tahun: 2015 |

Pengalaman Organisasi

1. Sekretaris Teater KRETA SMA Negeri 1 Cilacap 2009
2. Bidang redaksi LPM Kinetika Teknik Kimia Universitas Diponegoro 2011