

Explore

Usia

Case Summaries

Usia

Kelompok	N	Mean	Std. Deviation	Median	Minimum	Maximum
K	19	70.42	8.878	69.00	50	87
P1	19	67.74	7.766	68.00	48	81
P2	19	70.26	9.509	70.00	54	85
P3	19	70.37	6.800	71.00	57	82
Total	76	69.70	8.215	70.00	48	87

Tests of Normality


Kelompok	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Usia K	.150	19	.200*	.959	19	.553
P1	.113	19	.200*	.962	19	.619
P2	.129	19	.200*	.959	19	.548
P3	.101	19	.200*	.981	19	.958

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Test of Homogeneity of Variance

	Levene Statistic	df1	df2	Sig.
Usia Based on Mean	.956	3	72	.418
Based on Median	.904	3	72	.444
Based on Median and with adjusted df	.904	3	65.734	.444
Based on trimmed mean	.976	3	72	.409



Oneway

ANOVA

Usia

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	97.618	3	32.539	.472	.703
Within Groups	4964.421	72	68.950		
Total	5062.039	75			

Explore

Vol. Prostat

Case Summaries

Vol. Prostat

Kelompok	N	Mean	Std. Deviation	Median	Minimum	Maximum
K	19	44.0889	17.61782	39.9000	18.60	85.00
P1	19	45.6300	17.45947	42.5000	22.80	82.00
P2	19	43.1037	14.84787	40.2000	25.40	73.00
P3	19	39.6332	13.24275	35.3900	23.00	69.20
Total	76	43.1139	15.73423	40.0500	18.60	85.00

Tests of Normality


Kelompok	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Vol. Prostat K	.162	19	.200*	.915	19	.091
P1	.104	19	.200*	.934	19	.207
P2	.129	19	.200*	.923	19	.131
P3	.155	19	.200*	.931	19	.185

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Test of Homogeneity of Variance

	Levene Statistic	df1	df2	Sig.
Vol. Prostat Based on Mean	.414	3	72	.743
Based on Median	.351	3	72	.788
Based on Median and with adjusted df	.351	3	67.225	.788
Based on trimmed mean	.408	3	72	.748



Oneway

ANOVA

Vol. Prostat

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	368.546	3	122.849	.486	.693
Within Groups	18198.910	72	252.763		
Total	18567.456	75			

Explore

Lama operasi (menit)

Case Summaries

Lama operasi (menit)

Kelompok	N	Mean	Std. Deviation	Median	Minimum	Maximum
K	19	34.58	3.595	35.00	30	44
P1	19	35.37	2.813	36.00	30	41
P2	19	35.00	3.055	35.00	30	41
P3	19	34.32	4.070	33.00	27	42
Total	76	34.82	3.373	35.00	27	44

Tests of Normality


Kelompok	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Lama operasi (menit) K	.190	19	.069	.919	19	.109
P1	.185	19	.087	.944	19	.310
P2	.132	19	.200*	.963	19	.634
P3	.153	19	.200*	.968	19	.743

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Test of Homogeneity of Variance

	Levene Statistic	df1	df2	Sig.
Lama operasi (menit) Based on Mean	1.476	3	72	.228
Based on Median	1.156	3	72	.333
Based on Median and with adjusted df	1.156	3	66.561	.333
Based on trimmed mean	1.471	3	72	.230



Oneway

ANOVA

Lama operasi (menit)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	12.263	3	4.088	.350	.789
Within Groups	841.158	72	11.683		
Total	853.421	75			

Explore

Lama pemberian obat (hari)

Case Summaries

Lama pemberian obat (hari)

Kelompok	N	Mean	Std. Deviation	Median	Minimum	Maximum
K	19	14.84	1.167	14.00	14	18
P1	19	14.63	.895	14.00	14	17
P2	19	14.68	1.057	14.00	14	18
P3	19	14.74	.933	14.00	14	17
Total	76	14.72	1.001	14.00	14	18


Tests of Normality

Kelompok	Kolmogorov-Smirnov ^a			Shapiro-Wilk			
	Statistic	df	Sig.	Statistic	df	Sig.	
Lama pemberian obat (hari)	K	.291	19	.000	.751	19	.000
	P1	.339	19	.000	.733	19	.000
	P2	.320	19	.000	.693	19	.000
	P3	.311	19	.000	.776	19	.001

a. Lilliefors Significance Correction

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
Lama pemberian obat (hari)	Based on Mean	.222	3	72	.881
	Based on Median	.148	3	72	.931
	Based on Median and with adjusted df	.148	3	68.877	.931
	Based on trimmed mean	.224	3	72	.879



NPar Tests

Kruskal-Wallis Test

Ranks

	Kelompok	N	Mean Rank
Lama pemberian obat (hari)	K	19	40.00
	P1	19	37.16
	P2	19	37.29
	P3	19	39.55
	Total	76	

Test Statistics^{a,b}

	Lama pemberian obat (hari)
Chi-Square	.318
df	3
Asymp. Sig.	.957

a. Kruskal Wallis Test

b. Grouping Variable: Kelompok

Explore

Persentase HIF-1 Alpha (%)

Case Summaries

Persentase HIF-1 Alpha (%)

Perlakuan	N	Mean	Std. Deviation	Median	Minimum	Maximum
P1	19	59.32	14.693	62.00	25	83
P2	19	59.11	20.733	56.00	0	83
P3	19	64.21	14.958	71.00	35	84
K	19	58.16	16.008	65.00	25	82
Total	76	60.20	16.608	63.50	0	84

Tests of Normality


Perlakuan	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Persentase HIF-1 Alpha (%) P1	.135	19	.200*	.957	19	.520
P2	.170	19	.152	.878	19	.020
P3	.201	19	.041	.903	19	.054
K	.192	19	.064	.951	19	.415

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
Persentase HIF-1 Alpha (%)	Based on Mean	.625	3	72	.601
	Based on Median	.447	3	72	.720
	Based on Median and with adjusted df	.447	3	64.648	.720
	Based on trimmed mean	.679	3	72	.568



NPar Tests

Kruskal-Wallis Test

Ranks

	Perlakuan	N	Mean Rank
Persentase HIF-1 Alpha (%)	P1	19	35.53
	P2	19	39.68
	P3	19	44.39
	K	19	34.39
	Total	76	

Test Statistics^{a,b}

	Persentase HIF-1 Alpha (%)
Chi-Square	2.413
df	3
Asymp. Sig.	.491

a. Kruskal Wallis Test

b. Grouping Variable: Perlakuan

Explore

Case Summaries

Perlakuan		Kadar Ht Pre TURP (%)	Kadar Ht Post TURP (%)
P1	N	19	19
	Mean	37.605	37.000
	Std. Deviation	1.7684	1.7020
	Median	37.800	37.100
	Minimum	35.0	34.5
	Maximum	41.5	41.0
P2	N	19	19
	Mean	37.063	36.521
	Std. Deviation	1.5280	1.5644
	Median	37.200	36.700
	Minimum	35.1	34.1
	Maximum	40.5	39.8
P3	N	19	19
	Mean	37.200	36.789
	Std. Deviation	1.6690	1.6983
	Median	37.400	36.100
	Minimum	34.2	33.8
	Maximum	40.0	39.8
K	N	19	19
	Mean	37.784	36.653
	Std. Deviation	2.0627	2.1915
	Median	38.200	36.600
	Minimum	34.9	33.2
	Maximum	41.2	40.2
Total	N	76	76
	Mean	37.413	36.741
	Std. Deviation	1.7571	1.7774
	Median	37.450	36.750
	Minimum	34.2	33.2
	Maximum	41.5	41.0

Tests of Normality

		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Kadar Ht Pre TURP (%)	P1	.102	19	.200*	.964	19	.646
	P2	.125	19	.200*	.942	19	.281
	P3	.115	19	.200*	.967	19	.712
	K	.143	19	.200*	.922	19	.126
Kadar Ht Post TURP (%)	P1	.121	19	.200*	.964	19	.660
	P2	.145	19	.200*	.955	19	.472
	P3	.184	19	.090	.960	19	.563
	K	.137	19	.200*	.940	19	.264


*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction


Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
Kadar Ht Pre TURP (%)	Based on Mean	1.192	3	72	.319
	Based on Median	.989	3	72	.403
	Based on Median and with adjusted df	.989	3	70.005	.403
	Based on trimmed mean	1.208	3	72	.313
Kadar Ht Post TURP (%)	Based on Mean	1.883	3	72	.140
	Based on Median	1.614	3	72	.194
	Based on Median and with adjusted df	1.614	3	70.041	.194
	Based on trimmed mean	1.868	3	72	.143

Kadar Ht Pre TURP (%)



Kadar Ht Post TURP (%)



Oneway

ANOVA

Kadar Ht Pre TURP (%)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	6.508	3	2.169	.694	.559
Within Groups	225.039	72	3.126		
Total	231.547	75			


Oneway

ANOVA

Kadar Ht Post TURP (%)

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	2.387	3	.796	.244	.865
Within Groups	234.557	72	3.258		
Total	236.944	75			

P1



T-Test

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Kadar Ht Pre TURP (%)	37.605	19	1.7684	.4057
	Kadar Ht Post TURP (%)	37.000	19	1.7020	.3905


Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Kadar Ht Pre TURP (%) & Kadar Ht Post TURP (%)	19	.994	.000

Paired Samples Test

		Pair 1
		Kadar Ht Pre TURP (%) - Kadar Ht Post TURP (%)
Paired Differences	Mean	.6053
	Std. Deviation	.2041
	Std. Error Mean	.0468
95% Confidence Interval of the Difference	Lower	.5069
	Upper	.7036
t		12.929
df		18
Sig. (2-tailed)		.000

P2



T-Test

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Kadar Ht Pre TURP (%)	37.063	19	1.5280	.3505
	Kadar Ht Post TURP (%)	36.521	19	1.5644	.3589


Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Kadar Ht Pre TURP (%) & Kadar Ht Post TURP (%)	19	.987	.000

Paired Samples Test

		Pair 1	
		Kadar Ht Pre TURP (%) - Kadar Ht Post TURP (%)	
Paired Differences	Mean		.5421
	Std. Deviation		.2501
	Std. Error Mean		.0574
95% Confidence Interval of the Difference	Lower		.4215
	Upper		.6627
t			9.446
df			18
Sig. (2-tailed)			.000

P3



T-Test

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Kadar Ht Pre TURP (%)	37.200	19	1.6690	.3829
	Kadar Ht Post TURP (%)	36.789	19	1.6983	.3896


Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Kadar Ht Pre TURP (%) & Kadar Ht Post TURP (%)	19	.987	.000

Paired Samples Test

		Pair 1
		Kadar Ht Pre TURP (%) - Kadar Ht Post TURP (%)
Paired Differences	Mean	.4105
	Std. Deviation	.2747
	Std. Error Mean	.0630
95% Confidence Interval of the Difference	Lower	.2781
	Upper	.5429
t		6.515
df		18
Sig. (2-tailed)		.000

K



T-Test

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	Kadar Ht Pre TURP (%)	37.784	19	2.0627	.4732
	Kadar Ht Post TURP (%)	36.653	19	2.1915	.5028

Paired Samples Correlations

		N	Correlation	Sig.
Pair 1	Kadar Ht Pre TURP (%) & Kadar Ht Post TURP (%)	19	.949	.000

Paired Samples Test

		Pair 1
		Kadar Ht Pre TURP (%) - Kadar Ht Post TURP (%)
Paired Differences	Mean	1.1316
	Std. Deviation	.6937
	Std. Error Mean	.1591
95% Confidence Interval of the Difference	Lower	.7972
	Upper	1.4659
t		7.111
df		18
Sig. (2-tailed)		.000

Explore

Selisih Kadar Ht TURP (%)

Case Summaries

Selisih Kadar Ht TURP (%)

Perlakuan	N	Mean	Std. Deviation	Median	Minimum	Maximum
P1	19	-.605	.2041	-.600	-1.0	-.2
P2	19	-.542	.2501	-.500	-1.3	.0
P3	19	-.411	.2747	-.300	-1.4	-.2
K	19	-1.132	.6937	-.900	-2.9	-.2
Total	76	-.672	.4846	-.550	-2.9	.0

Tests of Normality


Perlakuan	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Selisih Kadar Ht TURP (%) P1	.145	19	.200*	.967	19	.715
P2	.232	19	.008	.846	19	.006
P3	.305	19	.000	.665	19	.000
K	.207	19	.032	.906	19	.063

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Test of Homogeneity of Variance

		Levene Statistic	df1	df2	Sig.
Selisih Kadar Ht TURP (%)	Based on Mean	11.720	3	72	.000
	Based on Median	6.603	3	72	.001
	Based on Median and with adjusted df	6.603	3	35.407	.001
	Based on trimmed mean	10.296	3	72	.000



NPar Tests

Kruskal-Wallis Test

Ranks

	Perlakuan	N	Mean Rank
Selisih Kadar Ht TURP (%)	P1	19	35.53
	P2	19	41.92
	P3	19	56.63
	K	19	19.92
	Total	76	

Test Statistics^{a,b}

	Selisih Kadar Ht TURP (%)
Chi-Square	27.438
df	3
Asymp. Sig.	.000

- a. Kruskal Wallis Test
- b. Grouping Variable: Perlakuan

NPar Tests

Mann-Whitney Test

Ranks

	Perlakuan	N	Mean Rank	Sum of Ranks
Selisih Kadar	P1	19	17.29	328.50
Ht TURP (%)	P2	19	21.71	412.50
	Total	38		

Test Statistics^b

	Selisih Kadar Ht TURP (%)
Mann-Whitney U	138.500
Wilcoxon W	328.500
Z	-1.246
Asymp. Sig. (2-tailed)	.213
Exact Sig. [2*(1-tailed Sig.)]	.223 ^a

a. Not corrected for ties.

b. Grouping Variable: Perlakuan

NPar Tests

Mann-Whitney Test

Ranks

	Perlakuan	N	Mean Rank	Sum of Ranks
Selisih Kadar	P1	19	13.76	261.50
Ht TURP (%)	P3	19	25.24	479.50
	Total	38		

Test Statistics^b

	Selisih Kadar Ht TURP (%)
Mann-Whitney U	71.500
Wilcoxon W	261.500
Z	-3.213
Asymp. Sig. (2-tailed)	.001
Exact Sig. [2*(1-tailed Sig.)]	.001 ^a

a. Not corrected for ties.

b. Grouping Variable: Perlakuan

NPar Tests

Mann-Whitney Test

Ranks

	Perlakuan	N	Mean Rank	Sum of Ranks
Selisih Kadar	P1	19	24.47	465.00
Ht TURP (%)	K	19	14.53	276.00
	Total	38		

Test Statistics^b

	Selisih Kadar Ht TURP (%)
Mann-Whitney U	86.000
Wilcoxon W	276.000
Z	-2.780
Asymp. Sig. (2-tailed)	.005
Exact Sig. [2*(1-tailed Sig.)]	.005 ^a

a. Not corrected for ties.

b. Grouping Variable: Perlakuan

NPar Tests

Mann-Whitney Test

Ranks

	Perlakuan	N	Mean Rank	Sum of Ranks
Selisih Kadar	P2	19	14.58	277.00
Ht TURP (%)	P3	19	24.42	464.00
	Total	38		

Test Statistics^b

	Selisih Kadar Ht TURP (%)
Mann-Whitney U	87.000
Wilcoxon W	277.000
Z	-2.777
Asymp. Sig. (2-tailed)	.005
Exact Sig. [2*(1-tailed Sig.)]	.006 ^a

a. Not corrected for ties.

b. Grouping Variable: Perlakuan

NPar Tests

Mann-Whitney Test

Ranks

	Perlakuan	N	Mean Rank	Sum of Ranks
Selisih Kadar	P2	19	25.63	487.00
Ht TURP (%)	K	19	13.37	254.00
	Total	38		

Test Statistics^b

	Selisih Kadar Ht TURP (%)
Mann-Whitney U	64.000
Wilcoxon W	254.000
Z	-3.427
Asymp. Sig. (2-tailed)	.001
Exact Sig. [2*(1-tailed Sig.)]	.000 ^a

a. Not corrected for ties.

b. Grouping Variable: Perlakuan

NPar Tests

Mann-Whitney Test

Ranks

	Perlakuan	N	Mean Rank	Sum of Ranks
Selisih Kadar	P3	19	26.97	512.50
Ht TURP (%)	K	19	12.03	228.50
	Total	38		

Test Statistics^b

	Selisih Kadar Ht TURP (%)
Mann-Whitney U	38.500
Wilcoxon W	228.500
Z	-4.167
Asymp. Sig. (2-tailed)	.000
Exact Sig. [2*(1-tailed Sig.)]	.000 ^a

a. Not corrected for ties.

b. Grouping Variable: Perlakuan