

## DAFTAR PUSTAKA

1. Arung W, Meurisse M, Detry O. Pathophysiology and prevention of postoperative peritoneal adhesions. *World J Gastroenterol.* 2011; 17(41): 4545-4553
2. Liakakos T, Thomakos N, Fine PM, Dervenis C, Young RL. Peritoneal Adhesions: Etiology, Pathophysiology, and Clinical Significance. *Dig Surg* 2001; 18:260-73.
3. Ayten R, Çetinkaya Z, Girgin M, Ozercan I, Ustundag B, Aygen E. The Effects of Intraperitoneal Sildenafil Administration on Healing of Left Colonic Anastomoses and Intra-Abdominal Adhesion Formation in the Presence of Intra-Abdominal Infection. *Diseases of Colorectal and Rectum* 2008; 51: 1837– 1841.
4. Celik A, Erkan A, Ergul E, Bekar ME, Kusdemir A. Which is Most Effective in Prevention of Postoperative Intraperitoneal Adhesion – Methylene Blue, Low molecular Weight Heparin or Vitamin A: An Experimental Study in Rats. *The Internet Journal of Surgery* 2008; 15(1).
5. Duron JJ. Postoperative Intraperitoneal Adhesion Pathophysiology. *Colorectal Dis* 2007; 9(Supl2):14-24.
6. Attard JP, MacLean AR. Adhesive Small Bowel Obstruction: Epidemiology, Biology and Prevention. *Can J Surg* 2007; 50(4):291-300.
7. Hellebrekers BWJ, T. Kooistra. Pathogenesis of postoperative adhesion formation. *British Journal of Surgery* 2011; 98: 1503 – 1516

8. Cheong YC, Laird SM, Shelton JB, et al. Peritoneal Healing and Adhesion Formation/Reformation. *Human Reprod Update* 2001; 7:556-66.
9. Binnebösel M, Klink CD, Serno J, Jansen PL, von Trotha KT, Neumann UP, Junge K. Chronological evaluation of inflammatory mediators during peritoneal adhesion formation using a rat model. *Langenbecks Arch Surg* 2011; 396:371– 378.
10. Veenhof AAFA, Sietses C, Von Blomberg BME, Van Hoogstraten IMW, Pas MHGM, Meijerink WJHJ, Peet DL, Tol MP, Bonjer HJ, Cuesta MA. The Surgical Stress Response and Postoperative Immune Function After Laparoscopic or Conventional Total Mesorectal Excision in Rectal Cancer: A Randomized Trial. *Int J Colorectal Dis* 2011; 26:53– 59.
11. Pismensky Sergei V, Kalzhanov Zhomart R, Eliseeva Marina Yu, Kosmas Ioannis P, Mynbaev Ospan A. Severe Inflammatory Reaction Induced by Peritoneal Trauma is The Key Driving Mechanism of Postoperative Adhesion Formation. *BMC Surgery* 2011; 11:30
12. Brokelman WJA, Lensvelt M, Rinkes IHM. Borel, klinkenbijn JHG, Reijnen MMPJ. Peritoneal changes due to laparoscopic surgery. *Surg Endosc* 2011; 25:1–9.
13. Schippers E, Tittel A, Ottinger A, Schumpelick V. Laparoscopy versus Laparotomy: Comparison of Adhesion Formation after Bowel Resection in a Canine Model. *Dig Surg* 1998; 15: 145-7.
14. Friedrich M, Rixecker D, Friedrich G. Evaluation of stress-related hormones after surgery. *Clin Exp Obstet Gynecol.* 1999;26(2):71-5.

15. Wichmann MW, Hüttl TP, Winter H, Spelsberg F, Angele MK, Heiss MM, Jauch KW. Immunological Effects of Laparoscopic vs Open Colorectal Surgery, A Prospective Clinical Study. *Arch Surg.* 2005;140:692-697.
16. Mahmut Başoğlu, Ahmet Kiziltunç, Fatih Akçay, Sait Keleş, Cemal Gündoğdu, Durkaya Ören. Tumor Necrotizing Factor- $\alpha$  and Interleukin-6 in Peritoneal Adhesion Formation. *Turkey Journal of Medical Sciences* 28 (1998):253-258
17. Saba AA, Kaidi AA, Godziachvili V, Dombi GW, Dawe EJ, Libcke JH, Silva YJ . Effect of Interleukin-6 and its neutralizing antibodies on peritoneal adhesion formation and wound healing. *Am Surg. Journal* 1996 July;62(7):569-72.
18. Harjai MM, Kumar A. Comparison of systemic stress response in open surgery versus laparoscopic surgery in children. *J of Ped Surg Spec.* 2010; 91: 63-8.
19. Diamond MP, Freeman ML. Clinical implications of postsurgical adhesions. *Hum Reprod Update.* 2001;7:567-576.
20. Pados G, Venetis CA, Almaloglou K, Tarlatzis BC. Prevention of intra-peritoneal adhesions in gynaecological surgery: theory and evidence. *Reproductive BioMedicine Online* 2010; 21, 290 30.
21. Ellis H. The clinical significance of adhesions: focus on intestinal obstruction. *Eur J Surg Suppl.* 1997;(577):5-9.
22. Diamond MP. Reduction of de novo postsurgical adhesions by intraoperative precoating with Sepracoat (HAL-C) solution: a prospective,

- randomized, blinded, placebo-controlled multicenter study. The Sepracoat Adhesion Study Group. *Fertil Steril*. 1998;69:1067-1074.
23. Hanafi B. Patogenesis, Pencegahan dan Pengelolaan Adhesi Intraperitoneum Paska Bedah. Disampaikan pada Mukhtar IKABDI VI. Semarang 2002.
  24. Trew G. Consensus in adhesion reduction management. *Royal College of Obstetricians and Gynaecologists* 2004;6(2)
  25. Alibasjah S. Ileus Obstruktif : Sebuah Tinjauan. Disampaikan pada Mukhtar IKABDI VI. Semarang 2002.
  26. Malik AM, Shah M, Pathan R, Sufi K. Pattern of Acute Intestinal Obstruction: Is There a Change in the Underlying Etiology? *Saudi J Gastroenterol* 2010; 16(4):272-4.
  27. Oladele AO, Akinkuolie AA, Agbakwuru EA. Pattern of Intestinal Obstruction in a Semiurban Nigerian Hospital. *Niger J Clin Pract* 2008; 11(4):347-50.
  28. Foster NM, McGory ML, Zingmond DS, Ko CY. Small bowel obstruction: a population-based appraisal. *J Am Coll Surg* 2006;203(2):170-6.
  29. Kössi J, Salminen P, Rantala A, Laato M. Population-Based Study of the Surgical Workload and Economic Impact of Bowel Obstruction Caused by Postoperative Adhesions. *Br J Surg* 2003;90(11):1441-4.
  30. Ohene-Yeboah M, Adippah E, and Gyasi-Sarpong K. Acute Intestinal Obstruction in Adults in Kumasi, Ghana. *Ghana Med J* 2006; 40(2):50-4.

31. Ellis H, Moran BJ, Thompson JN, et al. Adhesion-Related Hospital Readmissions After Abdominal and Pelvic Surgery: a Retrospective Cohort Study. *Lancet* 1999; 353:1476-80.
32. diZerega GS, Campeau JD. Peritoneal Repair and Post-Surgical Adhesion Formation. *Human Reprod Update* 2001; 7(6):547-55.
33. Gomel V, Urman B, Gurgan T. Pathophysiology of Adhesion Formation and Strategies for Prevention. *J Reprod Med* 1996;41:35-41.
34. Nair SK, Bhat IK, Aurora AL: Role of proteolytic enzyme in the prevention of postoperative intraperitoneal adhesions. *Arch Surg* 1974;108: 849–853.
35. Kamel RM. Prevention of Postoperative peritoneal Adhesions. *Eur J Obgyn & Reprod Bio* 2010; 150:111-118.
36. Masli E. Pencegahan adhesi intraperitoneal pasca laparotomi memakai barrier mekanik ekstrak propolis 10% dalam air pada kelinci percobaan [Thesis]. Semarang: Universitas Diponegoro; 2005.
37. Dimopoulou I, Tzanela M, Vassiliadi D, Mavrou I, Kopterides P, Orfanos S, et al. Pituitary-adrenal responses following major abdominal surgery. *Hormones* 2008, 7(3):237-242.
38. Sherwood L, *Fisiologi Manusia Dari Sel ke Sistem*. EGC, edisi 6, 2012; 766-7.
39. Desborough JP, *The Stress Response to Trauma and Surgery*. *British Journal of Anaesthesia* 200;85(1); 109-17.
40. Research guidelines for evaluating the safety and efficacy of herbal medicines. New York: World Health Organization; 1993. p. 44

41. Kai Luo, Jie-Shou Li, Ling-Tang Li, Kei-Hui Wang, Jing-Mei Shun. Operative stress response and energy metabolism after laparoscopic cholecystectomy compared to open surgery. *World J Gastroenterol* 2003;9(4):847-850
42. Kristiansson M, Saraste L, Soop M, Sundqvist KG, Thorne A. Diminished interleukin-6 and C-reactive protein responses to laparoscopic versus open cholecystectomy. *Acta Anaesthesiol Scand* 1999; 43: 146-152
43. Buyalos RP, Funari VA, Azziz R, Watson JM, Martinez-Maza O. Elevated interleukin-6 levels in peritoneal fluid of patients with pelvic pathology. *Europe PubMed Central. Fertility and Sterility* 1992, 58(2):302-306.
44. Steensburg A, Fischer CP, Keller C, Møller K, Pedersen BK. *American Journal of Physiology – Endocrinology and Metabolism*. 2003, vol 285 no 2, E433-E437.