

## DAFTAR PUSTAKA

- Anonim<sup>1</sup>. 2014. Mesin Oven Pengering.<http://mesinovenpengering.blogspot.co.id>.  
Diakses 13 Maret.
- Anonim<sup>2</sup>. 2014. *Uji Organoleptik*. <http://tekpan.unimus.ac.id>. Diakses 13 Maret.
- Anonim<sup>3</sup>. 2012. *Oven UN110*. <https://www.memmert.com/products/heating-drying-ovens/universal-oven/UN110/pdf/>. Diakses 4 Maret 2017.
- Bourtoom, T. 2007. Effect of Some Process Parameters on The Properties of Edible Film Prepared From Starch. Department of Material Product Technology, Songkhla. (on line) Available at: <http://vishnu.sut.ac>.  
Diakses 13 Maret 2017.
- Chen, M. C., G. H. C. Yeh, B. H. Chiang. 1996. Antimicrobial and physicochemical properties of methylcellulosa and chitosan films containing aqueous preservative. *J. Food Processing and Preservation* 20: 379-390.
- Chen, C. S. Liao, W. Y. dan Tsai, G. J. 1998. Antibacterial effects of N-sulfonated and N-sulfobenzoyl chitosan and application to oyster preservation. *J. Food Prot* 61: 1124-1128.: 44-47.
- Fehragucci, Helmi. 2012. Pengaruh Penambahan Plasticizer Dan Kitosan Terhadap Karakter Edible Film Ca-Alginate*. <https://dglib.uns.ac.id>.  
Diakses 13 Maret 2017.
- Hargono, dkk. 2008. Pembuatan Kitosan Dari Limbah Cangkang Udang Serta Aplikasinya Dalam Mereduksi Kolesterol Lemak Kambing. <http://staff.uny.ac.id>. Diakses 13 Maret 2017.

- Henrique, C. M., R. F. Teofilo, L. Sabino, M. M. C. Ferreira, dan M. P. Cereda. 2007. Classification of Cassava Starch Film by Physicochemical Properties and Water Vapor Permeability Quantification by FTIR and PLS. *Journal of Food Science*. 74: E184-E189.
- Hidayat. 2007. *Roti Tawar Klasik dan Modern*. PT. Gramedia Pustaka Utama. Jakarta.
- Hui, Y. H. 2006, *Handbook of Food Science, Technology, and, Engineering* Volume II CRC Press, USA
- Kittur, F.S., K.R. Kumar dan R.N. Tharanathan. 1998. Functional packaging properties of chitosan film. *Z. Lebesm Unters Forsch A*. 206
- Manullang, M. 1998. Pemanfaatan khitosan dalam minuman kaya serat makanan. *Bul. Teknologi dan Industri Pangan*. vol IX no. 1: 34-43.
- Muzarelli, R. A. A. Farsi, R. Filippini, O. Giovanetti, E. Biagini, G. Varaldo, P. E. 1990. Antimicrobial properties of N-Carboxybutyl chitosan. *Antimicrobial Agents Chemonth* 34: 2019-2023.
- Puspita, Tyas.2012.Pengaruh Penambahan Khitosan Dan Plasticizer Gliserol Pada Karakteristik Plastik Biodegradable Dari Pati Limbah Kulit Singkong.<http://digilib.its.ac.id>. Diakses 13 Maret 2017.
- Subowo, W.S dan Pujiastuti, S., (2003), Plastik Yang Terdegradasi Secara Alami (Biodegradable) Terbuat Dari LDPE Dan Pati Jagung Terlapis, *Prosiding Simposium Nasional Polimer IV*, Bandung, Pusat Penelitian Informatika-LIPI, pp. 203-208.

Susilawati. 2011. Biodegradable Plastics From A Mixture Of low density Polyethylene.<http://download.portalgaruda.org>. Diakses 14 Maret 2017.

Vendy. 2010. Pemanfaatan Pati Singkong Sebagai Bahan Baku.<http://.uns.ac.id>. Diakses 4 Maret 2017.

Winarno, 1992. *Biofermentase dan Biosintesa Protein*. PT. Angkasa. Bandung.

Wulan. 2011. *Penetapan Kadar Air Metode Oven*. <https://wulaniriky.wordpress.com>. Diakses 13 Maret 2017.