

DAFTAR PUSTAKA

- AASHTO, 1972. "AASHTO Interim Guide for Design of Pavement Structure", American Association of State Highway Officials. Subcommittee on Roadway Design.
- AASHTO, 1982. "AASHTO Materials, Specification". 13th ed., American Association of State Highway and Transportation officials, Washington, D.C.
- AASHTO, 1986. "Guide For Design of Pavement Structures." American Association of State Highway and Transportation Officials. Washington, D.C.
- AASHTO, 1990. "Construction Manual For Highway Costruction." American Association of State Highway and Transportation officials. Washington, D.C.
- AASHTO, 1993. "Guide for Design of Pavement Structures". American Association of State Highway and Transportation Officials. Washington, D.C.
- AASHTO, 2004. "Standard specification for Classification of Soil and Soil Aggregate Mixtures for Highway Construction Purpose". AASHTO Designation: M 145-91.
- AASHTO, 2008. "Standard Recommended Practice for Stabilization of Subgrade and Base Materials" AASHTO Designation: R Draft.
- AASHTO-AGC-ARTBA Joint Committee. 1998. "Report on Recycling of Asphalt Pavement." Task Force 38 Report. American Association of State Highway and Transportation Officials. Washington, D.C.
- Abrams, D.A., 1919. "Design of Concrete Mixtures". Structural Materials Research Laboratory, Lewis Institute, Chicago.
- ACI, 1995. "Ground Granulated Blast Furnance Slag as a Cementitious Constituend in Concrete". American Concrete Institute Committee 233-R, Farmington Hills. MI.
- ACI, 1996. "Use of Fly Ash in Concrete" American Concrete Institute Committee 232-2R. Farmington Hills, MI.
- ACI, 2001. "Use of Raw or Processed Natural Pozzolans in Concrete" ACI Committee 232. 1R-00 Report.
- ACPA. (American Concrete Pavement Association). 2009. "Recycling Concrete Pavement"
- Alp, I., Deveci, H., Sungun, Y.H., Yilmaz, A.O., Kesimal, A., and Yilmaz, E. 2009. "Pozzolanic Characteristics of A Natural Raw Material For Use In blended Cement". *Iranian Journal of Science and Tecnology, transaction B, Engineering*, Vol. 33, No. B4, pp 291-300
- Arora, S. and A.H. Aydilek, 2005. "Class F Fly-Ash-Amended Soil as Highway Base Materials." *Journal of Materials in Civil Engineering, ASCE*, Vol. 17, No. 6, pp. 640-649.
- Arulrajah, A., J. Piratheepan, T. Aatheesan, and M.W. Bo, 2011. "Geotechnical Properties of Recycled Crushed Brick in Pavement Aplications." *Journal of Material in Civil Engineering, ASCE*, Vol. 23, No. 10, pp. 1444-1452.
- ASTM, 1982. "Standart test Method for Indirect Tensile Strength". ASTM D 4123-82
- ASTM C 311-96a. "Strandard Test Method for Sampling and Testing Fly Ash or natural Pozzolans for use as a Mineral Admixture in Portland Cement Concrete"
- ASTM, 93. "Standart Specification for Fly Ash and Raw or Calcined Natural Pozolan for Use as a Mineral Admixtures in Portland Cement Concrete" ASTM C 618-93.

- ASTM D 2487-92, 2001. "Standards on disc. "Section Four: Construction, D 2487-92 for Soil and Rock (1): D 420-D 5779 (CD-Rom), Vol. 04.08, West Conshohocken. Pa.
- ASTM, 2008 "Practice for Classification of soils for Engineering Purposes (Unified Soil Classification System). ASTM D 2487-06^{e1}.
- Attia, M., Abdelrahman, M., and Alam, T., 2009. "*Investigation of Stripping in Minnesota Class 7 (RAP) and Fulldepth Reclamation Base Materials*". LRRB, Minnesota Department of Transportation.
- Badan Penelitian dan Pengembangan Jalan dan Jembatan, Departemen PU., 2005. "Laporan Akhir: Kajian Cement treated Subbase (CTSB) dan Cement Treated Base (CTB) pada perkerasan Jalan Lentur Skala Penuh".
- Bang, S., Kraft, P., Leibrock, C., Lein, W., Roberts, L., Sebaaly, P., Johnston D., and Huft, D., 2012. "*Quality Base Material Produced Using Full Depth Reclamation on Existing Asphalt Pavement Structure*" – Task 5: Development of Standardized Laboratory Testing Method FHWA-HIF.
- Barksdale, R.D. and Vergnolle, R.R. "Expansive Cement Stabilization of base". *Paper presented by Committee on Soil-Portland Cement Stabilization and presented at the 47th Annual Meeting.*
- Bentur, A., 2002. "Cementitious Material-Nine Milenia and A New Century: Past, Present and Future." *Journal of Materials in Civil Engineering ASCE*, Vol. 14, No.1, pp. 2-22.
- Bentz, P., Dale, Max, A., and John, W., 2009. "Early-Age Properties of Cement-Based Materials. II : Influence of Water-to-Cement Ratio." *Journal of Materials in Civil Engineerin, ASCE*, Vol. 21, No. 9, pp. 512-517.
- Bertolini, L., Maddalena, C., and Mario, S., 2010. "Filling of a Flooded Gypsum Mine with a Flowable Soil-Cement Mi." *Journal of Materials in Civil Engineering, ASCE*, Vol. 22, No. 7, pp. 628-636.
- Bina Marga, 2006. "Spesifikasi Khusus *Cement Treated Recycling Base and Sub Base* untuk campuran yang dicampur langsung di tempat".
- Bina Marga, 2009. "Rencana Strategis 2010-2014"
- Brooks, R., Felix F. U., and Keerthi, V. T., 2011. "Geotechnical Properties of Problem Soils Stabilized with Fly Ash and Limestone Dust in Philadelphia." *Journal of Material in Civil Engineering, ASCE*, Vol. 23, No. 5, pp. 711-716.
- Brown, A.V., 2006. "*Cement Stabilization of Aggregate Base Material Blended With Reclaimed Asphalt Pavement.*" Thesis in Master of Civil Engineering, Department of Civil and Environmental Engineering, Birmingham Young University. USA.
- BSN (Badan Standarisasi Nasional). "*Tata Cara Pelaksanaan Lapis Pondasi Jalan Dengan Batu Pecah*". SNI 03-2853-1992.
- BSN (Badan Standarisasi Nasional). "*Petunjuk Pelaksanaan Tebal Perkerasan Lentur Jalan Raya dengan Metode Analisa Komponen.*" SNI 03-1732-1989
- BSN (Badan Standarisasi Nasional). "*Tata Cara Pelaksanaan Stabilisasi Tanah Dengan Semen Portland Untuk Jalan Raya*". SNI 03-3440-1994.
- BSN (Badan Standarisasi Nasional). "Pengambilan Contoh dan Pengujian Abu Terbang Atau Pozolan Alam sebagai Mineral Pencampur dalam Beton Semen Portland". SNI 03-6863-2002.
- BSN (Badan Standarisasi Nasional). "Pengujian Ketahanan Agregat Terhadap Keausan Dengan Mesin Abrasi Los Angeles". SNI 03-2417-1991.

- BSN (Badan Standarisasi Nasional). "Pengujian Berat Jenis Agregat". SNI 03-1969-1990.
- BSN (Badan Standarisasi Nasional). "Pengujian Penyerapan Agregat". SNI 03-1970-1990.
- BSN (Badan Standarisasi Nasional). "Pengujian Analisa Saringan Agregat Halus dan Kasar". SNI 03-1968-1990
- BSN (Badan Standarisasi Nasional). "Pengujian Bobot Isi Agregat". SNI 03-4804-1998.
- BSN (Badan Standarisasi Nasional). "Pengujian Gumpalan Lempung dan Butiran Mudah Pecah Dalam Agregat". SNI 03-4141-1996.
- BSN (Badan Standarisasi Nasional). "Pengujian Index Plastis (PI)". SNI 03-1966-1990.
- BSN (Badan Standarisasi Nasional). "Pengujian Batas Cair (LL)". SNI 03-1967-1990.
- Camacho, R. E. and Afif, U. R. (2002). Importance of using the natural pozzolans on concrete durability, *Cement and Concrete Research*, Vol. 32, pp. 1851-1858.
- Carter, A., and Stroup-Gardiner, M., 2007. "Indirect Tension Relaxation Test To Evaluate the Effect of the Addition of RAP to HMA Mixes." *Journal of Materials In Civil Engineering*, ASCE. Vol. 19, No. 3, pp 219-226.
- Chakrabarti, S., and kodikara, J., 2005. "Stabilization of Crushed Basaltic Rocks and Clay Mixtures Using Cementitious Additives". *Journal of Materials in Civil Engineering*, ASCE. Vol.17, No. 4, pp 432-439.
- Chappat, M. and Bilal, J., 2003. "*The Environmental Road of the Future: Life cycle Cost Analysis, Energy Consumption and greenhouse gas Emission*", Report of Colas Group, Franch.
- Cheng, A.S., Yen, T., Liu, Y.W. and Sheen, Y.N., 2008. "Relation Between Porosity and Compressive Strength of Slag Concrete". ASCE Download from ASCE library.org.
- Consoli, N.C., Da Silva Lopes, L. Jr., Maghous, S. and Schnaid, F., 2009. "Fundamental Factor for the Strength Control of Lime Treated Soils." *Proc. Of the 17th International Conference on Soil Mechanics and Geotechnical Engineering*.
- Consoli, N.C., Cruz, R. C., Floss, M.F., 2011. "Variable Controlling Strength of Artificially Cemented Sand: Influence of Curing Time". *Journal of Materials in Civil Engineering*, ASCE. Vol. 23, No. 5, pp 692-696.
- Consoli, N.C., Rosa, A.D., Corte, M.B., Lopes, L.S., Consoli, B.S., 2011. "Porosity-Cement Ratio Controlling Strength of Artificially Cemented Clays". *Journal of Materials in Civil Engineering*, ASCE. Vol. 23, No. 8, pp 1249-1254.
- Consoli, N.C., Fonseca, A.V., Cruz, R.C. and Silva, S.R., 2011. "Void/Cement Ratio Controlling Tensile Strength of Cement-Treated Soils". *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE. Vol. 137, No. 11, pp 1126-1131.
- Davis, K. A., L. S. Warr, S. E. Burn, and E. J. Hoppe, 2007. "Physical and Chemical Behavior of Four Cement-Treated Aggregates." *Journal of Material in Civil Engineering*, ASCE, Vol. 19, No. 10, pp. 891-897.
- Deniz, D., Tutumluer, E., Popovics, J.S., 2009. "*Expansive Characteristics of reclaimed Asphalt Pavement (RAP) Used as Base Materials*". Illionis Center for Transportation, Civil Engineering Studies, Research Report ICT-09-055.
- Departemen Pekerjaan Umum, 2005. "*Perencanaan Campuran Lapis Pondasi Hasil Daur Ulang Perkerasan Lama Dengan Semen*". Pedoman Konstruksi dan Bangunan, Pd T-08-2005-t.

- Ebrahimi, A., Edil, T.B., and Son, Y-H., 2011. "Effectiveness of Cement Kiln Dust in Stabilizing Recycled Base Materials". *Journal of materials in Civil Engineering*, ASCE, December 29, 2011. MT 1043-5533.0000472.
- Elfert, R.J., 1974. "Bureau of Reclamation Experience with Fly Ash and other Pozzolan in Concrete". *Information Circular*, No. 8640, U.S. Bureau of Mines, Washington, D.C., pp. 80-93.
- Ellis, W.E., 1992. "For Durable Concrete Fly-Ash Does No Replace Cement". *Concrete International*, Vol. 14, No. 7, pp. 47-51.
- Epps, J.A., Little, D.N., O'Neal, R.J. and Gallaway, B.M., 1978. "Mixture Properties of Recycled Central Plant Materials" *ASTM Special Technical Publication 662*, L.E. Wood, Ed Purdue University., ASTM, pp 68-89
- Erdogdu, K., Tokyay, M. and Türker, P. (1999). Trass and trass cements. *Cement and Concrete World*, Vol. 3, No.21, pp. 52-59
- Estabragh, A. R., Beytolarpour., A. A. Javada, 2011. "Effect of Resin on the Streng-th of Soil-Cement Mixture". *Jurnal of Material in Civil Engineering*, ASCE, Vol. 23, No. 7, pp. 969-976.
- Fonseca, A.V., Cruz, R.C., Consoli, N.C., 2009. "Strength Properties of Sandy Soil-Cement Admixtures". *Proc of the17th International Conference on Soil Mechanics and Geotechnical Engineering*.
- Fwa,T.F., 2010. "Challenges In Environmentally Sustainable Pavement recycling." Paper presented at The Seventh Asia Pacific Conference on Transportation and the Environment, Semarang, Indonesia, 3-5 june.
- Gabr, A.R. and Cameron, D.A., 2012. "Properties of Recycled concrete Aggregate for Unbound Pavement Construction" *Journal of Materials in Civil Engineering*. Vol. 24, No. 6, ASCE pp. 754-764.
- Ganne, V.K., 2009. "Long-Term Durability Studies on Chemically Treated Reclaimed Asphalt Pavement (RAP) Materials". Thesis in Master of Science in Civil Engineering, Faculty of the Graduate School of The University of Texas at Arlington. USA.
- Goodsall, G.D., 1981. "In-Situ Recycling Of Asphalt Wearing Course In the UK". *Supplementary Report 675, Construction and Maintenance Division Highway Department*, Transport and Road Research Laboratory Berkshire ISSN 0305-1315.
- Guthrie, W. S., Dane, C., and Eggett, D.L., 2007. "Effects of Reclaimed Asphalt Pavement on Mechanical Properties of Base Materials." *Journal of the Transportation Research Board of the National Academies*, Washington D.C, pp. 44-52.
- Guthrie, W.S., Roper, M.B., and Eggett, D.L., 2007. "Evaluation of Laboratory Durability Tests for Stabillized Aggregate Base Materials". *Transportation Research Board 87th Annual Meeting*, Portland Cement Association, PCA R&D Serial No. 3045.
- Guthrie, W.S., Sebasta, S., and Scullion, T., 2002. "Selecting Optimum Cement Content for Stabilizing Aggrrgate Base Materials". FHWA/TX-05/Technical Report 7-4920-2
- Halsted, G. E.P.E., 2007. "Long-Term Performance of Full-Depth Reclamation with Portland Cement: Research Synopsis". *Portland Cement Association*.
- Han, J., Sanat, K. P., Xiaoming, Y., Chandra, M., Dov, L., Izhar, H., and Robert, L. P., 2011. "Performance of Geocell-Reinforced RAP Bases over Weak Subgrade under Full-Scale moving Wheel Loads." *Jurnal of Material in Civil Engineering*, ASCE, Vol. 23, No. 11, pp. 1525-1534.

- Harrington, D., Snyder and Associates, 2011. "Full-Depth Reclamation of Asphalt Pavements with Cement". *C P Road Map, Road Map track 7* July-Aug 2011, PCA.
- Hoyos, L.R., Puppala, A.J., and Ordonez, C.A., 2011. "Characterization of Cement-Fiber-Treated Reclaimed Asphalt Pavement Agregates: Preliminary Investigation." *Journal of Materials in Civil Engineering, ASCE*, No. 23, No. 7, pp. 977-989.
- Highway Research Board, 1961. "Soil Stabilization With Portland Cement". *Buletin 292, National Academy of Science-National Research Council*. Washington, D.C.
- Indonesia Infrastructure Initiative, 2010. "Perencanaan Pengeluaran dan Penganggaran Berbasis Kinerja (PBK) Pada Direktorat Jenderal Bina Marga. Australia Indonesia Partnership.
- Indrawati, V. and Manaf, A., 2011. "Multiphases Hydration of the Activated Binary Blend Portland Cement-trass." *Proc. of The 3rd International Conference of EACEF (European Asian Civil Engineering Forum)* Univ. Atma Jaya Yogyakarta, Indonesia, sept. 2011.
- Ingles and Metcalf, 1972. "*Soil Stabilization Principles and Practice*". Butterworths Pty. Australia.
- Inui, T., Katsumi, T., and Kamon, M., 2009. "Environmental Suitability of Recycled Concrete Aggregate Use in Geotechnical Applications". *Proc of the 17th International Conference on Soil Mechanics and Geotechnical Engineering*.
- Joel, M., and Agbede, I.O., 2011. "Mechanical-Cement Stabilization of Laterite for Use as flexible Pavement materials." *Journal of Material in Civil Engineering, ASCE*, Vol. 23, No. 2, pp. 146-152.
- Jongpradist, P., Youwai, S. and Kongkitkul, W., 2009."A Unified State Parameter for Modeling Undrained Shear Behaviors of Cementitious Material Admix Clay." *Proc. Of the International conference on Soil Mechanics and geotechnical Engineering*.
- Jongpradist, P., Jumlongrach, N., Youwai, S. and S. Chucheeprakul, 2010. "Influence of Fly Ash on unconfined Compressive Strength of Cement at High Water Content". *Journal of Materials in Civil Engineering, Vol. 22, No.1, ASCE*, pp 49-58.
- Joseph, G., and Ramamurthy., 2011. "Autogenous Curing of Cold-Bonded Fly Ash-Agregate concrete." *Journal of Material in Civil Engineering, ASCE*, Vol. 23, No. 4, pp. 393-401.
- Jung, C., Bobet, A., Ziddiki, N.Z., and Kim, D., 2011. "Postconstruction Evaluation of Subgrades Chemically Treated with Lime Kiln Dust". *Journal of Materials in Civil Engineering, ASCE*. Vol. 23, No. 7, pp 931-940.
- Kiattikamol, K., Jaturapitakkul, C., Songpiriyakij, S and Chutubtim, S., 2001. "A Study of Ground Coarse Fly Ashes With Different Finesses from Various Sources as Pozolanic Materials". *Cement and Concrete Composites* 23 (2001) 335-343.
- Kim, W., Labuz, J.F. and Dai, S., 2007. "Resilient Modulus of Base Course Containing Recycled Asphalt Pavement". TRR: *Journal of Transportation Research board*, No. 2005, TRB of National Academies, Washington, D.C., pp 27-35.
- Kim, Y.T., Han, W.J., Kang,H.S., and Lee, J.S., 2009."Experimental Study on Mechanical Characteristics of Composite Geo-material for Recycling Dredged Soil and Bottom Ash". *Proc. of the 17th International Conference on Soil Mechanics and Geotechnical Engineering*.

- Lee, S. J., Amirkhani, S.N., and Putman, B.J., 2009. "Characterization of Recycled Aged RAP Binder Containing Crumb Rubber Modifier Using Gel Permeation Chromatography". *Journal of materials in Civil Engineering*, Vol. 21, No. 8, ASCE, pp 382-391.
- Li, X., Marasteanu, M. O., and Williams, R.C., 2008. "Effect of Reclaimed Asphalt Pavement (Proportion and Type) and Binder Grade on Asphalt Mixtures". *TRB: Journal of Transportation Research Board*, No. 2051, TRB of the National Academies, Washington, D.C. pp. 90-97.
- Loizos, A., Papavasiliou, V. and Plati, C., 2007. "Early-Life Performance of Cold-in-Place Pavement Recycling with Foam Asphalt Technique." *Transportation Research Record: Journal of Transportation Research Board*, No. 2005, TRB of the national Academies, Washington, D.C., pp. 36-43.
- Lorenzo, G. A., and Bergado, D. T., 2006. "Fundamental Characteristics of Cement-Admixed Clay in Deep Mixing." *Journal of Material in Civil Engineering*, ASCE, Vol. 18, No. 2, pp. 161-174.
- Lotfi, H., and Witzczak, M.W., 1982. "Dynamic Characterization of Cement-treated Base and Subbase Materials". *Transportation Research Record* 1031, pp 41-48.
- Mallick, R.B., Bradley, J.E., and Bradbury, R.L., 2007. "Evaluation of Heat Reclaimed Asphalt Pavement Material and Wax-Modified Asphalt for Use in Recycled Hot-Mix Asphalt". *TRR: Journal of Transportation Research Board*, No. 1998, TRB of the National Academies, Washington, D.C. pp 112-122.
- Malvar, L.J., Cline, G.D., Burke, D.F., Rollings, R., Sherman, T.W., Greene, J., 2002. "Alkali-Silica Reaction Mitigation: State – of – the - Art and Recommendation". *American Cement Institute Materials Journal*, Vol. 99, No. 5.
- Massazza, F. (1994). Pozzolanic cements, *Cement and Concrete Composites*, Elsevier 0958-9465/94. Vol. 15, No. 4, pp. 185-214.
- McBee, J.C., Sullivan, T.A., and Saylak, D., 1978. "Recycling Old Asphaltic Pavement With Sulphur." *ASTM Special Technical Publication* 662, L.E. Wood, Ed Purdue University., ASTM, pp 123-141
- Mehta, P. K., 1987. "Natural Pozzolans: Supplementary Cementing Materials for Concrete," *CANMET-SP-86-8E*, Canadian Government Publishing Center, Supply and Services, Ottawa, Canada, K1A0S9.
- Mehta, P.K., 1981. "Studies on Blended Portland Cement Containing Santorin Earth". *Cement Concrete Research*, Vol.11, pp. 507-518.
- Mgangira, M.B., 2009. " Properties Controlling the resistance to Abrasion and Erosion of Stabilized Sandy Soil Using non-traditional additive." *Proc. Of the International Conference on Soil Mechanics and Geotechnical Engineering*.
- Miller, H.J., Guthrie, W.S., Crane, R.A., and Smith, B., 2007. "Evaluation of Cement Stabilized Full-Depth-Recycling Base Materials for Frost and Early Traffic Condition". Federal Highway Administration and Recycled Material Resource center at the University of New Hampshire, Durham, New Hampshire.
- Mindess, S. and J.F. Young, (1981). "Concrete". Prentice-Hall, Inc. Englewood Cliffs, N.J. 07632
- Monkman, S. and Y. Shao, 2006. "Assessing the Carbonation Behavior of Cementitious Materials." *Journal of Material in Civil Engineering*, ASCE, Vol. 18, No. 6, pp. 768-776.

- Nantung, T., Ji, Y., Shields, T., 2011. "Pavement Structural Evaluation and Design of Full-Depth Reclamation (FDR) Pavement". *Submitted for presentation and possible publication in the 90th Transportation Research Board Annual meeting*, January 2011.
- Osman, A.A.M. and Al-Tabbaa, A., 2009. "Effect of Cement-Zeolite Grouts on the Durability of Stabilised Clay." *Proc. Of the International Conference on Soil Mechanics and Geotechnical Engineering*.
- PCA, Portland Cement Association, 2006. "*Guide to Cement-treated Base (CTB)*"
- Papadakis, V.G., Antiohos, S. and Tsimas, S. (2002). "Supplementary Materials in Concrete. Part II: A Fundamental Estimation of the Efficiency factor". *Cement Concrete Research*, Vol. 32, pp. 1533-1538.
- Papadakis, V.G. and Tsimas, S., 2002. "Supplementary Cementing Materials in Concrete. Part 1: Efficiency and Design ." *Cem. Concr. Res.*, 32, pp. 1525-1532.
- Pasetto, M., Bortolino, G., scabbio, F., and I. Carta, 2004. "Experiment on Cold Recycling With Foam Bitumen or Bitumenous Emulsion And Cement". *Proc of the 3rd Eurasphalt and Eurobitumen Congress Held Vienna. Vol. 1* Foundation Eurasphalt, Breukelen, Netherlands.
- Paya, J., monzo, J., Borrachero, M.V., Peris, E and Gonzales-Lopez, E., 1997. "Mechanical Treatments of Fly Ashes. Part III: Studies on Strength Development of Ground Fly Ashes (GFA)-Cement Mortars". *Cement and Concrete Research*. Vol 27. No 9, pp1365-1377.
- Potturi, A.K., 2006. "*Evaluation of Resilient Modulus of Cement and Cement Fiber Treated Reclaimed Asphalt Pavement (RAP) Aggregates Using Repeated Triaxial Test*". Thesis in Master of Civil Engineering, University of Texas At Arlington. USA.
- Pourasee, A., Peled, A. and Weiss, J. (2011). "Fluid Transport in Cracked Fabric-Reinforced Cement Base Composites." *Journal of Materials in Civil Engineering, ASCE*, Vol. 23, No. 8, pp. 1227-1238.
- Punith, V. S., and A. Veeraragavan, 2007. "Behavior of Asphalt Concrete Mixture with Reclaimed Polyethylene as Additive." *Journal of Material in Civil Engineering, ASCE*, Vol. 19, No. 6, pp. 500-507.
- Puppala, A. J., Hoyos, L.R. and Potturi, A.K., 2011. "Resilient Moduli Response of Moderately Cement-Treated Reclaimed Asphalt Pavement Aggregates." *Journal of Materials in Civil Engineering, ASCE*, Vol. 23, No. 7, pp. 990-998.
- Qiang, W., Peiyu, Y., Ruhan, A., Jinbo, Y., and Xiangming, K., 2011. "Strength Mechanism of Cement-Asphalt Mortar". *Journal of Materials in Civil Engineering*, Vol. 23, No. 9, ASCE, pp1353-1359.
- Rahim, A.M., and George, K.P., 2005. "Models to Estimate Subgrade Resilient Modulus for Pavement Design". *The International Journal of Pavement Engineering, Vol. 6, No. 2*, pp. 89-96.
- Saeed, A., 2008. "*Performance-Related Test of Recycled Aggregate for Use in Unbound Pavement Layers*". NCHRP Report 598, 64 p.
- Sayed, S. M., John, M. P., N. Mike Jackson., 2011. " UNRAP : Are We Ready for It?." *Jurnal of Material in Civil Engineering, ASCE*, Vol. 23, No. 2, pp. 188-196.
- Schiavi, I., I. Carswell and M. Wayman., 2007. "*Recycling Asphalt in Sufacing Materials: a case study of carbon dioxide emission saving*". TRL. Published Project Report, (PPR) 304.

- Scholz, T., D.F. Rogge, R.G. Hicks, and D. Allen., 1991 “Evaluation of Mix Properties of Cold In-Place Recycled Mixes” *Transportation Research Record* 1317 pp 77-89.
- Scullion, T.S., S. Sebasta, J.P. Harris, and I. Syed., 2000. “A *Balanced Approach to Selecting the Optimal Cement Content for Soil-Cement Bases*”. Report 404611-1. Texas Transportation Institute, Texas A&M University System, College Station, TX.
- Scullion, T.S., and P. Harris., 1998. “Forensic Evaluation of Three Failed Cement Treated Base Pavement”. *Transportation Research Record 1611*, TRB, National Research Council, Washington, D.C., pp 10-18
- Seal, R.K. and Metcalf, J.B. “*Recycling Industrial By-Products With Potential for Road Construction*”. *Recycling*, Proceeding Sponsored by: Champman Tripp. New Zealand.
- Sengul, O and Tasdemir, M.A., 2009. “Compressive Strength and Rapid Chlorine Permeability of Concrete with Ground Fly Ash and Slag”. *Journal of Materials in Civil Engineering*, Vol. 21, No. 9, ASCE, pp. 494-501.
- Silva, S.R., Fonseca, A.V. and Consoli, N.C., 2009. “Strength and Stiffness properties of Mixtures of Granitic Soil-Cement.” *Proc. of the 17th International conference on Soil Mechanics and Geotechnical Engineering*.
- Subagio, B.S., 2011. “The Use of Local Materials in the flexible Pavement Structure Towards the Sustainable Pavement Materials in Indonesia”. *Proc. of the 3rd International Conference of AECEF* (European Asian Civil Engineering Forum) Universitas Atma Jaya Yogyakarta, Indonesia.
- Sujivorakul, C., Jaturapitakkul, C., and Taotip, A., 2011.”Utilization of Fly Ash, Rice Husk Ash, and Palm Oil Fuel Ash in Glass Fiber-reinforced Concrete”. *Journal of Materials in Civil Engineering*, ASCE Vol. 23, No. 9, pp 1281-1288.
- Syed, I.M. and Scullion, T. “Performance Evaluation of Recycled and Stabilized Base in Texas”. *Transportation Research Record* 1757 Paper No. 01-2444.
- Taha, R., Al-Harthy, A., Al-Shamsi, K., and Al-Zubeidi, M., 2002. “Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Base and Subbases”. *Journal of Materials in Civil Engineering*, ASCE, Vol. 14, No. 3, pp 239-245.
- Taha, R., G. Ali, A. Basma, and O. Al-Turk. 1999. “Evaluation of Reclaimed Asphalt Pavement Aggregate in Road Base and Subbases”. *Transportation Research Record: Journal of Transportation Research Board*, No.1652. Pp.264-269.
- Tanudjaja, H., Sugiri, S.M. dan Khosama, L.K., 2000. “*Beton dengan Batu Andesit sebagai Agregat Kasar dan Tras Halus sebagai Substitusi Parsial Semen.*” Fakultas Teknik Universitas Sam Ratulangi.
- TMS (The Minerals, Metals and Materials Society), 2009. “*Engineering Solution for Sustainability: Materials and Resources*”. Workshop Report and Recommendations. WILEY, a John Wiley and Sons, Inc., Publication.
- Trhlikova, J., Masin, D., and Bohac, J., 2009. “Modeling of Cementation Bond in Clay-Laboratory and Numerical Model”. *Proc of the 17th International conference on Soil Mechanics and Geotechnical Engineering*.
- Tsuchida, T., Hirahara, T., and Takenobu, M., 2009. “Reproduction of Structure Due to Aging of Marine Clay by Addition of Small Amount of Cement”. *Proc. of the 17th International Conference on Soil Mechanics and Geotechnical Engineering*.
- Türkmenoğlu, A. G. & Tankut, A. (2002). Use of tuffs from central Turkey as admixture in pozzolanic cements Assessment of their petrographical properties. *Cement and Concrete Research*, Vol. 32, pp. 629–637.

- Watson, D. E., Vargas-Nordbeck, A., Moore, J., Jared, D., and Wu, P., 2008. "Evaluation of The Use of Reclaimed Asphalt Pavement in Stone Matrix Asphalt Mixtures". *TRR: Journal of Transportation Research Board*, No. 2051, TRB of the National Academies, Washington, D.C. pp 64-70.
- Wirtgen, (2004). "*Cold Recycling Manual*" 2nd Edition. Wirtgen, GmbH, Germany.
- Xiao, F., Amirhanian, S., and Juang, C.H., 2007. "Rutting Resistance of Rubberized Asphalt Concrete Pavements Containing Reclaimed Asphalt Pavement mixtures". *Journal of Materials in Civil Engineering*, ASCE, Vol. 19, No. 6, pp 475-483.
- Yetgin, S., Cavdar, A., 2006. "Study of Effect of natural Pozolan on Properties of Cement Mortars" *Journal of Materials in Civil Engineering*, ASCE, Vol. 18, No. 6, pp. 813-816.
- Yuan, D., Nazarian, S., Hoyos, L.R., Puppala, A.J., 2010. "*Cement Treated RAP Mix for Roadway Base.*" Research Report TX 0-6084-1, The Center for Transportation Infrastructure Systems The University of Texas at El Paso and Department of Civil Engineering the University of Texas at Arlington, Arlington Texas.
- Yuan, D., Nazarian, S., Hoyos, L.R., and Puppala, A.J., 2011. "*Evaluation and Mix Design of Cement-Treated Base materials with High Rap Content*". Annual TRB meeting. Paper No. 11-2742.