

## DAFTAR PUSTAKA

- Abrahamson N. A. dan Silva W.J., 2007, *Ground Motion Relations for Geometric Mean Horizontal Component of Peak and Spectral Ground Motion Parameters*, PEER Report 2007, College of Engineering University of California, Berkeley, July 9, 2007, California, USA.
- Abrahamson N.A. and Walter Silva W.J. , 2008, Summary of the Abrahamson & Silva NGA Ground-Motion Relations. *Earthquake Spectra*: February 2008, Vol. 24, No. 1, pp. 67-97.
- Abrahamson N.A. dan Silva W.J., 1997, Empirical Response Spectral Attenuation Relations For Shallow Crustal Earthquakes, *Seismological Research Letters*. Vol. 68, pp. 94-124.
- Ansal A., Erdik M., Studer J., Springman S., Laue J., Buchheister J., Giardini D., Faeh D. dan Kokosal D., 2004, Seismic Microzonation For Earthquake Mitigation In Turkey, *13<sup>th</sup> World Conference on Earthquake Engineering*, Vancouver Canada, Paper No. 1428.
- Applied Technology Council (ATC3), 1978, *Tentative Provisions for the Development of Seismic Regulations for Buildings*, ATC 3-06, ATC, California, 505 pp.
- Arabasz, W.J. dan Robinson, R., 1976, Microseismicity and Geologic Structure in the Northern South Island, New Zealand, *New Zealand Journal of Geology and Geophysics*, Vol. 19, No. 2, pp. 561-1367.
- ASCE-07, 2010. ASCE Standard ASCE/SEI 2010, *Minimum Design Loads for Buildings and Other Structures*, American Society of Civil Engineers, Virginia, xLii+608p.
- Asrurifak M., Irsyam M. dan Budiono B., 2009, Peta Hazard Sumatera di Permukaan Untuk Berbagai Kondisi Tanah Dengan Model Sumber Gempa 3D Dan Faktor Amplifikasi Mengikuti IBC 2009, *PIT XII HATTI*, Grand Ina Bali Beach Hotel, Bali, 5 Nopember 2009.
- Asrurifak M., 2010, "Peta Respon Spektra Indonesia Untuk Perencanaan Struktur Bangunan Tahan Gempa Dengan Model Sumber Gempa Tiga Dimensi Dalam Analisis Probabilitas", *Disertasi Doktor Teknik Sipil*, Institut Teknologi Bandung, xxviii + 283.
- Asrurifak, M., Irsyam, M., Budiono, B., Triyoso, W., Hendriyawan, 2010, Development of Spectral Hazard Map for Indonesia with a Return Period of 2500 Years using Probabilistic Method, *Civil Engineering Dimension*, Vol. 12, No. 1, pp. 52-62.
- Atkinson G.M. dan Boore D. M., 2003, Empirical Ground Motion Relations for Subduction Zone Earthquakes and Their Application to Cascadia and Other Regions, *Bulletin of the Seismological Society of America*, Vol. 93, No. 4, pp. 1703-1729.
- Badan Standarisasi Nasional, 2012, *Tata cara perencanaan struktur bangunan gedung dan non gedung SNI 1726:2012*, ICS 91.120.25:91.080.01.
- Baker J.W., 2008, An Introduction to Probability Seismic Hazard Analysis (PSHA), Version 1.3, October 1<sup>st</sup>, 2008.
- Bard P.Y., Czitrom C., Durville J.L., Godefroy P., Meneroud J.P., Mouroux P. dan Pecker A., 1995, *Guidelines for Seismic Microzonation Studies*, Published by Delegation of Major Risks of The French Ministry of The Environment-direction for Prevention, Polution and Risk.
- Bardet J.P. dan Tobita T., 2001, NERA A Computer Program For Nonlinear Earthquake site Response Analysis of Layered Soil Deposits. University of Southern California, Department of Civil Engineering.

- Beca Carter Hollings dan Ferner LTD, 1978, *Indonesian Earthquake Study*, New Zealand Bilateral Assistance Program to Indonesia.
- Bird P., 2003, An Updated Digital Model of Plate Boundaries, *Geochemistry, Geophysics, Geosystems*, v. 4, no. 3, 1027, doi: 10.1029 /2001GC000252.
- Boore D.M., Joyner W.B. dan Fumal T.E., 1997, *Estimation of Response Spectra and Peak Accelerations From Western North American Earthquakes*, An Interim Report Part 2, Open-File Report 94-127, U.S. Geological Survey.
- Boore, D. M. dan Atkinson, G. M., 2007, *Boore-Atkinson NGA Ground Motion Relations for the Geometric Mean Horizontal Component of Peak and Spectral Ground Motion Parameters PEER 2007/01*, Pacific Earthquake Engineering Research Center, College of Engineering, University of California, Berkeley, xiii+110+A110p.
- Boore D.M. dan Atkinson G.M., 2008, Ground-Motion Prediction Equations for the Average Horizontal Component of PGA, PGV, and 5%-Damped PSA at Spectral Periods between 0.01 s and 10.0 s, *Earthquake Spectra*, Volume 24, No. 1, pp. 99-138, Earthquake Engineering Research Institute.
- Budiyono B., 2008, *Rekayasa Kegempaan*, Penerbit ITB.
- Campbell, K. W. dan Bozorgnia, Y., 2007, *Campbell-Bozorgnia NGA Ground Motion Relations for the Geometric Mean Horizontal Component of Peak and Spectral Ground Motion Parameters*, PEER 2007/02. Pacific Earthquake Engineering Research Center, College of Engineering, University of California, Berkeley, xi+120+A27+B82p.
- Campbell K.W., dan Bozorgnia Y., 2008, NGA Ground Motion Model for the Geometric Mean Horizontal Component of PGA, PGV, PGD and 5% Damped Linear Elastic Response Spectra for Periods Ranging from 0.01 to 10 s, *Earthquake Spectra*, Volume 24, No. 1, pp. 139-171, Earthquake Engineering Research Institute.
- Chiou, B. S. J. dan Youngs, R. R., 2008, *NGA Model for Average Horizontal Component of Peak Ground Motion and Response Spectra*, PEER 2008/09, Pacific Engineering Research Center, College of Engineering, University of California, Berkeley, xv+94+A61+B6+C6+D15+E40+F14+G33+H13p.
- Claudet S.B., Baise S., Bonilla L.F., Thierry C.B., Pasten C., Campos J., Volant P. dan Verdugo R., 2009, *Site effect evaluation in the Basin of Santiago de Chile using ambient noise measurements*, *Geophys. J. Int.*, 176, 925-937.
- Clough, R. W. dan Penzien, J., 1975, *Dynamics of Structures*, translated from English by Ginting, D., Penerbit Erlangga, Jakarta.
- Cornell, C.A., 1968, Engineering Seismic Risk Analysis, *Bulletin of the Seismological Society of America*, Vol. 58, No. 5: 1583-1606.
- Crouse C.B., 1991, Ground Motion Attenuation Equations for Earthquake on the Cascadia Subduction Zone, *Earthquake Spectra*, 7(2), pp. 201-236.
- Day S.M., Gonzales S.H., Anooshehpoor R. dan Brune J.N., 2008, Scale-Model and Numerical Simulations of Near Fault Seismic Directivity, *Bulletin of The Seismological Society of America*, Vol. 98 No. 3, pp 1186-1206.
- Delgado, J., Lopez Casado, C., Giner j., Estevez, A., and Molina, S., 2000, Microtremors as a geophysical exploration tool: Applications and limitations, *Pure and Applied Geophysics*, v.157, p. 1445-1462.
- Departemen Pekerjaan Umum, 1983, *Peraturan Perencanaan Tahan Gempa Indonesia untuk Gedung (PPTI-UG 1983)*, Direktorat Penyelidikan Masalah Bangunan, Bandung.

- Departemen Pekerjaan Umum, 2002, *Standar Perencanaan Ketahanan Gempa Untuk Struktur Bangunan Gedung SNI-03-1762-2002*, Badan Standarisasi Nasional.
- Destegul U., 2004, "Sensitivity Analysis of Soil Site Response Modelling in Seismic Microzonation for Lalitpur Nepal", *Master Degree Thesis*, International Institute for Geo-Information Science and Earth Observation Enschede, The Netherlands.
- Dikmen U. dan Mirzaoglu M., 2005, The Seismic Microzonation Map of Yenisehir Bursa NW Turkey by Means of Ambient Noise Measurements, *Journal Of Balkan Geophysical Society*, Vol. 8, No. 2, May 2005, p 53-62.
- Dobry R., Borcherdt R.D., Crouse C.B., Idris I.M., Joiner W.B., Martin G.R., Power M.S. Rinne E.E. dan Seed R.B., 2000, New Site Coefficients and the Classification System Used in Recent Building Seismic Code Provisions, *Earthquake Spectra*, Vol. 16, No. I : 41-67.
- DRM, 2004, *Seismic Microzonation for Municipalities Manual*, Republic of Turkey, Ministry of Public Works and Settlement, General Directorate of Disaster Affairs.
- EERI, 2009, *The Mw 7.6 Western Sumatra Earthquake of September 30, 2009*, EERI Special Earthquake Report — December 2009.
- Elnashai, A., Kim, S., J., Yun G. J. dan Sidharta D., 2007, *The Yogyakarta Earthquake of May 27, 2006*, Mid-America Earthquake (MAE) Center Report, No 07-02, 57p.
- Elnashai, A. S. dan Sarno, L. D., 2008, *Fundamentals Of Earthquake Engineering*, A. John Wiley and Sons Ltd. Publication, West Sussex, PO19 8SQ, UK, xxiii+347p.
- Engdahl, E.R., Villaseñor, A., DeShon, H.R. dan Thurber, C.H., 2007, Teleseismic Relocation and assessment of seismicity (1918-2005) in the region of the 2004 Mw 9.0 Sumatran-Andaman and 2005 Mw 8.6 Nias Island great earthquakes, *Bull. Seismol. Soc. Am.*, 97, S43-S61.
- Erdik M, Doyuran V, Yucemen S, Gulkan P dan Akkas N, 1982, A Probabilistic Assessment of the Seismic Hazard in Turkey for Long Return Periods, *Proc. 3rd International Earthquake Microzonation Conference*, Seattle, Washington.
- EZ-FRISK, 2011, Software For Earthquake Ground Motion Estimation User Manual, Risk Engineering Inc.
- FEMA, 2010, *Instructional Material Complementing FEMA 451, Design Examples*, .
- Firmansyah J. dan Irsyam M., 1999, Development of Seismic Hazard Map for Indonesia, *Prosiding Konferensi Nasional Rekayasa Kegempaan*, Bandung.
- Frankel, A., 1995, Mapping Seismic Hazard in The Central and Eastern United States, *Seismological Research Letters*, v.66, n.4, p. 8-21.
- Fukushima Y. dan Tanaka T., 1990, A New Attenuation Relation for Peak Horizontal Acceleration of Strong Earthquakes Ground Motion in Japan, *Bull. Seismol. Soc. Am.* 80, pp. 757-783.
- Ganaphaty G.P., 2010, A deterministic seismic hazard analysis for the major cultural heritage sites of Tamil Nadu, India, *International Journal Of Geomatics And Geosciences*, Volume 1, No 3, 2010, pp 529-543.
- Gardner, J.K. dan Knopoff, L., 1974, Is the sequence of earthquakes in southern California, with aftershocks removed, Poissonian?, *Bulletin of the Seismological Society of America*, v. 64, p. 1363–1367.
- Gates A.E, dan Ritchie D., 2007, *Encyclopedia of Earthquakes and Volcanoes*, Third Edition, Facts On File, Inc., New York.

- Gupta I.D., 2002, The State Of The Art In Seismic Hazard Analysis, *ISET Journal of Earthquake Technology*, Paper No. 428, Volume 39, No. 4, pp. 311-346.
- Gutenberg B. dan Richter C., 1944, Frequency of earthquakes in California, *Bull. Seism. Soc. Am.*, 34:185-188.
- Haile M., 2004, Seismic Microzonation for The City of Addis Ababa by Using Microtremors, *13<sup>th</sup> World Conference on Earthquake Engineering*, Vancouver, Canada.
- Hall, J.R. Jr. dan Richart F.E. Jr, 1963, Dissipation of Elastic Wave Energy in Granular Soils, *Proceedings, J. Soil. Mech. And Found Div. Proc. ASCE*, Vol. 89, No. SM6, Nov, pp 27-56.
- Hancock J., Lamprey J.W., Abrahamson N.A., Bommer J.J., Markatis A, McCoy E. dan Mendis R., 2006, An Improved method of matching response spectra of recorded earthquake ground motion using wavelets, *Journal of Earthquake Engineering*, Vol. 10, Special Issue 1, 67-89, Imperial College Press.
- Hardin B.O., 1965, The Nature of Damping in Sand, *J. Soil Mech. Faound. Div., Proc., ASCE*, Vol. 91, No. SM1, Jan., pp. 63-97.
- Hardin B.O. dan Dnrevich VP. , 1972, Shear Modulus and Damping in Soil, Measurement and Parameter Effects, *Journal Soil Mech. Found. Div., Am. Soc. Civ. Eng.*, 98(SM-6), 603-624.
- Hines E. M., Baise L. G. and Swift S. S., 2011, Ground-Motion Suite Selection for Eastern North America, *Journal of Structural Engineering © ASCE*, March, 2011, pp 358 - 366
- Hull A.G., Angello A. dan Yeats R.S., 2003, Deterministic seismic hazard analysis in northwest Oregon, USA, *2003 Pasific Conference on Earthquake Engineering*, pp 157-165.
- Hutabarat, D., 2011, Studi Pengembangan Peta Koeffisien Resiko Gempa Untuk Indonesia Berdasarkan Penyesuaian Peta Gempa Probabilistik Menjadi Peta Gempa Dengan Resiko Yang Ditargetkan, *Tesis Program Studi Magister Teknik Sipil*, Institut Teknologi Bandung.
- Hutapea B. M. dan Mangape I., 2009, Analisis Hazard Gempa dan Usulan Ground Motion pada Batuan Dasar untuk Kota Jakarta, *Jurnal Teknik Sipil*, ISSN 0853-2982.
- Hwang H., Liu J.B. dan Chiu Y.H., 2001, *Seismic Fragility Analysis of Highway Bridges*, Center For Earthquake Research and Information, The University of Memphis, Sponsored by Mid-America Earthquake Center.
- Ibs-von Seht, M. and Wohlenberg, J., 1999, Microtremors measurements used to map thickness of soft soil sediments, *Bulletin of the Seismological Society of America*, v.89, p.250-259.
- Idriss I.M., 1990, Response of Soft Soil Sites During Earthquakes, *Proceedings of the Memorial Symposium to Honor Professor Harry Bolton Seed*, University of California, Berkeley, May, 1990.
- Idriss I.M., 2007, *Empirical Model for Estimating the Average Horizontal Value of Pseudo-Absolute-Spectral Acceleration Generated by Crustal Earthquakes*, Interim Report for USGS Review, January 19, 2007, California, USA.
- Idriss, I.M., 2008, An NGA Empirical Model for Estimating the Horizontal Spectral Values Generated By Shallow Crustal Earthquakes, *Earthquake Spectra*, Volume 24, No. 1, February 2008, pages 217-242.

- Imai, T. dan Tonouchi, K. 1982, Correlation of N-value with S-Wave Velocity and Shear Modulus, *Proc. Of second European Symposium on Penetration Testing*, Amsterdam, The Netherlands, pp. 67-72.
- International Code Council, 1994, Uniform Building Code, 1994, Volume 1.
- International Codes Council Inc., 2009, International Building Code (IBC), 2009,
- Irsyam M., Dangkua D.T., Hendriyawan, Hoedajanto D., Hutapea B.M., Kertapati E.K, Boen T dan Petersen M.D., 2008<sup>a</sup>, Proposed Seismic Hazard Maps of Sumatra and Java Islands and Microzonation Study of Jakarta City, Indonesia, *J. Earth Syst. Sci.* 117, S2, pp. 865-878.
- Irsyam, M., Sahadewa, A. dan Darjanto, H., 2008<sup>b</sup>, *Dinamika Tanah dan Pondasi Mesin*, Penerbit ITB, Bandung, 8a+206p.
- Irsyam M., Hoedajanto D., Kertapati E.K., Boen T., Petersen M.D., Dangkua D.T. dan Asrurifak M., 2009, Usulan Revisi Peta Hazard Kegempaan Wilayah Indonesia, [www.google.com](http://www.google.com), 11 Desember 2009
- Irsyam M, 2010, Peran dan Pengembangan Rekayasa Geoteknik Kegempaan di Indonesia Dalam Pembangunan Infrastruktur Tahan Gempa, *Pidato Ilmiah Guru Besar Institut Teknologi Bandung*.
- Irsyam M., Sengara I.W., Aldiamar F., Widiyantoro S., Triyoso W., Natawijaya D.H., Kertapati E., Meilano I., Suhardjono, Asrurifak M. dan Ridwan M., 2010, Ringkasan Hasil Studi Tim Revisi Peta Gempa Indonesia 2010, 1 Juli, 2010, Bandung
- Iyengar R.N. dan Ragukanth S.T.G., 2004, Attenuation Strong Ground Motion in Peninsular India, *Seismological Research Letters*, 75, 4, pp 530-540.
- Jaiswal K. dan Sinha R., 2006, Probabilistic Modelling of Earthquake Hazard in Stable Continutal Shield of The India Peninsula, *ISET Journal of Earthquake Technology*, Paper No. 470, vol 43, no 3, September 2006.
- Johansson J.A.T., Mahecha E.A.L., Acosta A.T.T. and Arellamo J.P.M., 2008, H/V Microtremor Measurements in Pisco, Peru after the 2007 August 15 Earthquake, *The 14<sup>th</sup> World Conference on Earthquake Engineering*, Beijing, China.
- Joyner W.B. dan Boore D.M., 1993, Methods for Regression Analysis for Strong-motion Data, *Bulletin of the Seismological Society of America*, 83(2), 469-487.
- Joyner W.B. dan Fumal T.E., 1997, Equations for Estimating Horizontal Response Spectra and Peak Acceleration from Western North American Earthquakes : a Summary of Recent Work, *Seismological Research Letters*, Vol. 68, pp. 128-153.
- Kalkan E., Gulkan P., Yilmaz N. dan Celebi M., 2009, Reassessment of Probabilistic Seismic Hazard in the Marmara Region, *Bulletin of the Seismological Society of America*, Vol. 99, No. 4, pp. 2127-2146, August 2009.
- Karim K.R. dan Yamazaki F., 2001, Effect of Earthquake Ground Motions on Fragility Curves of Highway Bridge Piers Based on Numerical Simulation, *Earthquake Engineering and Structural Dynamics* 2001 : 30 : 1839-1856.
- Kertapati E.K., 1999, Probabilistic Estimates of Seismic Ground Motion Hazard in Indonesia, *Prosiding Konferensi Nasional Rekayasa Kegempaan*, Bandung.
- Kertapati E.K., Setiawan J.H. dan Marjiyono, 2006, Revisi Potensi Sumber Gempa di Indonesia, *Seminar Konstruksi Indonesia di Milenium ke-3*, 22-23 Agustus 2006, Jakarta.
- Kijko A. dan Sellevoll M. A., 1989, Estimation of Earthquake Hazard Parameter From Complete Data File Part I. Utilization of Extreme and Complete Catalogs with

- Different Threshold Magnitudes, *Bulletin of The Seismological Society of America*, Vol. 79, No. 3, pp. 645-654, June 1989.
- Kokusho, T., Yoshida Y. dan Essahi Y., 1982, Dynamic Soil Properties of Soil Clay for Wide Strain Range, *Soils and Foundations, JSSMFE*, Vol. 22. No. 4, Dec, pp. 1-18.
- Kramer, S. L., 1996, *Geotechnical Earthquake Engineering*, Prentice Hall, Upper Saddle River, New Jersey 07458, xviii+653p.
- Krawinkler H., Zareian F., Lignos D.G. dan Ibarra L.F., 2009, Prediction of Collaps of Structure Under Earthquake Excitations, *COMPDYN. ECCOMAS Thematic Conference on Computational Methods in Structural Dynamics and Earthquake Engineering*, Greece, 22-24 June 2009.
- Kulkarni, R.B., Youngs, R.R. dan Coppersmith, K.J., 1984, Assesment of Confidence Interval for Results of Seismic Hazard Analysis, *Proceedings, 8<sup>th</sup> World Conference on Earthquake Engineering, San Fransisco*, Vol. 1.
- Kumar, K., 2008, *Basic Geotechnical Earthquake Engineering*. New Age International (P) Limited Publisher, India, ix+142p.
- Kusky, T., 2008, *Earthquakes Plate Tectonics and Earthquake Hazards*, Facts On File, Inc., New York, xvii+169p.
- Leyendecker, E.V., Hunt, E.J., Frankel, A.D. and Rukstales, K.S., 2000, Development of Maximum Considered Earthquake Ground Motion Maps, *Earthquake Spectra*, Volume 16, No.1, pp 21-40.
- Leyton F., Ruiz S. dan Sapulveda S.A., 2009, Preliminary re-evaluation of Probabilistic Seismic Hazard Assessment in Chile from Arica to Taitao Peninsula, *Adv. Geosci.*, 22, 147-153, 2009
- Lin L. dan Adam J., 2007, Lessons For The Fragility Of Canadian Hydropower Component Under Seismic Loading, *Ninth Canadian Conference On Erathquake Engineering*, Ottawa, 26-29 Juli 2007.
- Little T., 2007, Ground Motion Time-Histories Matching, *The Canadian Society for Civil Engineering, Vancouver Section*.
- Luco,N., Ellingwood B. R., Hamburger R. O., Hooper J. D., Kimball J. K. dan Kircker C. A., 2007, Risk-Targeted versus Current Seismic Design Maps for Conterminous United States, *SEAOC 2007 Convention Proceedings*.
- Mahesworo, R.P., 2008, Usulan Ground Motion Untuk Empat Kota Besar di Wilayah Sumatera Berdasarkan Hasil Analisis Seismic Hazard Menggunakan Model Sumber Gempa 3 Dimensi, *Tesis Program Studi Megister Teknik Sipil*, Institut Teknologi Bandung, xxvii + 191.
- Makrup, L. L., 2009, Pengembangan Peta Deagregasi Hazard Untuk Indonesia Melalui Pembuatan Software Dengan Pemodelan Sumber Gempa Tiga Dimensi, *Desertasi Doktor* Institut Teknologi Bandung, xxiii+235p.
- McGuire R.K., 1995, Probabilistic Seismic Hazard Analysis and Design Earthquakes: Closing the Loop, *Bulletin of the Seismological Society of America*, Vol. 85, No. 5, pp 1275-1284, October.
- McGuire R.K., Cornell C.A. and Toro G.R., 2005, The Case for Using mean seismic hazard, *Earthquake Spectra*, 21, pp. 879 – 886.
- McGuire R.K., 2008, Review Probabilistic Seismic Hazard Analysis: Early history, *Earthquake Engineering and Structural Dynamics*, volume 37, pp. 329-338, DOI: 10.1002/eqe.765.

- Meilano, 2010, Laporan *Slip-rate* Patahan Aktif Indonesia untuk input data PSHA, Tim Nasional Gempa Indonesia, belum dipublikasi
- Moratto M., Sikora O., Costa G., Suhaldolc P., Papaioannou C. dan Papazhacos C.B., 2007, A Deterministic Seismic Hazard Analysis for Shallow Earthquakes in Greece, *Tectonophysics* 442 (2007), 66-82.
- Morino M., Kaneko F. dan Tanaka T., 2008, Seismic Disaster Assessment for Intra-Plate Earthquakes: An Example of Active Fault Investigation in Japan, *Seminar dan Pameran HAKI 2008 - "Pengaruh Gempa dan Angin terhadap Struktur"*.
- Mualchin L., 2005, Seismic hazard analysis for critical infrastructures in California, *Engineering Geology*, 79 (2005), pp. 177-184..
- Najoen T.F., Suharjono A., Buditomo A., Wibowo S., Rizaldi dan Nasution R.B., 1999, Peta Zona Gempa Indonesia untuk Penentuan Percepatan Gempa Maksimum di Permukaan, *Prosiding Konferensi Nasional Rekayasa Kegempaan, Bandung*.
- Nakamura Y., 1989, A Method for Dynamic Characteristic Estimation of Subsurface Using Microtremor on The Ground Surface, *Quarterly Report of Railway Technical Research Institute*, vol. 30, 25-33.
- Natawidjaja D.H., 2010, Laporan Patahan Aktif Indonesia untuk input data PSHA, Tim Nasional Gempa Indonesia, belum dipublikasi.
- Nath S.K. dan Thingbaijan K.K.S., 2009, Seismic Hazard Assesment – a Holistic Microzonation Approach, *National Hazards and Earth System Science*, 9, 1445-1459.
- Newcomb K.R. and McCann W.R., 1987, Seismic History and seismotectonics of the Sunda Arc., *J. Geophys. Res.*, 92 , 421-439.
- Nicolaou A.S., 1998, A GIS Platform for Earthquake Risk Analysis, *PhD. Dissertation* submitted to the Faculty of Graduate Scholl of State University of New York at Buffalo.
- Nogoshi, M. and Igarashi, T., 1971, On the amplitude characteristics of microtremor, Part 2 (In Japanese with English abstract), *J. Seism. Soc. Japan*, 24, 26-40.
- Ohsaki Y. dan Iwasaki R., 1973, On Dynamics Shear Moduli and Poisson's Ratio of Soil Deposits, *Soil and Foundations, JSSMFE*, Vol. 13, N.4, Dec., pp.59-73.
- Ohta Y. dan Goto N., 1978, Empirical Shear Wave Velocity Equation in Terms of Characteristic Soil Indexes, *Earthquake Engineering and Structural Dynamics*, Vol. 6, pp.167-187.
- Pallophee S., Sugiyama Y. dan Charusiri P., 2008, Probabilistic Seismic Hazard Analysis in Thailand and Adjacent Area by Using Regional Seismic Source Zones, *Proceedings of The International Symposia on Geoscience Resources and Environments of Asian Terranees (GREAT 2008)*, 4<sup>th</sup> IGCP 516, and 5<sup>th</sup> APSEG, Thailand.
- Parolai, S., Bormann, P., and Milkert, C., 2002, New relationships between Vs, thickness of sediments, and resonance frequency calculated by the H/V ratio seismic noise for Cologne Area (Germany), *Bulletin of the Seismological Society of America*, v.92, p. 2521-2527.)
- Paz, M., 1980, *Structural Dynamics Theory and Computation*, Van Nostrand Reinhold Company, New York, xxii+446p.
- Petersen M., Harmsen S., Mueller C., Haller K., Dewey J., Luco N., Crone A., Lidke D., dan Rukstales K., 2007, *Documentation for the Southeast Asia Seismic Hazard Maps*, U.S. Geological Survey, Reston, Virginia.

- Petersen M. D., Mueller C.S., Frankel A. D., Zeng Y., 2008, Spatial Seismicity Rates and Maximum Magnitudes for Background Earthquakes, *USGS Open-File Report*.
- Power M.S., Coppersmith K.J., Youngs R.R., Schwartz D.P. dan Swan R.H., 1981, Seismic Exposure Analysis for the WNP\_2 and WNP-1/4 Site, *Appendix 2.5 K to Amendment No. 18 Final Safety Analysis Report for WNP-2*, Woodward-Clyde Consultants, San Francisco, 63 pp.
- Rao K.S. dan Satyam D.N., 2007, Liquefaction Studies for Seismic Microzonation of Delhi Region, *Current Science*, Vol. 92 No 5, 10 March 2007.
- Sadigh K., Chang C.Y., Egan J.A., Magdisi F. dan Youngs R.R., 1997, Strong Ground Motion Attenuation Relationships for Shallow Crustal Earthquakes Based on California Strong Motion Data, *Seismological Research Letters*, Vol. 68, No. 1.
- Schwartz D.P. and Coppersmith K.J., 1984, Fault Behavior and Characteristic Earthquakes from the Wasatch and San Andeans Faults, *Journal of Geophysical Research*, Vol. 89, pp 5681-5698.
- Seed H.B. dan Idriss I.M., 1970, Soil Moduli and Damping Factors for Dynamic Response of Analysis, *Report No. EERC 70-10*, Earthquake Engineering Research Centre, University of California.
- Seed H.B., Idriss I.M. dan Arango I., 1983, Evaluation of Liquefaction Potential Using Field Performance Data, *J. Geotechn. Eng. Div., ASCE*, Vol 109 No. 3, March, pp. 458-482.
- Seed, H.B., Wong R.T., Idris I.M. dan Tokimatsu K., 1986, Moduli and Damping Factors for Dynamic Analysis of Cohesionless Soils, *J. Geotechn. Eng. Div., ASCE*, Vol. 112 No. 11, November, pp. 1016 – 1032.
- Seed H.B. and Sun J.H., 1989, Implication of site effects in the Mexico City earthquake of September 19, 1985 for earthquake-resistance-design in the San Francisco Bay Area of California, *Report No. UCB/EERC/-89/03*, University of California, Berkeley, California.
- Sengara I.W., Hendarto, Kertapati E., Sukamta D. dan Sumiartha P., 2007, 3-Dimensional Source Zones Probabilistic Seismic Hazard Analysis For Jakarta and Site-Specific Response Analysis For Seismic Design Criteria of 45-story Plaza Indonesia II Building, *Seminar dan Pameran HAKI 2007 “Konstruksi Tahan Gempa di Indonesia”*.
- Sengara I.W., Merati W., Irsyam M., Natawijaya D.H., Kertapati E., Widiantoro S., Triyoso W. dan Meilano I., 2009, Pengembangan Peta Zonasi Gempa Indonesia dan Rekomendasi Parameter Desain Seismik Dengan Analisis Bahaya gempa Probabilistik Terintegrasi (Pulau Sumatera, Jawa dan Nusa Tenggara), *Workshop Peta Zonasi Gempa Indonesia Terpadu Dalam Membangun Kesiapsiagaan Masyarakat, Jakarta*.
- Sesame, 2004, Guidelines For The Implementation Of The H/V Spectral Ratio Technique On Ambient Vibrations Measurements Processing and Interpretation, SESAME European Research Project WP12.
- Shah H.C. dan Boen T., 1996, Seismic Hazard Model for Indonesia, *Paper, April*.
- Slob S., Hack R., Scarpas T., Bemmelen V.B. dan Duque A., 2002, A Methodology for Seismic Microzonation Using GIS and SHAKE – A Case Study From Armenia Colombia, *Engineering Geology for Developing Countries – Proceeding of 9<sup>th</sup> the International Association for Engineering Geology and the Environment*, Durban, South Africa.

- Skempton, A.W., 1986, Standard Penetration Test procedures and the effects in sands of Overburden Pressure, Relative Density, Particle Size, aging and overconsolidation, *Geotechnique*, v. 36:3, p. 425-447.
- Sitharam T.G. dan Anbazhagan P., 2008, *Seismic Microzonation : Principles, Practices and Experiments*, EJGE, Bouquet 08, pp61.
- Stepp, J.C., 1973, Analysis of the Completeness of the Earthquake Hazard Sample in the Puget Sound Area, *NOAA Technical Report*, ERL 267-ESL30, Boulder, CO.
- Sugiyono, 2011, *Statistika Untuk Penelitian*, Penerbit Alfabeta, Bandung
- Sykora D.W. dan Stokoe K.H.II, 1983, *Correlation of in Situ Measurement in Sands of Shear Wave Velocity, Soil Characteristics and Site Conditions*, Geotechnical Engineering Report GR 83-33, The University of Texas at Austin, 484 pages.
- Tantala M.W. dan Deodatic G., 2002, Development of Seismic Fragility Curves For Tall Building, 15<sup>th</sup> ASCE Engineering Mechanics Conference, June 2-5, 2002, Columbia University New York.
- TC4-ISSMGE, 1999, *Manual for Zonation on Seismic Geotechnical Hazard*, Revised edition, Technical Committee For Earthquake Geotechnical Engineering (TC4) of International Society of Soil Mechanics and Geotechnical Engineering (ISSMGE) 209
- Pusat Penelitian dan Pengembangan Geologi 1996, Geological Map of The Magelang and Semarang Sheets, Java, Geological Research And Development Centre
- Tuldhari R., Cuong N.N.H. dan Yamazaki F., 2004, Seismic Microzonation of Hanoi, Vietnam Using Microtremor Observations, *13<sup>th</sup> World Conference on Earthquake Engineering*, Vancouver, Canada, Paper No. 2539.
- Turnbull M.L., 2000, A Seismic Hazard Assessment and Microzonation of Bundaberg, *Thesis of The Faculty of Engineering and Physical Systems*, Central Queensland University.
- Uhrhammer, R. A., 1986, Characteristics of Northern and Central California Seismicity, *Earthquake Notes*, Vol. 57, No. 1.
- Vucetic, M. dan Dobry, R., 1991, Effect of Soil Plasticity on Cyclic Resonance, *J. Geotechn. Eng., ASCE*, 117(1), pp. 89-107.
- Weichert D. H., 1980, Estimation of the Earthquake Recurrence Parameter for Unequal Observation Periods for Different Magnitudes, *Bulletin of the Seismological Society of America*, Vol. 70, No. 4, pp. 1337-1346, August 1980.
- Wair, B. R., DeJong, J.T and Shantz T., 2012, Guidelines for Estimation of Shear Wave Velocity Profiles, *PEER Report 2012/08*.
- Wong I., Thomas P. dan Somerville P., 2009, *Updated Probabilistic and Deterministic Seismic Hazard Analysis for The University of California, Berkeley and Lawrence Berkeley National Laboratory*, Final Report, URS Corporation.
- Yadav R.B.S., Tripathi J.N., Rastogi B.K. dan Chopra S., 2008, Probabilistic Assessment of Earthquake Hazard in Gujarat and Adjoining Region of India, *Pure Applied Geophysics* 165, 2008, 1813-1888.
- Yin N.H., Whittaker A.S. dan Luco N., 2008, Maximum Spectral Demands In The Near Fault Region, *Earthquake Spectra*, Volume 24 No. 1, 319-341, February 2008, Earthquake Engineering Research Institute.
- Youngs, R.R. dan Coppersmith, K.J., 1985, Implications of Fault Slip Rates and Earthquake Recurrence Models to Probabilistic Seismic Hazard Estimates, *Bulletin of the Seismological Society of America*, Vol. 75, No. 4, pp. 939-964.

Youngs R.R., Chiou S.J., Silva W.J. dan Humprey J.R., 1997, Strong Ground Motion Attenuation Relationships for Subduction Zone Earthquakes, *Seismol. Res. Lett.* 68, pp. 58-73.

Zhao J.X., Zhang J., Asano A., Ohno Y., Oouchi T., Takahashi T., Ogawa H., Irikura K., Thio H. dan Somerville P., 2006, Attenuation Relations of Strong Motion in Japan Using Site Classification Based on Predominant Period, *Bull. Seismol. Soc. Am.*, 96, 898.

<http://www.earthquake.usgs.gov>, 2009

<http://www.earthquake.usgs.gov>, 2014

[http://www.CESMD@strongmotioncenter.org](mailto:CESMD@strongmotioncenter.org), 2014