

## DAFTAR PUSTAKA

- Abdurrosyid, J. dan Santosa, H. 2004, Kajian erosi lahan dan pengaruhnya terhadap sedimentasi Waduk Gajah Mungkur di Kabupaten Wonogiri Jawa Tengah, *Jurnal dan Pengembangan Keairan*, no. 1 year 11, pp.19-31.
- Atmojo, P.A. 2012, 'Pengaruh Tinggi Muka Air Terhadap Efektivitas Penggelontoran Sedimen', *Disertasi*, Doktor, Program Doktor Teknik Sipil Universitas Diponegoro, Semarang.
- BBWS Bengawan Solo. 2008, *Rencana Operasi Waduk Wonogiri Masa Tanam Tahun 2008 – 2009*, Sekretariat Bersama Tata Pengaturan Air Wilayah Sungai Bengawan Solo, Surakarta.
- Brune, G.M., 1953. Trap Efficiency of Reservoirs, *Trans. Am. Geophysical Union*, **34** (3):407-418 cit. Morris, G.L., & Fan J. 1997, *Design and Management of Dams, Reservoirs, and Watersheds for Sustainable Use*, McGraw Hill, USA.
- Chang, Fi John; Lai, Jihn Sung & Kao, Li Shan. 2003, Optimization of Operation Rule Curve and Flushing Schedule In A Reservoir, *Hydrological Processes*, **Volume 17**, Issue 8, pp. 1623-1640.
- Chapra, S.C. 1997, *Surface Water Quality Modeling*, McGraw Hill, Singapore.
- Churchill, M.A. 1948, 'Discussion of "Analysis and Use of Reservoir Sedimentation Data"', by L. C. Gottschalk', *Proc. Federal Inter-Agency Sedimentation Conf.*, Denver, pp. 139 – 140 cit. Morris, G.L., & Fan J. 1997, *Design and Management of Dams, Reservoirs, and Watersheds for Sustainable Use*, McGraw Hill, USA.
- Craig, Paul M. 2012, *User's Manual for EFDC\_Explorer : A Pre/ Post Processor for the Environmental Fluid Dynamics Code*, Dynamic Solutions-International, LLC, Knoxville, TN.
- DPU, 1982, *Wonogiri Multipurpose Dam Project: Manual for Operation and Maintenance*, Nippon Koei Co. Ltd.
- Dufresne, M., Dewals, B.J., Erpicum, S., Archambeau, P., and Piroton, M. 2010, Experimental Investigation of Flow Pattern and Sediment Deposition In Rectangular Shallow Reservoirs, *International Journal of Sediment Research*, **Vol. 25 No. 3**, pp. 258-270.
- EFDC Team. 2014, Calibration parameter and their range in EFDC model, diakses 4 Januari 2014, [efdchelp.wordpress.com/tag/efdc-model](http://efdchelp.wordpress.com/tag/efdc-model).
- Effler, S.W., Matthews, D.A., Kaser, J.W., Prestigiacomo, A.R., and Smith, D.G. 2006, Runoff Event Impacts On A Water Supply Reservoir Suspended Sediment Loading, Turbid Plume Behavior, And Sediment Deposition, *Journal of The American Water Resources Association*, **Vol. 42**, pp. 1697 – 1710.
- Elci, S., Work, P.A. and Hayter, E.J. 2007, Influence of Stratification and Shoreline Erosion on Reservoir Sedimentation Patterns, *Journal of Hydraulic Engineering*, **Vol. 133 No. 3**, pp. 255-266.

- Hadihardaja, I. K. 2009, Decision Support System for Optimal Reservoir Operation Modeling Within Sediment Deposition Control, *Water Science & Technology*, **59(3)**, pp. 479-489.
- Hassanzadeh, Y. 2004, 'Predicting the Pattern of Sedimentation in a Storage Reservoir', *Proceeding 1st International Conference on Managing Rivers in the 21st Century : Issues & Challenges*, pp. 631-635.
- Hastowo, P. 2003, Pendangkalan Waduk di Indonesia, *Majalah Air* , Nopember – Desember 2003, pp. 36-39.
- Huang, J., Hilldale, R.C., and Greimann, B.P. 2008, 'Cohesive Sediment Transport', *Erosion and Sedimentation Manual*, USBR, p 4-1 – 4-54.
- Jain, S.K.; and Singh, V.P. 2003, *Water Resources Systems Planning and Management*, Elsevier, Amsterdam.
- James, S.C., Jones, C.A., Grace, M.D., and Roberts, J.D. 2010, Advances in sediment transport modelling, *Journal of Hydraulics Research*, **Vol. 48 No. 6**, pp. 754-763
- Ji, Un. 2006, 'Numerical Model For Sediment Flushing At The Nakdong River Estuary Barrage', *Dissertation*, PhD, Departement of Civil Engineering, Colorado State University, Fort Collins, Colorado, USA.
- Jin, K.R., Hamrick, J.H., and Tisdale, T. 2000, Application of Three Dimensional Hydrodynamic Model for Lake Okeechobee, *Journal of Hydraulic Engineering*, **Vol. 126, no. 10**, pp. 758-771
- Jin, K.R., and Gang, Z. 2004, Case Study : Modeling of Sediment Transport and Wind-Wave Impact in Lake Okeechobee, *Journal of Hydraulic Engineering*, **Vol. 130 No. 11**, pp. 1055-1067
- Jin, K.R., Hamrick, J.H., and Tisdale, T. 2000, Application of Three Dimensional Hydrodynamic Model for Lake Okeechobee, *Journal of Hydraulic Engineering*, **Vol. 126 No. 10**, pp. 758-771
- Jin, K.R., and Gang, Z. 2004, Case Study : Modeling of Sediment Transport and Wind-Wave Impact in Lake Okeechobee, *Journal of Hydraulic Engineering*, **Vol. 130 No. 11**, pp. 1055-1067.
- Kementerian PU. 2007a, *Volume I : Executive Summary The Study On Countermeasures For Sedimentation in The Wonogiri Multipurpose Dam Reservoir In The Republic Of Indonesia*, JICA.
- Kementerian PU. 2007b, *Volume II : Main Report The Study On Countermeasures For Sedimentation in The Wonogiri Multipurpose Dam Reservoir In The Republic Of Indonesia*, JICA.
- Kementerian PU. 2007c, *Volume III : Supporting Report I The Study On Countermeasures For Sedimentation in The Wonogiri Multipurpose Dam Reservoir In The Republic Of Indonesia*, JICA.
- Kementerian PU. 2007d, *Volume IV : Supporting Report II The Study On Countermeasures For Sedimentation in The Wonogiri Multipurpose Dam Reservoir In The Republic Of Indonesia*, JICA.

- Kementerian PU. 2007e, *Volume V : Supporting Report III The Study On Countermeasures For Sedimentation in The Wonogiri Multipurpose Dam Reservoir In The Republic Of Indonesia*, JICA.
- Kementerian PU. 2007f, *Volume VI : Data Book The Study On Countermeasures For Sedimentation in The Wonogiri Multipurpose Dam Reservoir In The Republic Of Indonesia*, JICA.
- Krisetyana, H. 2008, 'Tingkat Efisiensi Penggelontoran Endapan Sedimen di Waduk PLTA PB. Sudirman', *Tesis*, MT, Program Magister Teknik Sipil Universitas Diponegoro, Semarang.
- Labadie, J. W. 2003, *User Guide Generalized Dynamic Programming Package CSUDP*, Colorado State University, USA.
- Lara, J.M., and Pemberton, E.L. 1963, 'Initial Unit Weight of Deposited Sediments', pp 818-845, *Proc. Federal Interagency Sedimentation Conf.*, USDA-ARS Misc. Publ. 1970 cit. Morris, G.L., & Fan J. 1997, *Design and Management of Dams, Reservoirs, and Watersheds for Sustainable Use*. McGraw Hill, USA.
- Legono, D., dan Fathani, T.F., 2007, Sedimentation Problems of Some Reservoirs In Indonesia: Current Issues After Two Decades of The Development, viewed 28 Juni 2011, <https://prisma.lppm.ugm.ac.id>
- Liu, J., Minami, S., Otsuki, H., Liu, B., and Ashida, K. 2004, Prediction of Concerted Sediment Flushing, *Journal of Hydraulic Engineering*, **Vol. 130 No. 11**, pp. 1089-1096.
- Lu, Y.J. and Wang, Z.Y. 2009, 3D Numerical Simulation for Water Flows and Sediment Deposition in Dam Areas of the Three Gorges Project, *Journal of Hydraulic Engineering*, **Vol. 135 No. 9**, pp. 755-769.
- Lu, Y., Zuo, L., Ji, R. and Liu, H. 2010, Deposition And Erosion In The Fluctuating Backwater Reach of The Three Gorges Project After Upstream Reservoir Adjustment, *International of Sediment Research*, **Vol 25 No. 1**, pp. 64-80.
- Mellor, G.L., and T. Yamada 1982, Development of A Turbulence Closure Model for Geophysical Fluid Problems, *Rev. Geophys. Space Phys.*, **20**, 851-875 cit. Tetra Tech. 2007b, *The Environmental Fluid Dynamics Code Theory and Computation Volume 2 : Sediment and Contaminant Transport and Fate*, Fairfax.
- Morris, G.L., & Fan J. 1997, *Design and Management of Dams, Reservoirs, and Watersheds for Sustainable Use*, McGraw Hill, USA.
- Mukhlisin, M. 2007, Environmental Study Impact of Sediment Flushing on Downstream Area Case Study : Planning of Sediment Flushing on Gajah Mungkur Dam, Wonogiri, Central Java, *Wahana Teknik Sipil*, **Vol. 12 No. 2**, pp. 139-149.
- Mulyanto, HR. 2008, *Efek Konservasi dari Sitem Sabo untuk Pengendalian Sedimentasi Waduk*, Graha Ilmu, Yogyakarta, Indonesia.
- Nandalal, K.D.W. and Bogardi, J.J. 2007, *Dynamic Programming Based Operation of Reservoir : Applicability and Limits*, Cambridge University Press, New York, USA.

- Nicklow., J.W., and Mays, L.W. 2000, Optimization of Multiple Reservoir Network for Sedimentation Control, *Journal of hydraulic Engineering*, **Vol. 126 No. 4**, pp. 232-242.
- Notohadiprawiro, T., Sukodarmodjo, S., dan Dradjad, M. 1981, *Beberapa Fakta dan Angka Tentang Lingkungan Fisik Waduk Wonogiri dan Kepentingannya Sebagai Dasar Pengelolaan*, Lokakarya Pengembangan dan Pelestarian Wilayah Waduk Wonogiri, Tawangmangu-Surakarta, Indonesia.
- NSCBN Regional Jawa. 2009, *Mid Term Action Plan and Project Digest*, NSCBN Regional Jawa, Indonesia.
- Owens, G.M., Gelda, R.K., Effler, S.W., Rusello, P.J., Cowen, E.C., and Pierson, D.C. 2011, Modelng Resuspension In A Dynamic Water Supply Reservoir, *Journal of Environmental Engineering*, **Vol. 137 No. 7**, pp. 585-595.
- Palmieri, A., Shah F., Annandale G.W. and Dinar A. 2003, *Reservoir Conservation, Vol. 1 : The RESCON Approach*, The International Bank, Washington, D.C. cit. Coker, E. Howard; Hotchkiss, Rollin H.; and Johnson, Dennis A. 2009, Conversion of A Missouri River Dam and Reservoir to A Sustainable System : Sediment Management, *Journal of The American Water Resources Association*, **Vol. 45 No. 4**, pp. 815-827.
- Pemerintah Kabupaten Kebumen. 2012, Wadaslintang Susut 107 juta m<sup>3</sup>, viewed 15 Mei 2012, [www.kebumenkab.go.id](http://www.kebumenkab.go.id).
- Perum Jasa Tirta I, 2011, Reservoir Sedimentation In Brantas River Basin, viewed 10 Pebruari 2011, <http://www.jasatirta1.co.id>
- Perum Jasa Tirta I, 2015, *Laporan Akhir Road Map Pengelolaan Sedimentasi Waduk Wonogiri WS Bengawan Solo dan Waduk Kedung Ombo WS Jratunseluna*, Lembaga Kerjasama Fakultas Teknik UGM.
- Petkovsek, G. and Roca, M. 2014, Impact of Reservoir Operation On Sediment Deposition, *Proceedings of ICE-Water Management*, 167(WM10), pp. 577-584.
- PLN & UGM, 1995, *Laporan Penelitian Sedimentasi Waduk PLTA Panglima Besar Sudirman*, UGM, Yogyakarta, Indonesia.
- Puslitbang Pengairan. (1986), *Executive Summary : Monitoring Erosi/ Sedimentasi Berupa Pengukuran, Perencanaan dan Penelitian Erosi/ Sedimentasi di Catchment Area Waduk Wonogiri*, Balitbang PU, Departemen PU, Indonesia.
- ReVelle, C. 1999, *Optimizing Reservoir Resources Including A New Model for Reservoir Reliability*, John Wiley & Sons, Inc., New York, USA.
- Sardi, Kironoto, B.A., dan Jayadi, R. 2008, Kajian Penanganan Sedimentasi Dengan Waduk Penampung Sedimen Pada Bendungan Serbaguna Wonogiri, *Forum Teknik Sipil*, No. XVIII, pp.879-887.
- Simoës, F.J.M., and Yang, C.T. 2008, ‘ Sediment Modeling for Rivers and Reservoir’, *Erosion and Sedimentation Manual*, USBR, pp. 5-1 – 5-92.
- Simon, D.B. and Senturk, F. 1992, *Sediment Transport Technology : Water and Sediment Dynamics*, Water Resources Publications, USA.

- Smagorinsky, J. 1963, General Circulation Experiments With The Primitive Equations, Part I : The Basic Experiment. *Mon. Wea. Rev.*, **91**, 99-152 cit. Tetra Tech. 2007b, *The Environmental Fluid Dynamics Code Theory and Computation Volume 2 : Sediment and Contaminant Transport and Fate*, Fairfax, VA.
- Souza, L.B.S., Schulz, H.E., Villela, S.M., and Gulliver, J.S. 2010, Experimental Study and Numerical Simulation of Sediment Transport In A Shallow Reservoir, *Journal of Applied Fluid Mechanics*, **Vol. 3 No. 2**, pp. 9-21.
- Strand, R.I., and Pemberton, E.L. 1987, 'Reservoir Sedimentation', *Design of Small Dams*, USBR, Denver cit. Morris, G.L., & Fan J. 1997, *Design and Management of Dams, Reservoirs, and Watersheds for Sustainable Use*. McGraw Hill, USA.
- Subekti, S. 2003, Kajian Sedimentasi Waduk Sempor di Kebumen Jawa Tengah Melalui Erosi Daerah Tangkapan, viewed 6 Des 2010 [www.mpba.ugm.ac.id](http://www.mpba.ugm.ac.id)
- Suharyanto. 1997, Analisa Unjuk Kerja Waduk, *Media Komunikasi Teknik Sipil*, Edisi VIII, pp. 51-57
- Suripin. 2001, Pengaruh Sedimentasi Waduk Terhadap Keberlanjutan Pembangunan, *Jurnal dan Pengembangan Keairan*, **No. 1**, tahun 8 Juli 2001.
- Tetra Tech. 2007a, *The Environmental Fluid Dynamics Code Theory and Computation Volume 1 : Hydrodynamics and Mass Transport*, Fairfax, VA.
- Tetra Tech. 2007b, *The Environmental Fluid Dynamics Code Theory and Computation Volume 2 : Sediment and Contaminant Transport and Fate*. Fairfax, VA.
- UGM. 2005, *Sedimentation Analysis and Flume Erosion Test for The Sedimentation In The Wonogiri Reservoir*, Hydraulics Laboratory Civil Engineering Departement Gadjah Mada University, Yogyakarta. Indonesia.
- Van Rijn, L.C. 2013, Sedimentation of Sand and Mud In Reservoirs In Rivers, viewed 29 Agustus 2013 [www.leovanrijn-sediment.com](http://www.leovanrijn-sediment.com)
- Vreugdenhil, C.B. 1994, *Numerical Methods For Shallow Water Flow*, Kluwer Academic Publisher, Netherlands.
- Wang, S., Qian, X., and Han, B. 2010, 'Modeling The Effect of Inflow and Outflow Volume on Turbidity Variation in Liuxihe Reservoir', *Proceeding of Bioinformatics and Biomedical Engineering*.
- Wohl, E. and Rathburn, S. 2003, Mitigation of Sedimentation Hazards Downstream From Reservoir, *International Journal of Sediment Research*, **Vol. 18 No. 2**, pp. 97-106.
- Wulandari, D.A.. 2007, Penanganan Sedimentasi Waduk Mrica, *Berkala Ilmiah Teknik Keairan (BITK)*, **Vol. 13 No. 4**, pp. 264-271.
- Wulandari, D.A., Legono, D., and Darsono, S. 2014, Reservoir Operation to Minimize Sedimentation, *International Journal of Science and Engineering*, **Vol. 6(1)**, pp. 16-23.
- Yang, C.T. 1996, *Sediment Transport Theory and Practice*, McGraw-Hill, Singapore.
- Zhang, Y., Hu, C., and Wang, Y. 2011, '1-D Mathematical Model For Heavily Sediment-Laden Rivers and Its Applications', US-China Workshop On Advanced

Computational Modeling In Hydroscience & Engineering, Sept 19-21, Oxford, Mississippi, USA, diakses 03 Maret 2011.