

DAFTAR PUSTAKA

- Akbari, G.H., A.R. Ghumman, H.N. Hashmi, and P.R. Wormleaton. 1996, Parameter Identification for Sediment Routing in Rivers, *Journal of Hydraulic Research*, **Vol.34, No.3**, pp. 473-480.
- Aksoy H. H., Kavvas, M. L. 2005, A review of hillslope and watershed scale erosion and sediment transport models, *catena*, **64**, pp 247-271.
- Apip, Takahiro Sayama, Yasuto Tachikawa and Kaoru Takara. 2012, Spatial lumping of a distributed rainfall-sediment-runoff model and its effective lumping scale, *Hydrological Procesest.*, **26**, pp. 855-871.
- Apip, Yasuto Tachikawa, Takahiro Sayama, and Kaoru Takara. 2008, ‘Lumping a Physically-based Distributed Sediment Runoff Model with Embedding River Channel Sediment Transport Mechanism’, *Annals of Disas. Prev. Res. Inst.*, Kyoto Univ., **No. 51 B**, pp. 103-117.
- Apip, Takahiro Sayama, Yasuto Tachikawa and Kaoru Takara. 2007, ‘The Spatio-Temporal Predictions of Rainfall-Sediment-Runoff Based on Lumping of a Physically-based Distributed Model’, *Annals of Disas. Prev. Res. Inst.*, Kyoto Univ., **No. 50 B**, pp. 79 - 94.
- Apip, Takahiro Sayama, Yasuto Tachikawa and Kaoru Takara. 2008, Lumping of a Physically-based Distributed Model For Sediment Runoff Prediction in a Catchment Scale, *Annals Journal of Hydraulic Engineering, JSCE*, **Vol.5**, pp. 43 - 48.
- Arnold, J. G., R. Srinivasan, R. S. Muttiah, and J. R. Williams. 1998, Large-area hydrologic modeling and assessment: Part I. Model development, *J. American Water Resources Assoc.* **34(1)**:73-89.
- Arsyad S. 2006, *Konservasi Tanah dan Air*, Edisi Kedua, IPB Press, Bogor, xxiv+472p.
- Asdak, C. 1995, *Hidrologi dan Pengelolaan Daerah Aliran Sungai*, Gadjah Mada University Press, Yogyakarta, xiii+571p.
- Asdak, C. 2002, *Hidrologi dan Pengelolaan Daerah Aliran Sungai*, Gadjah Mada University Press, Yogyakarta, xiv+618p.
- Aziz A., Jayadi R., Nurrochmad F. 2012, ‘Application of diffusive Tank Model in Drainage analysis of Paddy Fields’, *Pertemuan Ilmiah Tahunan ke 29 Himpunan Ahli Teknik Hidraulik Indonesia (HATHI)*, Bandung, pp.61-74.
- Balai Besar Pemali Juana. 2008, *Studi dan Basic Desain Rencana Pengelolaan SDA Sub DAS Kreo*, Laporan Akhir, Semarang, xiii+203.
- Bagnold, R. A. 1966, “An Approach to the Sediment Transport Problem from General Physics.”, *U. S. Geological Survey Professional Paper 422-I*.
- Beasley DB and Huggins LF. 1991, *ANSWERS. User's Manual*, Agricultural Engineering Department, Purdue University, West Laffayete, Indiana.
- Becerra, E. H. 1995. *Monitoring and Evaluation of Watershed Management Project Achievements*. FAO Conservation Guide 24. FAO. Rome.
- Brooks KN, Folliot PF, Gregesen HM, and Thames JL. 1987, *Hydrology and The Management of Watershed*, USA.

- Borah D.K., Bera M. 2003, Watershed-Scale Hydrologic and Nonpoint-Source Pollution Models : Review of Mathematical Bases, *American Society of Agricultural Engineering*, **Vol. 46(6)**: 1553-1566.
- Chen, R.S., Pi, L.C., Hsieh, C.C. 2005, A Study on Automatic Calibration of Parameters in Tank Model, *Journal of the American Water Resources Association (JAWRA)*.
- Chow, V.T., Maidment, DR., and Mays, LW. 1988, *Applied Hydrology*, Mc Graw-Hill Book Company, Fong & Sons Printers Pte Ltd, Singapore, xiii+572p.
- Chiew, F.H.S., Stewardson, M.J., and McMahon, T.A. 1993, Comparison of six rainfall-runoff modelling approaches, *Journal of Hydrology* **147**: 1-36.
- Cooper, V.A., V.T.V., Nguyen, and Nicell, J.A. 1997, Evaluation of Global Optimization Methods for Conceptual Rainfall-Runoff Model Calibration, *Water Sci. Technol.* **36(5)**:53-60.
- Dent FJ and Anderson EA. 1971, *System Analysis in Agricultural Management*, John Willey & Sons. Sidney.
- Dunne, T., dan Leopold, L. B., 1978, *Water in Environmental Planning*. W.H. Freeman and Company, San Fransisco.
- Einstein H.A. 1950, The Bed-Load Function for Sediment Transportation in Open Channel Flows., *Technical Bulletin 1026*, U.S., Dept. of Agriculture, S Conservation Serv., Washington, D.C., 70 p.
- Erosion and Sediment Control Measures, (USDA NRCS). 2002, The Erosion Process, viewed 24 November 2016, <http://iowacedarbasin.org/runoff/erosion.htm>.
- Fakultas Teknik UGM. 1984-1985, *Penelitian Sedimentasi dan Kualitas Air Kali Lusi di Banjarejo*, Yogyakarta, hal. 1-31.
- Fleming, G. 1975, *Computer Simulation Techniques in Hydrology*, Elsevier, New York, pp. 18-45.
- Geun-Sang Lee¹ and Khil-Ha Lee². 2010, Determining the Sediment Delivery Ratio Using the Sediment-Rating Curve and a Geographic Information System- Embedded Soil Erosion Model on a Basin Scale, *J. Hydrologic Engrg.*, **15**, 834.
- Ginting, SH. 2009, 'Kajian erosi dan Sedimentasi di DAS Garang', *Prosiding Kolokium Pusair, Bandung*.
- Harmailis, M.Azron Dhalhar, M. Yanuar J. Purwanto. 2001, Modifikasi Model Tangki untuk mempelajari pengaruh Perubahan Tata Guna Lahan terhadap Limpasan, *Buletin Keteknikan Pertanian*, **Vol.15, No.1**, pp. 1-10.
- Hillel D. 1977, *Computer Simulation of Soil Water Dynamics*, A Compendium of Recent Work, IDRC, Ottawa.
- Hudson, N. 1971, *Soil Conservation*, BT Bats ford Limited, London, xiii+320p.
- Harjadi B. 2007, Perhitungan Erosi Kuantitatif Metode MMF dengan PJ dan SIG di DAS Benain-Noelmina, *Jurnal Ilmu Tanah dan Lingkungan*, **Vol. 7 No. 2** p: 127-132.
- Jayawardena A.W. and Bhuiyan, R.R. 1999, Evaluation of an interrill soil erosion model using laboratory catchment data, *Hydrol. Process.* **13**, pp. 89-100.
- Julien, P. Y. 1995. *Erosion and Sedimentation*. Cambridge University Press.
- Kerr, J.,M. 2002, *Watershed Development Projects In India An Evaluation*, International Food Policy Research Institute (IFPRI), Washington DC, United States of America.
- Kinnell, P.I.A., and Risso, L.M. 1998, USLE-M: Empirical Modelling Rainfall Erosion Through Runoff and Sediment Concentration, *Soil Sci. Soc. Am. Journal*, **Vol 62.**, 1667-1672

- Kodoatje, R. J., Sjarief, R. 2010, *Tata Ruang Air*, Penerbit Andi, Yogyakarta.
- Kothyari, U. C., Tiwari, A. K., and Singh, R. 1994, Prediction of sediment yield, *Journal. Irrig. and Drain. Engrg.*, ASCE, 120(6).
- Kothyari, U. C., Tiwari, A. K., and Singh, R. 1996, Temporal Variation of Sediment Yield, *Journal of Hydrologic Engineering*, pp 169-176.
- Kuok, K.K., Harun S., and Shamsudin S.M. 2010, Global Optimization Methods for Calibration and Optimization of the Hydrologic Tank Model's Parameter, *Canadian Journal on Civil Engineering*, Vol.1, No.1, hal. 1-14.
- Kurnia, U. 1997, 'Panduan erosi dengan Model USLE : Kelemahan dan Keunggulan', *Lokakarya penetapan model pendugaan erosi tanah*. Bogor, 7 Maret 1997.
- Legono D. 2005, *Sedimentation Analysis and Flume Erosion Test for the Sedimentation in the Wonogiri Reservoir*, Final Report, Yogyakarta : Laboratorium Hidraulik Jurusan Teknik Sipil, Fakultas Teknik, Universitas Gadjah Mada, iv+27p .
- Lee, Y.H. and Singh V.P. 1999^a, Tank Model Using Kalman Filter, *Journal of Hydrologic Engineering*, Vol. 4, No.4, 344-349.
- Lee, Y. H. and Singh, V. P. 1999^b, Prediction of Sediment Yield by Coupling Kalman Filter with Instantaneous Unit Sedimentgraph, *Hydrolog. Process*, 2861–2875.
- Lee, Y.H. and Singh V.P. 2005, Tank Model for Sediment Yield, *Water Resources Management (2005)* **19**: 349-362.
- Lee, Y.H. 2007, Tank Model Using Kalman Filter for Sediment Yield, *Journal of the Environmental Sciences*, 1319-1324.
- Linsley, JR., Kohler, M., and Paulhus, J. 1986, *Hidrologi untuk Insinyur*, Edisi Ketiga, Erlangga, Jakarta, 320p.
- Linsley, Ray K., Kohler, M., and Paulhus, J. 1949, *Applied Hydrology*, Edition :1st ed, McGraw Hill Publication, New York, xiv+689p.
- Lopes, V. L. and Lane , L. J. 1998, 'Modelling sedimentation processes in small Watersheds', *Sediment Budgets (Proceedings of the Porto Alegre Symposium)*. IAHS Publ. no. 174.
- Mise JH and Cox JG. 1968. *Essential of Simulation*. Prentice Hall Inc. Englewood Cliffs, New Jersey.
- Moehansyah H., Maheshwari BI., Armstrong J. 2004, Field Evaluation of Selected Soil Erosion odels for Catchment Management in Indonesia, *Biosystems engineering (2004)* **88 (4)**, 491-506.
- Morgan,R.P.C. 1986, *Soil Erosion*, Longman Group Limited, London, x+304p.
- Morgan R.P.C., D.D.V. Morgan and H.J. Finney. 1984, A Predictive Model for The Assessment of Soil Erosion Risk, *J. Agric. Engng. Res.*, **30**, 245-253.
- Nasution AH dan Barizi. 1980, *Metode Statistik untuk Penarikan Kesimpulan*, Gramedia, Jakarta.
- Nearing, M.A., Foster, G.R., Lane, L.J. and Finkner, S.C. 1989, A process-based soil erosion model for USDA-Water Erosion Prediction Project technology. *Transaction of the American Society of Agricultural Engineers*, **32**, 1587-1593.
- Nurrochmad F., Sujono J., Damanjaya D. 1998, Optimasi Parameter Model Hujan-Aliran Mock dengan 'Solver', *Media Teknik*, No.2 Tahun XX Edisi Mei, hal. 58-62.
- Pawitan, H. 2000. 'Hidrologi Daerah Aliran Sungai: Teknik Pemodelan dan Simulasi Sistem DAS'. Makalah *Pelatihan Agroklimatologi. Jur. Geofisika dan Meteorologi, FMIPA IPB Bekerjasama Bagpro. Peningkatan Sdm Ditjen Dikti Depdiknas*. Bogor, 14-26 Agustus 2000.

- PerMen Kehutanan R. I. No. P. 32/Menhut-II/2009. 2009, *Tata Cara Penyusunan Rencana Teknik Rehabilitasi Hutan Dan Lahan Daerah Aliran Sungai (Rtkrhl-Das)*.
- Phien H.N., and Pradhan P.S.S. 1983, The tank model in rainfall-runoff modelling, *Water S.A.*, **Vol.9. No.3.** July, pp 93-102.
- Rao, S.S. 1977, *Optimization Theory and Application*, Wiley Eastern Limited, New Delhi, pp.1-5, 274-283.
- R. Suresh. 2000, *Soil and Water Conservation Engineering*, A.K. Jain (Prop.) Nai Sarak, Delhi, xvi+950p.
- Rijn, L.C.V. 1987, *Mathematical Modelling of Morphological Processes in the Case of Suspended Sediment Transport*, Grafische Verzorging Waterloopkundig Laboratorium, Delft.
- Chen, R.S., and Pi, L.C. 2004, Application of diffusive Tank Model in Drainage analysis of Paddy Fields, *Journal of The American Water Resources Assosiation*, **40, 1**; pp.33-41.
- Setiawan, B.I., Fukuda T., and Nakano,Y. 2003, Developing Procedures for Optimization of Tank Model's Parameter, *CIGR Journal of Scientific Research and Development*, 1+13p.
- Setiawan, B.I. 2003, Optimasi Parameter Tank Model, *Buletin Keteknikan Pertanian*, **Vol.17, No.1**, pp. 8-16.
- Sinukaban N. 1995, 'Manajemen/Pengelolaan Daerah Aliran Sungai', *Diskusi Penelitian Erosi dan Sedimentasi Di Puslitbang PU*, Bandung.
- Simons D.B., and Senturk F. 1992, *Sediment Transport Technology - Water and Sediment Dynamics*, Water Resources Publication, Littleton, CO, USA.
- Singh, P.K., Bhunya, P.K., Mishra, S.K., Chaube, U.C. 2008, A Sediment graph model based on SCS-CN method, *Journal of Hydrology*, **349**, pp 244–255.
- Soenarno. 2001, 'Integrasi dan Keterpaduan Pengelolaan Sumberdaya Air yang Berkelanjutan dalam Era otonomi Darah', *Prosiding Diskusi Panel Nasional Kerjasama Universitas Diponegoro dengan Departemen Energi dan Sumberdaya Mineral*, Semarang, 21p.
- Soemarto, C.D. 1987, *Hidrologi Teknik*, Usaha Nasional, Surabaya.
- Soewarno. 1991, *Hidrologi Pengukuran dan Pengolahan Data Aliran Sungai (Hidrometri)*, Nova, Bandung, hal. xx + 825.
- Solaimani, K. 2009, Rainfall-runoff Prediction Based on Artificial Neural Network (A Case Study: Jarahi Watershed), *American-Eurasian J. Agric. & Environ. Sci.*, **5 (6)**: 856-865.
- Sucipto. 2008, 'Kajian Sedimentasi Di Sungai Kaligarang Dalam Upaya Pengelolaan Daerah Aliran Sungai Kaligarang – Semarang', *Thesis*, Program Magister Ilmu Lingkungan Program Pascasarjana Universitas Diponegoro, Semarang, p : xiii+118.
- Sugawara, M. 1979, Automatic calibration of the tank model, *Hydrology. Sci. Bull.*, **24**, pp 375–388.
- Sugawara, M., Watanabe, Ozaki,E., and Katsuyama,Y. 1984, *Tank Model with Snow Component*, National Research Center for Disaster Prevention, Japan, 6+293p.
- Sugawara, M., Ozaki,E. 1991, Runoff analysis of the Chang Jiang (the Yangtze River), *Hydrological Sciences Journal*, **36:2**, pp 135-152.
- Sugawara, M. (1995). "Tank model." *Computer models of watershed hydrology*, V. P. Singh, ed., Water Resources Publications, Littleton, Colo.

- Sujono, J. 1997, 'Application of River Flow Forecasting Models on Two Indonesian Catchments', 7th International Advanced Course/Workshop on River Flow Forecasting, University College Galway, Ireland.
- Sukoco. 2009, 'Prediksi Laju Erosi Tanah DAS Sono Sragen dengan bantuan Sistem Informasi Geografis', *Thesis*, Universitas Sebelas Maret Surakarta.
- Suripin. 2002^a, *Pelestarian Sumber Daya Tanah dan Air*, Penerbit Andi, Yogyakarta, xiv+208p.
- Suripin. 2002^b, Kelemahan Lengkung Sedimen dalam Memprediksi Sedimen layang, pp. 237- 248, cit. Kodoatie Robert J., Suharyanto, Sri Sangkawati, Edhisono S. 2002, *Pengelolaan Sumber Daya Air dalam Otonomi Daerah*, Penerbit Andi, Yogyakarta.
- Sustayo, M.O. 2016, 'Pendekatan Spasial Ekologis dan Skala Multidimensi Dalam Pengelolaan DAS Berkelanjutan', *Disertasi*, Fakultas Kehutanan, Universitas Gadjah Mada, Yogyakarta.
- Suyanto. 2005, *Algoritma Genetika dalam Matlab*, Penerbit Andi, Yogyakarta, xii+152p.
- Takahashi K., Ohnishi Y., Xiong J., Koyama T. 2008, Tank Model and Its Application to Predicting Groundwater Table in Slope, *Chinese Journal of Rock Mechanics and Engineering*, Vol.27 No.12, pp. 2501-2508.
- Tarigan S.D. 2009, 'Pengembangan Sistem Informasi Spasial Berbasis Web (Web GIS) untuk Sinergi Rehabilitasi DAS Kritis Nasional', *Prosiding Seminar Nasional "Kebijakan dan Aplikasi Teknologi Informasi dan Komunikasi untuk Peningkatan Daya Saing Agribisnis Indonesia"* Himpunan Informatika Pertanian – Institut Pertanian Bogor – Departemen Pertanian Republik Indonesia, Bogor, 7p.
- Williams, J. R. 1975, Sediment Routing for Agriculture Watersheds, *Water Resour. Bull.* 11(5), 965–974.
- Wischmeier, W.H., Mannering, J.V., 1969, 'Relation of soil properties to its erodibility'. *Soil Science Society of America Proceedings* 33, 131–137.
- Wischmeier, W.H. 1976. Use and misuse of the universal soil loss equation, *J. of Soil and Water Conserv*, 31(1) : 5-9.
- WMO. 2008, *Guide to Hydrological Practices*. No.168, sixth edition, volume I, World Meteorological Organization, Geneva.
- Woolhiser, D. A., R. E. Smith, and D. C. Goodrich. 1990, *KINEROS, A Kinematic Runoff and Erosion Model: Documentation and User Manual*. ARS-77. Fort Collins, Colo.: USDA Agricultural Research Service.
- Yang, C.T. 1996, *Sediment Transport Theory and Practice*. The McGraw-Hill Companies, Inc. Printers Pte Ltd, Singapore, xiv+396p.
- Young, R. A., C. A. Onstad, D. D. Bosch, and W. P. Anderson. 1987, AGNPS, *Agricultural nonpoint-source pollution model:A watershed analytical tool*. *Conservation Research Report No. 35*. Washington, D.C.: USDA.
- Young, R. A., C. A. Onstad, D. D. Bosch, and W. P. Anderson. 1989, AGNPS: A nonpoint-source pollution model for evaluating agricultural watersheds, *J. Soil and Water Conservation* 44(2): 168-173.