

BEBERAPA PRAKTIK POLA ASUH IBU YANG BERHUBUNGAN DENGAN
KEJADIAN DIARE PADA ANAK BERUMUR 0-2 TAHUN DI BANGSAL ANAK RSUD
KABUPATEN KARANGANYAR.

(2004 - Skripsi)

Oleh: MARSIMAN -- E2A202039

Diare merupakan salah satu penyakit paling penting pada balita diantara penyakit infeksi. Penyakit ini di Bangsal Anak RSUD Kabupaten Karanganyar pada tahun 2003 menempati urutan pertama dari 10 besar penyakit. Penelitian ini bertujuan untuk menilai hubungan praktik pola asuh ibu (awal pemberian MP-ASI, Jenis minuman, higiene botol susu, personal higiene ibu) dengan kejadian diare pada anak umur 0-2 tahun. Jenis penelitian yang digunakan observasional analitik dengan pendekatan cross sectional. Populasi adalah seluruh anak umur 0-2 tahun yang dirawat di Bangsal anak RSUD Kabupaten Karanganyar. Sampel yang diambil anak umur 0-2 tahun yang dirawat pada bulan Mei dan Juni 2004 yang berjumlah 75 anak.

Kesimpulan hasil penelitian menunjukkan ada hubungan yang bermakna antara higiene botol susu dan personal higiene ibu dengan kejadian diare pada anak umur 0-2 tahun (P value 0,027 dan P value 0,05). Tiadak ada hubungan yang bermakna antara awal pemberian MP-ASI dan Jenis minuman dengan kejadian diare pada anak umur 0-2 tahun.

Saran bagi petugas PKMRS agar lebih meningkatkan penyebarluasan informasi pada ibu-ibu tentang pentingnya pencegahan diare pada anak balita. Bagi masyarakat khususnya ibu yang anaknya minum memakai botol susu agar selalu disiplin merawat kebersihan botol susu yang digunakan serta personal higiene ibu selalu dijaga.

Kata Kunci: Praktik pola asuh ibu , Diare, Anak umur 0-2 tahun.

MOTHER'S CARING PRACTICE PATTERN IN RELATION TO THE OCCURRENCE OF DIARRHOE ON CHILDREN UNDER 2 YEARS OLD HOSPITALIZED AT KARANGANYAR DISTRICT GENERAL HOSPITAL

Abstract

Diarrhoe is one of most important disease two among of the infection diseases on the children under two years old. This disease occupied the first rank of the ten serious disease in the children's ward of Karanganyar district general hospital in the yeaes 2003. The aim of the research is to asses the relationship to mother's caring practice pattern (early MPASI, kind of dring, hygiene milk bottle and the mother's health) based on the occurrence of diarrhoe on children under 2 years, the research used observational analysis with cross sectional approach. The population is all children from 0 t0 2 year old which are taken care by Karanganyar district general hospital in children's ward. The sample was 75 children. They were the patients from may to june in the years of 2004.

The result of the research showed that there was positive relation to the hygiene milk bottle and the mother's health with the occurrence of diarrhoe on children under 2 years old (p value 0,027 and p value 0,05) there is not positive relation to early MPASI and kind of drink with the occurrence of diarrhoe on children under 2 years old.

The suggestion to PKMRS worker's is to increase spreadingthe informations of the importance of preventing diarrhoe disease on children under 2 years intensively to mother's particulary for mothers who their children drank milk with a bottle. They should keep the bottle clean and they also need to keep healthy life by them selves.

Keyword : Practice Patern Take Care Of Mother, Diaeehoe, child old 0-2 years