

DAFTAR PUSTAKA

- Acero, J. L., Benitez, F. J., Leal, A. I., Real, F. J., & Teva, F. (2010). Membrane filtration technologies applied to municipal secondary effluents for potential reuse. *Journal of Hazardous Materials*, 177(1–3), 390–398. <https://doi.org/10.1016/j.jhazmat.2009.12.045>
- Ahmad, A., Buang, A., & Bhat, A. H. (2016). Renewable and sustainable bioenergy production from microalgal co-cultivation with palm oil mill effluent (POME): A review. *Renewable and Sustainable Energy Reviews*, 65, 214–234. <https://doi.org/10.1016/j.rser.2016.06.084>
- Alade A. O., Jameel A.T., Muyubi S. A., Abdul Karim M. I., and A. M. Z. (2011). Removal of Oil and Grease As Emerging Pollutants of Concern (Epc) in Wastewater Stream. *IJUM Engineering Journal*, 12(4), 161–169.
- Al-Juboori, R. A., & Yusaf, T. (2012). Biofouling in RO system: Mechanisms, monitoring and controlling. *Desalination*, 302, 1–23. <https://doi.org/10.1016/j.desal.2012.06.016>
- Al-Zoubi, H., Hilal, N., Darwish, N. A., & Mohammad, A. W. (2007). Rejection and modelling of sulphate and potassium salts by nanofiltration membranes: neural network and Spiegler-Kedem model. *Desalination*, 206(1–3), 42–60. <https://doi.org/10.1016/j.desal.2006.02.060>
- Anderson, J., (2003). The environmental benefits of water recycling and reuse. *Water Supply* 3 (4), 1-10.
- Andrade, L. H., Mendes, F. D. S., Espindola, J. C., & Amaral, M. C. S. (2014). Nanofiltration as tertiary treatment for the reuse of dairy wastewater treated by membrane bioreactor. *Separation and Purification Technology*, 126, 21–29. <https://doi.org/10.1016/j.seppur.2014.01.056>
- Andreo-Martínez, P., García-Martínez, N., Quesada-Medina, J., & Almela, L. (2017). Domestic wastewaters reuse reclaimed by an improved horizontal subsurface-flow constructed wetland: A case study in the southeast of Spain. *Bioresource Technology*, 233, 236–246.

<https://doi.org/10.1016/j.biortech.2017.02.123>

- Arief, D. (1984). Pengukuran Salinitas Air Laut Dan Peranannya Dalam Ilmu Kelautan. *Oseana, Volume IX, Nomor 1 : 3-10,1984, IX(1)*, 3–10.
- Aritonang, D. O. H., Sutisna, M., & Rangga, M. O. H. (2013). Pengolahan Limbah Domestik dengan menggunakan Biokoagulan Biji Moringa oleifera Lam . dan Saringan Pasir cepat, *1(2)*.
- Asmadi & Suharno (2012). Dasar- Dasar Teknologi Pengolahan Air Limbah. Gosyen Publishing. Yogyakarta.
- Babu, J., & Murthy, Z. V. P. (2017). Treatment of textile dyes containing wastewaters with PES/PVA thin film composite nanofiltration membranes. *Separation and Purification Technology*, *183*, 66–72. <https://doi.org/10.1016/j.seppur.2017.04.002>
- Baker, R. W. (2004). Membrane Technology And Applications (second edi). England: John Wiley & Sons, Ltd.
- Banvolgyi, S., Kiss, I., Bekassy-Molnar, E., & Vatai, G. (2006). Concentration of red wine by nanofiltration. *Desalination*, *198(1–3)*, 8–15. <https://doi.org/10.1016/j.desal.2006.09.003>
- Bargeman, G., Vollenbroek, J. M., Straatsma, J., Schroën, C. G. P. H., & Boom, R. M. (2005). Nanofiltration of multi-component feeds. Interactions between neutral and charged components and their effect on retention. *Journal of Membrane Science*, *247(1–2)*, 11–20. <https://doi.org/10.1016/j.memsci.2004.05.022>
- Bargeman, G., Westerink, J. B., Guerra Miguez, O., & Wessling, M. (2014). The effect of NaCl and glucose concentration on retentions for nanofiltration membranes processing concentrated solutions. *Separation and Purification Technology*, *134*, 46–57. <https://doi.org/10.1016/j.seppur.2014.07.025>
- Bouchoux, A., Balmann, R., & Lutin, F. (2005). Nanofiltration of glucose and sodium lactate solutions Variations of retention between single- and mixed-solute solutions, *258*, 123–132. <https://doi.org/10.1016/j.memsci.2005.03.002>
- Bouranene, S., Szymczyk, A., Fievet, P., & Vidonne, A. (2009). Effect of salts on

- the retention of polyethyleneglycol by a nanofiltration ceramic membrane. *Desalination*, 240(1–3), 94–98. <https://doi.org/10.1016/j.desal.2007.10.090>
- Boussu, K., Belpaire, A., Volodin, A., Van Haesendonck, C., Van der Meeren, P., Vandecasteele, C., & Van der Bruggen, B. (2007). Influence of membrane and colloid characteristics on fouling of nanofiltration membranes. *Journal of Membrane Science*, 289(1–2), 220–230. <https://doi.org/10.1016/j.memsci.2006.12.001>
- Boyles, W. 1997. *The Science of Chemical Oxygen Demand*. USA : Hach Company
- BPS. (2016). Kota Semarang Dalam Angka 2016.
- Bruggen, V. Der, B., J. S., Maes, W., Wilms, D., Vandecasteele, C., & “. (1998). Nanofiltration as a Treatment Method for the Removal of Pesticides from. *Ground Waters*’, *Desalination.*, 117(1–3), 139–147.
- Bruggen, B. Van Der, Vandecasteele, C., Gestel, T. Van, Doyenb, W., & Laysenb, R. (2003). Review of Pressure-Driven Membrane Processes. *Environmental Progress*, 22(1), 46–56. <https://doi.org/10.1002/ep.670220116>
- Bunani, S., Yörükoğlu, E., Sert, G., Yüksel, Ü., Yüksel, M., & Kabay, N. (2013). Application of nanofiltration for reuse of municipal wastewater and quality analysis of product water. *Desalination*, 315, 33–36. <https://doi.org/10.1016/j.desal.2012.11.015>
- Burks, B.D. and Minnis, M.M. (1994), “Onsite Wastewater Treatment Systems”, Madison, WI: Hogarth House, Ltd
- Canepa, P., Garombo, C., Szpyrkowicz, L., & Zilio-Grandi, F. (1996). Comparison between ion exchange and nanofiltration for softening of industrial water. *Filtration and Separation*, 33(2), 131–135. [https://doi.org/10.1016/S0015-1882\(97\)84206-1](https://doi.org/10.1016/S0015-1882(97)84206-1)
- Chen, Z., Wu, Q., Wu, G., & Hu, H. Y. (2017). Centralized water reuse system with multiple applications in urban areas: Lessons from China’s experience. *Resources, Conservation and Recycling*, 117, 125–136. <https://doi.org/10.1016/j.resconrec.2016.11.008>

- Cheryan M (1998) Ultrafiltration and Microfiltration Handbook, pp. 71-112.
Lancaster, United States: Technomic Publishing Company.
- Coskun, T., Debik, E., & Demir, N. M. (2010). Treatment of olive mill wastewaters by nanofiltration and reverse osmosis membranes. *Desalination*, 259(1–3), 65–70. <https://doi.org/10.1016/j.desal.2010.04.034>.
- Devia, Y. P., Pujiraharjo, A., & Adhi, C. (2016). Pengaruh Aspek Hidrolika Dalam Teknologi Membran Untuk Penyediaan Air Bersih Di Daerah Bencana, *10*(3).
- Donnan, F.G. (1995). Theory of membrane equilibrium and membrane potential in the presence of non-dialysing electrolytes: A contribution to physical-chemical physiology. *Journal of Membrane Science*, 100, 45–55.
- Doraja, P. H., Shovitri, M., & Kuswyasari, N. D. (2012). Biodegradasi Limbah Domestik Dengan Menggunakan Inokulum Alami Dari Tangki Septik. *Jurnal Sains Dan Seni ITS*, 1(1), 44–47. Retrieved from http://www.ejurnal.its.ac.id/index.php/sains_seni/article/view/788/244
- Environmental protection agency U.S. <http://www.epa.gov/national-aquatic-resource-surveys/indicators-salinity> (accessed 22.03.2018)
- Epsztein, R., Cheng, W., Shaulsky, E., Dizge, N., & Elimelech, M. (2017). Elucidating the mechanisms underlying the difference between chloride and nitrate rejection in nanofiltration. *Journal of Membrane Science*, (October). <https://doi.org/10.1016/j.memsci.2017.10.049>
- Escoda, A., Fievet, P., Lakard, S., Szymczyk, A., & Déon, S. (2010). Influence of salts on the rejection of polyethyleneglycol by an NF organic membrane: Pore swelling and salting-out effects. *Journal of Membrane Science*, 347(1–2), 174–182. <https://doi.org/10.1016/j.memsci.2009.10.021>
- Ferrarini, R., Versari, A., & Galassi, S. (2001). A preliminary comparison between nano ® ltration and reverse osmosis membranes for grape juice treatment. *Journal of Food Engineering*, 50, 113–116. [https://doi.org/10.1016/S0260-8774\(00\)00199-0](https://doi.org/10.1016/S0260-8774(00)00199-0)
- Gómez, M., Plaza, F., Garralón, G., Pérez, J., & Gómez, M. A. (2007). A comparative study of tertiary wastewater treatment by physico-chemical-UV

- process and macrofiltration-ultrafiltration technologies. *Desalination*, 202(1–3), 369–376. <https://doi.org/10.1016/j.desal.2005.12.076>
- Gozálvez-Zafrilla, J. M., Sanz-Escribano, D., Lora-García, J., & León Hidalgo, M. C. (2008). Nanofiltration of secondary effluent for wastewater reuse in the textile industry. *Desalination*, 222(1–3), 272–279. <https://doi.org/10.1016/j.desal.2007.01.173>
- Gregory, A., (2000). Strategic direction of water recycling in Sydney. In: Water Recycling Australia. Proceedings of the First Symposium Water Recycling Australia Adelaide 19-20 October 2000, pp. 35- 41
- Hadi, A. (2005). Prinsip pengelolaan Pengambilan Sample lingkungan. Gramedia Pustaka Utama. Jakarta.
- Hassan, A. M., Al-Sofi, M. A. K., Al-Amoudi, A. S., Jamaluddin, A. T. M., Farooque, A. M., Rowaili, A., Dalvi, A. G.I., Kither, N. M., Mustafa, G. M., Al-Tisan, I. A. R. (1998). A new approach to membrane and thermal seawater desalination processes using nanofiltration membranes (Part 1). *Desalination*, 118(1–3), 35–51. [https://doi.org/10.1016/S0011-9164\(98\)00079-4](https://doi.org/10.1016/S0011-9164(98)00079-4)
- Hilal, N., Al-zoubi, H., Mohammad, A. W., & Darwish, N. A. (2005). Nanofiltration of highly concentrated salt solutions up to seawater salinity, 184(May), 315–326. <https://doi.org/10.1016/j.desal.2005.02.062>
- Hirose, K., Maruyama, Y., Murdohardono, D., Effendi, A., & Abidin, H. Z. (2001). Land subsidence detection using JERS-1 SAR Interferometry. *Paper Presented at the 22nd Asian Conference on Remote Sensing*, (November), 6.
- Iaquinta, M., Stoller, M., & Merli, C. (2009). Optimization of a nanofiltration membrane process for tomato industry wastewater effluent treatment. *Desalination*, 245(1–3), 314–320. <https://doi.org/10.1016/j.desal.2008.05.028>
- Idris-Nda, a., Aliyu, H. K., & Dalil, M. (2013). The challenges of domestic wastewater management in Nigeria: A case study of Minna, central Nigeria. *International Society for Development and Sustainability* , 2(2), 1169–1182. Retrieved from <http://isdsnet.com/ijds-v2n2-53.pdf>

- Ivnitsky, H., Katz, I., Minz, D., Shimoni, E., Chen, Y., Tarchitzky, J., Semiat, R., Dosoretz, C. G. (2005). Characterization of membrane biofouling in nanofiltration processes of wastewater treatment. *Desalination*, 185(1–3), 255–268. <https://doi.org/10.1016/j.desal.2005.03.081>
- Jeppesen, B. (1996). Domestic greywater re-use : Australia ' s challenge for the future. *City*, 106.
- Kilduff, J. E., Mattaraj, S., & Belfort, G. (2004). Flux decline during nanofiltration of naturally-occurring dissolved organic matter: Effects of osmotic pressure, membrane permeability, and cake formation. *Journal of Membrane Science*, 239(1), 39–53. <https://doi.org/10.1016/j.memsci.2003.12.030>
- Klapper, H., & Geller, W. (2003). Water quality management of mining lakes — a new field of applied hydrobiology. *Fuel and Energy Abstracts*, 44(4), 261. [https://doi.org/10.1016/S0140-6701\(03\)82195-1](https://doi.org/10.1016/S0140-6701(03)82195-1)
- Koyuncu, I., Arikan, O. A., Wiesner, M. R., & Rice, C. (2008). Removal of hormones and antibiotics by nanofiltration membranes. *Journal of Membrane Science*, 309(1–2), 94–101. <https://doi.org/10.1016/j.memsci.2007.10.010>
- Kuehn, F., Hoffmann-rothe, A., Albiol, D., Cooksley, G., Duro, J., Granda, J., & Haas, S. (2001). No Title.
- Lau, W. J., Ismail, A. F., & Firdaus, S. (2013). Car wash industry in Malaysia: Treatment of car wash effluent using ultrafiltration and nanofiltration membranes. *Separation and Purification Technology*, 104, 26–31. <https://doi.org/10.1016/j.seppur.2012.11.012>
- Lhassani, A., Rumeau, M., Benjelloun, D., & Pontie, M. (2001). Selective demineralization of water by nanofiltration application to the defluorination of brackish water. *Water Research*, 35(13), 3260–3264. [https://doi.org/10.1016/S0043-1354\(01\)00020-3](https://doi.org/10.1016/S0043-1354(01)00020-3)
- Lu, X., Bian, X., & Shi, L. (2002). Preparation and Characterization of Composite Membrane for, 210(336), 3–11.
- Luo, J., & Wan, Y. (2011). Effect of highly concentrated salt on retention of

- organic solutes by nanofiltration polymeric membranes. *Journal of Membrane Science*, 372(1–2), 145–153.
<https://doi.org/10.1016/j.memsci.2011.01.066>
- Luo, J., & Wan, Y. (2013). Effects of pH and salt on nanofiltration—a critical review. *Journal of Membrane Science*, 438, 18–28.
<https://doi.org/10.1016/j.memsci.2013.03.029>
- Maher, A., Sadeghi, M., & Moheb, A. (2014). Heavy metal elimination from drinking water using nanofiltration membrane technology and process optimization using response surface methodology. *Desalination*, 352, 166–173. <https://doi.org/10.1016/j.desal.2014.08.023>
- Marfai MA. and L. King. (2006). Impact of the escalated tidal inundation due to land subsidence in a coastal environment. *Nat Hazards* (2008) 44:93–109
- McNeely, R.N., et al. (1979). *Water Quality Source Book, A guide to Water Quality Parameter*. Inland Waters Directorate Water Quality Branch, Ottawa, Canada.
- Metcalf & Eddy. (2003). *Wastewater Engineering Treatment and Reuse*. McGraw Hill Companies.
- Michael-Kordatou, I., Michael, C., Duan, X., He, X., Dionysiou, D. D., Mills, M. A., & Fatta-Kassinos, D. (2015). Dissolved effluent organic matter: Characteristics and potential implications in wastewater treatment and reuse applications. *Water Research*, 77, 213–248.
<https://doi.org/10.1016/j.watres.2015.03.011>
- Mohammad, A. W., Basha, R. K., & Leo, C. P. (2010). Nanofiltration of glucose solution containing salts: Effects of membrane characteristics, organic component and salts on retention. *Journal of Food Engineering*, 97(4), 510–518. <https://doi.org/10.1016/j.jfoodeng.2009.11.010>
- Mohammad, A. W., Teow, Y. H., Ang, W. L., Chung, Y. T., Oatley-Radcliffe, D. L., & Hilal, N. (2015). Nanofiltration membranes review: Recent advances and future prospects. *Desalination*, 356, 226–254.
<https://doi.org/10.1016/j.desal.2014.10.043>
- Muhari, E. H., & Yulistiani, F. (2017). *Pengolahan Air Tanah di Kawasan*

Politeknik Negeri Bandung menjadi Air Minum dengan Metoda Ultrafiltrasi.

- Mukherjee, R., Mondal, M., Sinha, A., Sarkar, S., & De, S. (2016). Application of nanofiltration membrane for treatment of chloride rich steel plant effluent. *Journal of Environmental Chemical Engineering*, 4(1), 1–9. <https://doi.org/10.1016/j.jece.2015.10.038>
- Mulder, M. (1996). *Basic Principles Of Membrane Technology*. Nederland: Kluwer Aca publisher.
- Muppalla, R., Jewrajka, S. K., & Reddy, A. V. R. (2015). Fouling resistant nanofiltration membranes for the separation of oil-water emulsion and micropollutants from water. *Separation and Purification Technology*, 143, 125–134. <https://doi.org/10.1016/j.seppur.2015.01.031>
- Nilsson, M., Tr, G., & Ostergren, K. (2008). The influence of pH , salt and temperature on nanofiltration performance, 312, 97–106. <https://doi.org/10.1016/j.memsci.2007.12.059>
- Nubatonis, L.M.,(2004) Kajian Aplikasi Teknologi Membran Pada Proses Pemurnian Nira Tebu. Tesis Sekolah Pasca Sarjana, Institut Pertanian Bogor.
- Paillard, D., Dubois, V., Thiebaut, R., Nathier, F., Hogland, E., Caumette, P. and Quentine, C. (2005), “Occurrence of *Listeria spp.* In effluents of French urban wastewater treatment plants”, *Journal of Applied Environmental Microbiology*, Vol. 71 No. 11, pp. 7562-7566.
- Pintor, A. M. A., Vilar, V. J. P., Botelho, C. M. S., & Boaventura, R. A. R. (2016). Oil and grease removal from wastewaters: Sorption treatment as an alternative to state-of-the-art technologies. A critical review. *Chemical Engineering Journal*, 297, 229–255. <https://doi.org/10.1016/j.cej.2016.03.121>
- Pulido, J. M. O. (2016). A review on the use of membrane technology and fouling control for olive mill wastewater treatment. *Science of the Total Environment*, 563–564, 664–675. <https://doi.org/10.1016/j.scitotenv.2015.09.151>

- Ren, T., Liu, R., Ma, C., Chen, X., Zhao, S., & Zhang, Y. (2017). Separation and Purification Technology Influence of inorganic salt on retention of ibuprofen by nanofiltration, *189*(August), 382–388. <https://doi.org/10.1016/j.seppur.2017.08.035>
- Renou, S., Givaudan, J. G., Poulain, S., Dirassouyan, F., & Moulin, P. (2008). Landfill leachate treatment: Review and opportunity. *Journal of Hazardous Materials*, *150*(3), 468–493. <https://doi.org/10.1016/j.jhazmat.2007.09.077>
- Roy, Y., Warsinger, D. M., & V, J. H. L. (2017). Effect of temperature on ion transport in nanofiltration membranes: Diffusion, convection and electromigration, *420*(August), 241–257. <https://doi.org/10.1016/j.desal.2017.07.020>
- Salahi, A., Noshadi, I., Badrnezhad, R., Kanjilal, B., & Mohammadi, T. (2013). Nano-porous membrane process for oily wastewater treatment: Optimization using response surface methodology. *Journal of Environmental Chemical Engineering*, *1*(3), 218–225. <https://doi.org/10.1016/j.jece.2013.04.021>
- Sari, N. R., Sunarto, & Wiryanto. (2015). Analisis Komparasi Kualitas Air Limbah Domestik Berdasarkan Parameter Biologi, Fisika dan Kimia di IPAL Semanggi DAN IPAL Mojosoongo Surakarta. *Jurnal EKOSAINS*, *VII*(5).
- Schaep, J., Bruggen, B. Van Der, Vandecasteele, C., & Wilms, D. (1998). Influence of ion size and charge in nanofiltration, *14*(January), 155–162.
- Schaep, J., Van der Bruggen, B., Uytterhoeven, S., Croux, R., Vandecasteele, C., Wilms, D., Van Houtte, E., Frans, V. (1998). Removal of hardness from groundwater by nanofiltration1. *Desalination*, *119*(1–3), 295–301. [https://doi.org/10.1016/S0011-9164\(98\)00172-6](https://doi.org/10.1016/S0011-9164(98)00172-6)
- Shon, H.K., Phuntsho.S., Chaudhary.D.S., Vigneswaran.S., C. J. (2013). Nanofiltration for water and wastewater treatment – a mini review, (Lm), 47–53. <https://doi.org/10.5194/dwes-6-47-2013>
- Simon, A., Price, W. E., & Nghiem, L. D. (2013). Changes in surface properties and separation efficiency of a nanofiltration membrane after repeated fouling and chemical cleaning cycles. *Separation and Purification Technology*, *113*, 42–50. <https://doi.org/10.1016/j.seppur.2013.04.011>

- Sri Aprilia, & Arahman, N. (2016). Pembuatan Membran Serat Berongga Polietersulfon/2- (Metakriloilosi) Etil Posporil Klorin Dan Aplikasinya Untuk Pengolahan Air Sumur Tercemar Limbah Tsunami Di Banda Aceh (Preparation Hollow Fiber Membrane of Polyethersulfone / 2- (Methacryloyloxy) Et. *Jurnal Manusia Dan Lingkungan*, 23(2), 149–155.
- Suhelmi. (2012). Kajian Dampak Land Subsidence Terhadap Peningkatan Luas Genangan Rob Di Kota Semarang. *Kajian Dampak Land Subsidence Terhadap Peningkatan Luas Genangan Rob Di Kota Semarang*, 18(1), 9–16.
- Suripin, (2002). Pelestarian Sumber Daya Tanah dan Air. Yogyakarta: Penerbit Andi.
- Susanto, H. (2011). *Teknologi Membran*. Badan Penerbit Universitas Diponegoro.
- Tanninen, J., & Nystr, M. (2006). Effect of salt mixture concentration on fractionation with NF membranes, 283, 57–64. <https://doi.org/10.1016/j.memsci.2006.06.012>
- Tanudjaja, H. J., Tarabara, V. V., Fane, A. G., & Chew, J. W. (2017). Effect of cross-flow velocity, oil concentration and salinity on the critical flux of an oil-in-water emulsion in microfiltration. *Journal of Membrane Science*, 530(February), 11–19. <https://doi.org/10.1016/j.memsci.2017.02.011>
- Van der Bruggen, B., Mantarri, M., & Nyström, M. (2008). Drawbacks of applying nanofiltration and how to avoid them : A review. *Separation and Purification Technology*, 63, 251–263. <https://doi.org/10.1016/j.seppur.2008.05.010>
- Wang, X. L., Shang, W. J., Wang, D. X., Wu, L., & Tu, C. H. (2009). Characterization and applications of nanofiltration membranes: State of the art. *Desalination*, 236(1–3), 316–326. <https://doi.org/10.1016/j.desal.2007.10.082>
- Wang, X. L., Zhang, C., & Ouyang, P. (2002). The possibility of separating saccharides from a NaCl solution by using nanofiltration in diafiltration mode. *Journal of Membrane Science*, 204(1–2), 271–281. [https://doi.org/10.1016/S0376-7388\(02\)00050-9](https://doi.org/10.1016/S0376-7388(02)00050-9)
- Wenten. (2015). Teknologi Membran Dalam Pengolahan Air Dan Limbah

Industri . Studi Kasus : Pemanfaatan Ultrafiltrasi untuk Pengolahan Air Tambak, (October).

WHO (2003). Total dissolved solids in drinking-water. World Health Organization.(http://www.who.int/water_sanitation_health/dwq/chemicals/tds.pdf) diakses 26-03-2018

World Health Organization. (2011). Nitrate and nitrite in drinking-water. *Background Document for Development of WHO Guidelines for Drinking-Water Quality*, 37(4), 227–231. <https://doi.org/10.1159/000225441>

Xin, G., Lopes, M. P., Crespo, J. G., & Rusten, B. (2013). A continuous nanofiltration + evaporation process for high strength rubber wastewater treatment and water reuse. *Separation and Purification Technology*, 119, 19–27. <https://doi.org/10.1016/j.seppur.2013.08.036>

Zhou, C., Shi, Y., Sun, C., Yu, S., Liu, M., & Gao, C. (2014). Thin-film composite membranes formed by interfacial polymerization with natural material sericin and trimesoyl chloride for nanofiltration. *Journal of Membrane Science*, 471, 381–391. <https://doi.org/10.1016/j.memsci.2014.08.033>

Zulaikha, S., Lau, W. J., Ismail, A. F., & Jaafar, J. (2014). Treatment of restaurant wastewater using ultrafiltration and nanofiltration membranes. *Journal of Water Process Engineering*, 2, 58–62. <https://doi.org/10.1016/j.jwpe.2014.05.001>

Zulkifli, Arif. (2014). *Pengelolaan Limbah Berkelanjutan*. Graha Ilmu. Yogyakarta.

Yılmaz, Z., Akkaş, P.K., Şen, M., Güven, O. (2006). Removal of nitrite ions from aqueous solutions by poly(N,N-dimethylamino ethylmethacrylate) hydrogels. *J Appl Polym Sci*. 102(6), 6023-6027.

<https://roilbilad.wordpress.com/2011/01/13/defenisi-dan-klasifikasi/>

(http://www.epa.sa.gov.au/environmental_info/water_quality/threats/salinity)

diakses 22-03-2018

