

LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : JURNAL ILMIAH C 16

Judul Publikasi Ilmiah (Artikel)	: Recovery Logam Cu (II) dan Cr(VI) dari Limbah Cair Elektrolating Menggunakan Polymer Inclusion Membrane (PIM)
Jumlah Penulis	: 5 orang
Status Pengusul	: penulis pertama/utama
Identitas Jurnal Ilmiah	a. Nama Jurnal Ilmiah: Jurnal REAKTOR
	b. Nomor ISBN /ISSN : 1412-4092 (Print) 2443-4183 (Online)
	c. Volume, Nomor, Bulan, Tahun : Volume 18 No. 02 June 2018
	d. Penerbit : Jurusan Teknik Kimia FT. UNDIP, Semarang
	e. DOI artikel (jika ada) : DOI: 10.14710/reaktor.18.2.102-109
	f. Alamat web jurnal : https://ejournal.undip.ac.id/index.php/reaktor/article/view/1552/1309
	g. Terindeks : di Mendeley, DOAJ, Google, Crossref, IPI, Garuda, SINTA, akreditasi DIKTI SK no 60/E/KPT/2016
	h.. Jumlah Halaman : 8 (92-99)

Publikasi Jurnal Ilmiah : Jurnal Ilmiah Internasional / Internasional Bereputasi **
 Jurnal Ilmiah Nasional Terakreditasi


Hasil Penilaian Peer Review

Komponen Yang Dinilai	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir yang diperoleh
	Internasional Bereputasi Berimpack faktor	Nasional Terakreditasi	Nasional	
a. Kelengkapan unsur isi jurnal (10%)		2,5		2,5
b. Ruang lingkup dan kedalaman pembahasan (30%)		7,5		7
c. Kecukupan dan kemutakhiran data/ informasi dan metodologi (30%)		7,5		6
d. Kelengkapan unsur dan kualitas penerbit (30%)		7,5		7,5
Total = (100 %)		25		23
Nilai Pengusul =	60% x 23			13.8

Catatan Penilaian artikel oleh Reviewer :

- Kesesuaian dan kelengkapan unsur isi jurnal:**
 Artikel sangat lengkap, dimana grafik dan tabel disitasi dan dibahas. Topik dan materi sesuai dengan jurnal yang bersangkutan. Tata penulisan tersaji dengan baik.
- Ruang lingkup dan kedalaman pembahasan:**
 Artikel ini membahas tentang recovery ion logam dengan membran PIM, memanfaatkan limbah cair elektrolating. Langkah yang dilakukan sangat jelas dan terukur. Hasil penelitian disajikan secara detail termasuk analisa dengan FTIR, data-data kuantitatif juga cukup banyak didukung oleh interpretasi yang dalam dan detail. Meskipun demikian, pembahasan kurang komprehensif karena sedikit sekali referensi yang dicitasi sebagai benchmark atau komparasi.
- Kecukupan dan kemutakhiran data/informasi dan metodologi:**
 Referensi yang dicitasi dalam artikel ini ada 14 dimana ada 7 yang baru. Nilai novelty/kebaruan artikel termasuk agak kurang. Metode yang disajikan cukup jelas.
- Kelengkapan unsur dan kualitas terbitan:**
 Penerbit adalah Jurusan Teknik Kimia Undip (nasional terakreditasi), Jurnalnya termasuk kategori Sinta 2 h-index 12, i10-index 13

Semarang, -11-2019


 Prof. Dr. Muhammad Djani, ST, MEng.
 NIP. 19710207199512001
 Unit kerja : Universitas Diponegoro
 Jabatan Fungsional : Guru Besar
 Bidang ilmu: Teknik Kimia

Nilai
 Rata-rata Peer Review= 14,1
 Nilai PAK Universitas = 14
 Ttd. Penilai PAK Universitas


 Prof. Dr. Hadiyanto, ST, MSc

**LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : JURNAL ILMIAH C 16**

Judul Publikasi Ilmiah (Artikel)	:	Recovery Logam Cu (II) dan Cr(VI) dari Limbah Cair Elektroplating Menggunakan <i>Polymer Inclusion Membrane</i> (PIM)
Jumlah Penulis	:	5 orang
Status Pengusul	:	penulis pertama/utama
Identitas Jurnal Ilmiah	a. Nama Jurnal Ilmiah:	Jurnal REAKTOR
	b. Nomor ISBN /ISSN	1412-4092 (Print) 2443-4183 (Online)
	c. Volume, Nomor, Bulan, Tahun	Volume 18 No. 02 June 2018
	d. Penerbit	Jurusan Teknik Kimia FT. UNDIP, Semarang
	e. DOI artikel (jika ada)	
	f. Alamat web jurnal	https://ejournal.undip.ac.id/index.php/reaktor/article/view/1552/1309
	g. Terindeks di Mendeley, DOAJ, Google, Crossref, IPI, Garuda, SINTA, akreditasi DIKTI SK no 60/E/KPT/2016	
	e. Jumlah Halaman	

Kategori Publikasi Jurnal Ilmiah : Jurnal Ilmiah Internasional / Internasional Bereputasi **
 Jurnal Ilmiah Nasional Terakreditasi


Hasil Penilaian Peer Review

Komponen Yang Dinilai	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir yang diperoleh
	Internasional Bereputasi Berimpack faktor	Nasional Terakreditasi	Nasional	
a. Kelengkapan unsur isi jurnal (10%)		2,5		2,2
b. Ruang lingkup dan kedalaman pembahasan (30%)		7,5		7,2
c. Kecukupan dan kemutakhiran data/ informasi dan metodologi (30%)		7,5		7,3
d. Kelengkapan unsur dan kualitas penerbit (30%)		7,5		7,3
Total = (100 %)		25		24
Nilai Pengusul =				

Catatan Penilaian artikel oleh Reviewer :

1. <u>Kesesuaian dan kelengkapan unsur isi jurnal:</u>	:	Artikel lengkap sesuai template. Berisi pendahuluan, metode, hasil dan pembahasan serta referensi. Artikel berisi tentang pengolahan logam berat dengan <i>Polymer Inclusion Membrane</i> (skor=).
2. <u>Ruang lingkup dan kedalaman pembahasan:</u>	:	Ruang lingkup adalah pengolahan logam berat, Pembahasan telah menggunakan perbandingan. Data disajikan dalam bentuk tabel dan bukan kurva (skor=).
3. <u>Kecukupan dan kemutakhiran data/informasi dan metodologi</u>	:	Data penelitian sangat memadai sesuai dengan metode yang dilakukan, hanya 37,5% dari referensi yang merupakan 5 tahun terakhir dari artikel diterbitkan (skor=).
4. <u>Kelengkapan unsur dan kualitas terbitan:</u>	:	Penerbit adalah Jurnal reactor dan jurnal terakreditasi masuk sinta 2 (skor=).

Bidang ilmu/Unit kerja : Teknik Kimia/ Universitas Diponegoro

Semarang,
Reviewer 2


Prof. Dr. Widayat, MT
NIP. 19720906 199803 1001

Accredited:
SK No.: 60/E/KPT/2016

p-ISSN 0852 – 0798
e-ISSN 2407 – 5973

Reaktor

Volume 18 Number 2 June 2018

Reaktor	Vol.18	No.2	Page: 57-127	Semarang June 2018	p-ISSN 0852-0798
---------	--------	------	--------------	-----------------------	---------------------

Reaktor

p-ISSN 0852 – 0798

e-ISSN 2407 – 5973

Accredited: SK No.: 60/E/KPT/2016

Website : <http://ejournal.undip.ac.id/index.php/reaktor/>

Reaktor, Vol. 18 No. 2, June Year 2018

EDITORIAL BOARDS

Editor in Chief

- **Prof. Dr. Widayat Widayat** (ScopusID: [36715625400](#))
Department of Chemical Engineering Faculty of Engineering Diponegoro University Semarang, Indonesia

International Editorial Board

- **Dr. Pablo Fuciños** (ScopusID: [6506552780](#))
International Iberian Nanotechnology Laboratory, Braga, Portugal
- **Dr. Jose Antonio Vazquez** (ScopusID: [23107698900](#))
Marine Research Institute IIM-CSIS Spain, Spain
- **Dr. Mark Leaper** (ScopusID: [6602515825](#))
Department of Chemical Engineering, Loughborough University, Loughborough, United Kingdom
- **Dr. Qingchun Yuan** (ScopusID: [12792448300](#))
Aston University, Aston Materials Centre, Birmingham, United Kingdom
- **Dr. Oki Muraza**
CENT & Department of Chemical Engineering, King Fahd University of Petroleum and Minerals (KFUPM), PO Box 5040 Dhahran 31261 KSA, Saudi Arabia
- **Dr. Ivan Salmeron** (ScopusID: [43861832300](#))
Universidad Autonoma de Chihuahua, Graduate Program in Food Science and Technology, Chihuahua, Mexico, Mexico
- **Dr. Suryadi Ismadji** (ScopusID: [10039423500](#))
Department of Chemical Engineering, Widya Mandala Surabaya Catholic University, Kalijudan 37, Surabaya 60114 Indonesia, Indonesia
- **Dr. Made Tri Ari Penia Kresnowati** (ScopusID: [8639247200](#))
Department of Chemical Engineering, Bandung Institute of Technology (ITB), Indonesia
- **Dr. Nita Aryanti** (ScopusID: [25639393400](#))
Department of Chemical Engineering Faculty of Engineering Diponegoro University Semarang, Indonesia
- **Dr. Muhammad Dani Supardan** (ScopusID: [6506563268](#))
Department of Chemical Engineering University of Syiah Kuala, Indonesia
- **Dr. Dyah Hesti Wardhani** (ScopusID: [24075014500](#))
Department of Chemical Engineering Faculty of Engineering Diponegoro University Semarang Indonesia
- **Prof. Dr. Andri Cahyo Kumoro** (ScopusID: [22980375000](#))
Department of Chemical Engineering Faculty of Engineering Diponegoro University Semarang Indonesia

Associate Editors

- **Dr. Luqman Buchori**
Department of Chemical Engineering Faculty of Engineering Diponegoro University Semarang
Indonesia
- **Dr. Silviana Silviana**
Department of Chemical Engineering Faculty of Engineering Diponegoro University Semarang
Indonesia
- **Ir. Nur Rokhati, MT**
Department of Chemical Engineering Faculty of Engineering Diponegoro University Semarang
Indonesia

Publisher : Department of Chemical Engineering, Faculty of Engineering, Diponegoro University
Semarang, Indonesia

Customer Price per Year

(not include postal fee):

- Institution** :
- a. Java : Rp 800.000,00
 - b. Others : Rp 1.000.000,00

- Personal** :
- a. Java : Rp 600.000,00
 - b. Others : Rp 800.000,00

(Order via E-mail or Fax)

Publisher Address :

Department of Chemical Engineering,
Faculty of Engineering, Diponegoro
University Semarang

Jl. Prof. Soedarto, SH., Tembalang,
Semarang, 50275

Telp. (024) 7460058; Fax. (024) 76480675

E-mail: reaktor_tkundip@yahoo.com

j.reaktor@che.undip.ac.id

No. Rek. Reaktor: Bank BNI 46 Branch of Undip Semarang No. Rek. 0033134390 a.n.
Nur Rokhati

Reaktor is published 4 (four) times a year. The editors receive scientific papers on research laboratory, review paper, simulation and problem solving in industries that related to the field of Chemical Engineering. The submitted manuscript will be reviewed by reviewers to assess the substance of the feasibility and technical writing. Registration system/Submission article already using Online system with website address is <http://ejournal.undip.ac.id/index.php/reaktor/>
Every paper published in Reaktor journal has been proof reading.

Reaktor

p-ISSN 0852 – 0798

e-ISSN 2407 – 5973

Accredited: SK No.: 60/E/KPT/2016

Website : <http://ejournal.undip.ac.id/index.php/reaktor/>

Reaktor, Vol. 18 No. 2, June Year 2018

EDITORIAL

Reaktor was publishing articles in English language in Volume 18 Number 1 and 2. The articles that publish tesis, disertasi, research grant that funded by Ministry of Research, Technology and Higher Education of Republic Indonesia and one article from Bangladesh. Reaktor Vol. 18 No. 2 June 2018 was publishing articles amounts 10 papers. The theme raised in the articles was waste water treatment, food technology, kinetic reaction, energy and bioenergy and also separation technology. The articles shown state of the art. We hope Reaktor can be contribute in development in chemical engineering.

In this issue, Reaktor was published selected paper from Seminar Nasional Industri Kimia & Sumber Daya Alam that conducted by Department of Chemical Engineering, Engineering Faculty University of Lambung Mangkurat. The selected paper in this issue entitled **The Effect of Extraction Time on Unreacted Oil Removal in Biodiesel Purification Using Deep Eutectic Solvent**. Reaktor was published selected paper from Seminar Nasional Integrasi Proses that conducted by Department of Chemical Engineering, Engineering Faculty University of Sultan Ageng Tirtayasa. The selected paper in this issue entitled **The Effects of Biofilm and Selective Mixed Culture on the Electricity Outputs and Wastewater Quality of Tempe Liquid Waste Based Microbial Fuel Cell**. The articles must followed review processing and editing by Reaktor before publish. Reaktor would thank to reviewer for helping in review processin in this issue.

For reader, author and researcher, Reaktor hope a criticism and suggestions that expected for the progress and improvement in its management. Reaktor also hope can contributed in developing and improving science, technology and engineering especially in chemical engineering.

Semarang, June 2018

Chief of Editor

Reaktor

p-ISSN 0852 – 0798

e-ISSN 2407 – 5973

Accredited: SK No.: 60/E/KPT/2016

Website : <http://ejournal.undip.ac.id/index.php/reaktor/>

Reaktor, Vol. 18 No. 2, June Year 2018

TITLES INDEX

Volume 18 Number 1 March 2018

- The Kinetics of Calcium Oxide Catalyzed Esterification of Glycerol with Free Fatty Acids Using Pseudo-homogeneous Model Approach** 1-6
Megawati, Dhoni Hartanto, Catur Rini Widyastuti, Diyah Saras Wati and Eny Nurhayati
- Process Parameters Optimization in Membrane Fabrication for Produced Water Treatment Using Response Surface Methodology (RSM) and Central Composite Design (CCD)** 7-15
Tutuk Djoko Kusworo, Dani Puji Utomo, Annizah Rahmatya Gerhana, and Hanifah Angga Putra
- The Kinetics of CaO Assisted Pattukku Charcoal Steam Gasification** 16-21
Takdir Syarif, Hary Sulisty, Wahyudi Budi Sediawan, and Budhijanto
- The Calcination Temperature Effect on the Antioxidant and Radioprotection Properties of CeO₂ Nanoparticles** 22-26
Iis Nurhasanah, Weni Safitri, Tri Windarti, and Agus Subagio
- Microwave Assisted Trans-esterification of Cotton Seed Oil for Biodiesel Production** 27-30
Andi Suryanto, Zakir Sabara, Andi Artiningsih, and Hardi Ismail
- The Utilization of Chicken Bone Flour as a Source of Calcium in Cookies Making** 31-37
Melanie Cornelia and Dhanny Prasetya Gozali
- Recovery of Aluminum from Aluminum Coated Plastic Waste using Pyrolysis Process** 38-44
Chairul Irawan, Rinny Jelita, and Iryanti Fatysari Nata
- Influence of Microwave Irradiation on Extraction of Chitosan from Shrimp Shell Waste** 45-50
Dwi Titik, Heru Susanto, and Nur Rokhati
- Effect of Alkaloids on Lactic Acid Fermentation from Cocoa Pod Husk using Lactobacillus Plantarum** 51-56
Dodi Irwanto, Wiratni, and Rochmadi

Volume 18 Number 2 June 2018

- Kinetic Study of Limonene and Glucose Adsorption on Immobilization and Co-immobilization Beads** 57-62
Astrilia Damayanti, Sarto, and Wahyudi Budi Sediawan

Accelerated Shelf Life Testing of Chocomix Using Critical Moisture Content Approach Rifa Nurhayati, Rosi Pratiwi, Baskara Katri Anandito, Ervika Rahayu Novita Herawati, and Mukhammad Angwar	63-70
Performance of Various Organic Solvents as Reaction Media in Plant Oil Lipolysis with Plant Lipase Astri Nur Istyami, Tatang Hernas Soerawidjaja, Tirto Prakoso, and Made Tri Ari Penia Kresnowati	71-75
Synthesis of Matrix Si-K-HAs Gel from Geothermal Sludge and Peat Srie Muljani, Bambang Wahyudi, Suprihatin, and Ketut Sumada	76-83
The Effects of Biofilm and Selective Mixed Culture in the Electricity Outputs and Wastewater Quality of Tempe Liquid Waste Based Microbial Fuel Cell Rita Arbianti, Tania Surya Utami, Mariana, Nathania Dwi Karina, and Vifki Leondo	84-91
Ultra-capacitor based Hybrid Electric Vehicle (Medium) for Developing Countries Md. Zahid Hasan, Md. Rubaiat Adnan, Sabhasachi Saha, and Souvik Roy	92-101
Recovery of Cu (II) and Cr (VI) Metals from Electroplating Liquid Waste Using Polymer Inclusion Membrane (PIM) Muhammad Cholid Djunaidi, Nor Basid Adiwibawa Prasetya, Nur Asih Setyowati, Khabibi, and Khoirun Nita Ulfia	102-109
Dealumination and Characterization of ZSM-5 as Catalyst for Glycerol Conversion to Glycerol Monolaurate Didi Dwi Anggoro, Riko Rikardo Putra, Herawati Oktavianty, Lutfi Af'idatul Kamilah, and Fatma Tsaniya Chamdani	110-116
Hazard Assessment of LNG Loading-Unloading Process in Cirebon Port Hary Devianto, Mitra Eviani, Pramujo Widiatmoko, and Isdiriayani Nurdin	117-121
Effect of Extraction Time on Unreacted Oil Removal in Biodiesel Purification Using Deep Eutectic Solvent Helda Niawanti and Siti Zullaikah	122-127



KEMENTERIAN RISET, TEKNOLOGI, DAN PENDIDIKAN TINGGI
**DIREKTORAT JENDERAL PENGUATAN RISET
DAN PENGEMBANGAN**

Jl. M.H. Thamrin No. 8, Jakarta 10340 – Gedung II BPPT, Lantai 20
Telepon (021) 316-9778. Faksimili (021) 310 1728, 310 2368
Homepage : www.ristekdikti.go.id

Nomor : 002/E5.2/SE/2017
Lampiran : 2 (dua) lembar
Perihal : **Pemberitahuan Akreditasi Terbitan Berkala Ilmiah Tahun 2016**

05 Januari 2017

Kepada Yth.

1. Pimpinan Perguruan Tinggi
2. Koordinator Kopertis Wilayah I s.d. XIV
3. Ketua Himpunan Profesi
4. Pengelola Terbitan Berkala Ilmiah di Litbang
di seluruh Indonesia

Sehubungan dengan hasil Akreditasi Berkala Ilmiah Elektronik Periode II Tahun 2016 dan telah diterbitkannya Surat Keputusan Direktur Jenderal Penguatan Riset dan Pengembangan Kementerian Riset, Teknologi, dan Pendidikan Tinggi Nomor 60/E/KPT/2016, tanggal 13 November 2016, dengan hormat bersama ini kami sampaikan hasil akreditasi sebagaimana terlampir.

Bagi Terbitan Berkala Ilmiah yang terakreditasi akan kami sampaikan Sertifikat Akreditasi dan diwajibkan mencantumkan masa berlaku akreditasi dengan menuliskan tanggal penetapan dan tanggal akhir masa berlaku tersebut di laman dan atau halaman muka terbitan berkala ilmiah.

Atas perhatian dan kerja sama yang baik, kami ucapkan terima kasih.

Direktur Pengelolaan Kekayaan Intelektual

ttd

Sadjuga
NIP. 195901171986111001

Tembusan:
Direktur Jenderal Penguatan Riset dan Pengembangan

LAMPIRAN
 KEPUTUSAN DIREKTUR JENDERAL PENGUATAN
 RISET DAN PENGEMBANGAN KEMENTERIAN RISET,
 TEKNOLOGI, DAN PENDIDIKAN TINGGI
 NOMOR 60/E/KPT/2016
 TENTANG HASIL AKREDITASI TERBITAN BERKALA
 ILMIAH ELEKTRONIK PERIODE II TAHUN 2016

Bidang Ilmu	No	Nama Jurnal	ISSN	Penerbit	Peringkat
Ekonomi	1	Jurnal Manajemen Teknologi	2089-7928	Unit Penelitian dan Pengetahuan, Sekolah Bisnis dan Manajemen Institut Teknologi Bandung	Terakreditasi B
Humaniora	1	Dinamika Ilmu	2442-9651	Institut Agama Islam Negeri Samarinda	Terakreditasi B
	2	Jurnal Sosioteknologi	2443-258X	Kelompok Keahlian Ilmu Kemanusiaan Fakultas Seni Rupa dan Desain Institut Teknologi Bandung	Terakreditasi B
	3	Masyarakat, Kebudayaan dan Politik	2528-6013	Fakultas Ilmu Sosial dan Ilmu Politik Universitas Airlangga	Terakreditasi B
	4	Wacana, Jurnal Ilmu Pengetahuan Budaya	2407-6899	Fakultas Ilmu Pengetahuan Budaya Universitas Indonesia	Terakreditasi B
Kesehatan	1	Acta Medica Indonesiana	2338-2732	Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia	Terakreditasi B
	2	<i>Nurse Media Journal of Nursing</i>	2406-8799	Departemen Keperawatan, Fakultas Kedokteran, Universitas Diponegoro	Terakreditasi B
MIPA	1	ALCHEMY Jurnal Penelitian Kimia	1412-4092	Universitas Sebelas Maret	Terakreditasi B
Pendidikan	1	<i>Journal of Education and Learning</i>	2302-9277	Universitas Ahmad Dahlan bekerjasama dengan IAES Indonesia Section	Terakreditasi B
Pertanian	1	<i>AGRIVITA Journal of Agricultural Science</i>	2477-8516	Fakultas Pertanian Universitas Brawijaya berafiliasi dengan Perhimpunan Agronomi Indonesia (PERAGI)	Terakreditasi B
	2	<i>Journal of Degraded and Mining Lands Management</i>	2502-2458	Fakultas Pertanian, Universitas Brawijaya, Malang	Terakreditasi B

Pertanian	3	<i>Journal of the Indonesian Tropical Animal Agriculture</i>	2460-6278	Fakultas Peternakan dan Ilmu Pertanian Universitas Diponegoro dan <i>Indonesian Society of Animal Agriculture (ISAA)</i>	Terakreditasi B
	4	<i>Journal of Tropical Life Science</i>	2527-4376	Universitas Brawijaya	Terakreditasi B
	5	Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan	2460-5824	Pusat Penelitian Lingkungan Hidup, Institut Pertanian Bogor	Terakreditasi B
Rekayasa	1	<i>Bulletin of Electrical Engineering and Informatics</i>	2302-9285	Universitas Ahmad Dahlan	Terakreditasi B
	2	<i>Communication and Information Technology Journal</i>	2460-7010	Universitas Bina Nusantara	Terakreditasi B
	3	<i>International Journal of Renewable Energy Development (IJRED)</i>	2252-4940	Universitas Diponegoro	Terakreditasi B
	4	<i>Journal of Engineering and Technological Sciences</i>	2338-5502	ITB Journal Publisher	Terakreditasi B
	5	Jurnal Ilmu Komputer dan Informasi	2502-9274	Fakultas Ilmu Komputer Universitas Indonesia	Terakreditasi B
	6	Reaktor	2407-5973	Jurusan Teknik Kimia Fakultas Teknik Universitas Diponegoro Semarang	Terakreditasi B
	7	Tataloka	2356-0266	Universitas Diponegoro	Terakreditasi B

Ditetapkan di Jakarta
 pada tanggal 13 November 2016
 DIREKTUR JENDERAL PENGUATAN RISET DAN
 PENGEMBANGAN

ttd

MUHAMMAD DIMYATI
 NIP 19591217 198402 1001

Recovery Chrom (VI) From Electroplating Waste Using Supported Liquid Membrane (SLM) Method, A Study Of The Influence Of NaCl And pH In Receiving Phase On Transport.

by Muhammad Cholid Djunaidi

Submission date: 03-Jun-2020 04:38PM (UTC+0700)

Submission ID: 1337003221

File name: Recovery_Chrom_VI_From_Electroplating.pdf (388.76K)

Word count: 2726

Character count: 13558

Recovery Of Chromium Metal (VI) Using Supported Liquid Membrane (SLM) Method, A study of Influence of NaCl and pH in Receiving Phase on Transport

Muhammad Cholid Djunaidi*, Retno A. Lusiana, Maya D. Rahayu

Chemistry Departement of Diponegoro University, Indonesia
Email: choliddjunaidi@live.undip.ac.id

Abstract. Chromium metal(VI) is a valuable metal but in contrary has high toxicity, so the separation and recovery from waste are very important. One method that can be used for the separation and recovery of chromium (VI) is a Supported Liquid Membrane (SLM). SLM system contains of three main components: a supporting membrane, organic solvents and carrier compounds. The supported Membrane used in this research is Polytetrafluoroethylene (PTFE), organic solvent is kerosene, and the carrier compound used is aliquat 336. The supported liquid membrane is placed between two phases, namely, feed phase as the source of analyte (Cr(VI)) and the receiving phase as the result of separation. Feed phase is the electroplating waste which contains of chromium metal with pH variation about 4, 6 and 9. Whereas the receiving phase are the solution of HCl, NaOH, HCl-NaCl and NaOH-NaCl with pH variation about 1, 3, 5 and 7. The efficiency separation is determined by measurement of chromium in the feed and the receiving phase using AAS (Atomic Absorption Spectrophotometry). The experiment results show that transport of Chrom (VI) by Supported Liquid membrane (SLM) is influenced by pH solution in feed phase and receiving phase as well as NaCl in receiving phase. The highest chromium metal is transported from feed phase about 97,78%, whereas in receiving phase shows about 58,09%. The highest chromium metal transport happens on pH 6 in feed phase, pH 7 in receiving phase with the mixture of NaOH and NaCl using carrier compound aliquat 336.

5 Introduction

Chemical and metallurgical industries are the main producers of metal-bearing liquid effluents. Due to the toxic character of several metals contained in the metal-bearing wastewater, it needs to be treated before final discharge to the environment. Thus, industries are increasingly being forced either by the administration, regulatory, cost pressures and social pressures to reduce the amount and environmental sensitivity of the liquid waste they produce [1].

Chromium has fairly high toxicity value and potentially as harmful pollutant when waste industries is not processed first and directly discharged into the environment. The concentration of chromium (III) and (VI) in electroplating liquid waste or metal coating industry is generally higher than the threshold values allowed. The maximum amount allowable of total chromium present in healthy water is 0.05 mg L⁻¹. However, chromium metal is also useful for people in daily activities as well as in industrial processes, such as for electroplating [2].

Toxic but valuable of this metals in another hand, causes the separation and recovery of waste containing chromium are essential. Recycling and re-use is an important aspect in the development of the industry in the future.



One of the methods for separating metal ions is liquid separation membrane [3]. In the liquid membrane technique, carrier compounds play an important function. Carrier compound as a facilitator is determinant in the separation performance from the feed phase. A carrier compound should have high ability of extraction via stable complex formation within the membrane, high selective separation towards certain species, good solubility as well as diffusion coefficient in the suitable organic solvent (membrane) and can be used in relatively small amounts [4]. In addition, the selectivity of carrier compound towards certain metal ions is determined by the active groups present on the carrier compound.

There are several methods that can be used for the separation and recovery of metals using Liquid Membrane including Supported Liquid Membrane (SLM), Emulsion Liquid Membrane or ELM and Bulk Liquid Membrane or BLM. BLM is used for separation of Cr(III), Cu(II) and Cd(II) with carrier compound that has active atom N and S so that the transport efficiency was $Cd(II) > Cu(II) > Cr(III)$ based on HSAB (Hard Soft Acid Base) theory [5].

SLM is a separation technique consisting of two homogenous phases that are feed phase and receiving phase separated by semipermeable membrane. The advantages of SLM are a little amount of carrier compound required, simple and inexpensive operation [6]. SLM system contains three main components: a supporting membrane, organic solvents and carrier compounds. The separation with SLM is largely determined by the selectivity and effectivity of the compounds (carrier). Type of carrier compound determines how much ionic metal can be transported to the receiving phase.

Solangi, et al (2013) [7] in his research reported that SLM is efficient in transport Cr(VI) using calixarene carrier and NaOH receiving solution. Whereas Khasanah (2001) [8] used SLM to subtract the Cl anion from sea water desalination with the supported membrane PTFE impregnated with the carrier compound Aliquat 336 with the desalination percentage of about 96,69% for Aliquat compound 336 and 100% for Aliquat compound 336-TBP on pH 6 in receiving phase.

Based on the information above, this research uses method of SLM with the supported PTFE membrane and Aliquat carrier compound 336 in kerosene. The pH variation on feed phase are about 4, 6, 9 and 1, 3, 5, 7 on receiving phase. The solution used on receiving phase are HCl, NaOH, HCl-NaCl and NaOH-NaCl. Those variations aim to make Cr(VI) ion in electroplating liquid waste can be separated and to produce purer metal and separated from its matrix.

2. Experiment Setup

2.1. Studying the Effect of pH receiving phase

To study the effect of pH in the receiving phase, we make various pH, namely, 1, 3, 5 and 7. Whereas feed phase uses the electroplating liquid waste with pH 4. The carrier compound used is Aliquat 336 1M.

2.2. Studying the Effect of pH Feed phase

To study the effect of pH in the feed phase, the variation of pH is made i.e. 4, 6, and 9, while the receiving phase uses solution consisting of NaOH-NaCl 1M at pH 7. The carrier compounds used is Aliquat 336 1M.

2.3. Studying the Effect of NaCl concentration in receiving phase.

To study the effect of NaCl in the receiving phase, the variation of NaCl concentration are made, i.e. 0M, 0.5M, 1M and 1.5M in pH 7. Meanwhile, feed phase uses the electroplating waste with pH 6. The carrier compounds used is Aliquat 336 1M.

2.4. Studying the Effect of pH in receiving phase with NaCl addition

To study the effect of NaCl addition in receiving phase with the variation of pH, the solution in receiving phase is made from HCl-NaCl mixture 1 M for pH 1, 3, 5; and NaOH-NaCl mixture 1 M for

pH 7. In the meantime, the feed phase uses the electroplating waste with pH 4 and the carrier compound used is aliquat 336.

3. Result and Discussion

The initial step is measurement of the levels of Cr (VI) in wastewater with AAS. The result shows that the wastewater contains 1055 mg/L of Cr (VI).

3.1. The effect of pH of receiving phase

To study the effect of pH of the receiving phase, a series of pH variation is made from HCl and NaOH mixture in different level: 1, 3, 5, and 7; meanwhile, the pH of feed phase is constant coming from the electroplating waste at pH 4. Furthermore, the aliquat 336 is used as a carrier compound in membrane phase. The result can be seen in table 1.

Table 1. The effect of pH of Receiving phase on Cr(VI) transport using aliquat 336 as carrier compound

pH receiving phase	% transport From Feed to Membrane Phase	% transport In Receiving Phase (From Membrane Phase)
1	61.86	6.61
3	57.65	1.51
5	67.63	0.99
7	71.62	1.46

As seen in table 1, when the pH of receiving phase increases the transport of Cr(VI) from feed phase is also high; however, unfortunately low concentration can be transported into the receiving phase since Cr(VI) is trapped in the membrane phase. However, transport of Cr(VI) into receiving phase is low with the increasing pH of receiving phase and slightly becoming high when the pH is acid. In order to make alkaline (bases) condition in the receiving phase we use NaOH while use HCl is for making acid condition. This condition resulting in low transport of Cr(VI) into the receiving phase when the pH is high because OH⁻ ion has smaller affinity than Cl⁻, consequently, Cl ions are more easily exchange with HCrO₄⁻ ions which will be released into the receiving phase.

3.2. The influence of pH of Feed phase

In feed phase, the pH is varied by 4, 6 and 9 meanwhile in the receiving phase pH is constant at pH 7 by adding NaCl 1M as seen in table 2.

In the transport process, HCrO₄⁻ ion that has already been bound in the membrane phase will be released into the receiving phase, while the anions in the receiving phase will be bound by the membrane. The addition of Cl⁻ in the receiving phase aims to replace HCrO₄⁻ so that HCrO₄⁻ will be released easily into receiving phase. The high concentration of HCrO₄⁻ ions is found in receiving phase because the Cl⁻ has higher affinity to the aliquat 336 than to the OH⁻ ion [12].

Table 2. The relationship between % transport of Cr(VI) with variation of pH of feed phase in receiving phase (pH constant at 7 and NaCl 1M).

pH feed phase	% transport From Feed to Membrane Phase	% transport In Receiving Phase (From Membrane Phase)
4	50.36	22.59
6	97.78	46.56
9	91.29	40.35

3.3. The effect of NaCl concentration addition in receiving phase

To determine the effect of NaCl concentration added to receiving phase, the NaCl concentration is varied from 0M, 0.5M, 1M to 1.5M. The Effect of NaCl on transport in the receiving phase can be

seen in table 3. It can be seen in table 3 that the higher the NaCl concentration, the higher Cr(VI) can be transported. Nevertheless, at NaCl 1.5M transport of Cr(VI) decreases due to the high osmotic pressure so that the carrier compound aliquat 336 is released easily from membrane phase. The highest transport of Cr(VI) occurs at concentration of NaCl 1M with the percentage of Cr(VI) transport of about 97.78% in feed phase and 58.09% in receiving phase.

Table 3. The effect of NaCl concentration in receiving phase on transport of Cr(VI)

Concentration of NaCl (xM)	% transport From Feed to Membrane Phase	% transport In Receiving Phase (From Membrane Phase)
0	37.91	2.48
0.5	83.79	46.56
1	97.78	58.09
1.5	85.52	55.88

3.4. The Effect of pH of receiving phase with NaCl addition.

To compare the effect of pH and Cl^- ion on Cr(VI) transport, further study is conducted. The impact of pH variation of receiving phase with NaOH-NaCl 1M liquid can be seen at table 4. Table 4 shows that the addition of NaCl 1M in receiving phase affects the chromium metal transport. In comparison to the table 1 by using the same pH variation, chromium metal transport is high if NaCl solution is used in receiving phase. The highest transport of metal still occurs at pH 7 transporting metal from feed phase. On the one hand, it can be seen from table 1 that the highest transport of metal to receiving phase happens at pH 1. It may occur since at pH 7 there is no Cl^- ion resulting in the chromium metal is hard to release in receiving phase. Whereas, at pH 1 as shown in table 4 the concentration of NaCl is more than 1M with the result that the high osmotic pressure causes the aliquat 336 carrier compound apart from the membrane, so that it leads to low metal transport.

Table 4. The effect of pH variation of receiving phase towards Cr(VI) transport with aliquat 336 as carrier compound and NaOH-NaCl as liquid receiving.

pH receiving phase	% transport from feed Phase to Membrane phase	% transport in Receiving phase
1	87.23	7.38
3	94.35	24.61
5	97.51	20.84
7	97.78	58.09

According to data from table 3 and 4, it can be concluded that metal chromium that can be transported using aliquat 336 as carrier compound in SLM is high because the concentration of anion (Cl^-) in the receiving phase increases chromium metal transport significantly.

4. Conclusion

This study shows that transport of Chrom (VI) by Supported Liquid membrane (SLM) is influenced by pH solution in feed phase and receiving phase. Furthermore, the NaCl addition in receiving phase increases the number of Cr (VI) in receiving phase.

1. The highest percentage of chromium metal is 97.78 % in feed phase and 58.09 % in receiving phase with aliquat 336 carrier compound.
2. The greatest chromium metal transport occur at pH 6 in feed phase and pH 7 on receiving phase with the mixture of NaOH and NaCl 1M.

References

- [1] Agreda, D., de, I. Garcia-Diaz, F.A. López and F.J. Alguacil, 2011, *Revista de Metalurgia*, **47** (2), 146-168.
- [2] Choi, Y.M, Seung, H. Y., 2004, *Sep. Sci. Technol.*, **39**, 1663-1680

- [3] **8**eij,M.C., Scrimin, P., Tecilla, P., and Tonellato, U. , 1997, *J. Org. Chem.*, **62** (16), **58**92-5599•
- [4] **B**artsch, R.A., dan **W**ay, J.D., 1996, *Chemical Separation With Liquid Membrane, CS Symposium Series, 642.*, American Chemical Society, Washington, page 1-6
- [5] Djunaidi, M.C., Khabibi, Ulumuddin, 2017. IOP Conf. Series. Materials and Engineering **172**. 012032
- [6] Misra, B. M., 1996 *Chemical Separation With Liquid Membrane, CS Symposium Series, 642.*, American Chemical Society, Washington, 361-375
- [7] Solangi, I. B., Ozcan, F., Arslan, G., Ersoz, M., 2013., *Sep. Purif. Technol.*,**18**, 470-478
- [8] Khasanah , R., *Desalination of Sea Water Using Supported Liquid Membrane (SLM)*, Thesis, Diponegoro University, 2001.
- [9] De, Anil, K, 1997, *Solvent Extraction of Metal*, Van Nostrand Reinhold Company London, New York, pp 81-100.
- [10] Kocherginsky, N.M., Yang, Q, Seelama, Lalitha, 2007. *Sep.and Purif.Tech.*,**53**, 171–177
- [11] Beck M. T. 1990 *Chemistry Complex Equilibria.*, Ellis Horwood Limited, New York, , pp 174-179
- [12] Rydberg 1992 *Priciple and Practices of Solvent Extraction*, Marcel D., New York, pp. 393-412

Recovery Chrom (VI) From Electroplating Waste Using Supported Liquid Membrane (SLM) Method, A Study Of The Influence Of NaCl And pH In Receiving Phase On Transport.

ORIGINALITY REPORT

10%

SIMILARITY INDEX

2%

INTERNET SOURCES

8%

PUBLICATIONS

3%

STUDENT PAPERS

PRIMARY SOURCES

- 1 M Gholivand. "Selective and efficient uphill transport of Cu(II) through bulk liquid membrane using N-ethyl-2-aminocyclopentene-1-dithiocarboxylic acid as carrier", Journal of Membrane Science, 2000
Publication 2%
- 2 Mashahadizadeh, M.H.. "Selective and efficient liquid membrane transport of Au(III) by tetrathia-12-crown-4 as a specific carrier", Separation and Purification Technology, 200411
Publication 1%
- 3 Ren, Z.. "New liquid membrane technology for simultaneous extraction and stripping of copper(II) from wastewater", Chemical Engineering Science, 200711
Publication 1%
- 4 S Kentish. "Innovations in separations technology for the recycling and re-use of liquid waste streams", Chemical Engineering Journal, 1%

2001

Publication

5	www.aos.ro Internet Source	1%
6	escholarship.org Internet Source	1%
7	Volkan Eyupoglu, Osman Tutkun. "The Extraction of Cr(VI) by a Flat Sheet Supported Liquid Membrane Using Alamine 336 as a Carrier", Arabian Journal for Science and Engineering, 2011 Publication	1%
8	Submitted to Higher Education Commission Pakistan Student Paper	<1%
9	Submitted to Universiti Sains Malaysia Student Paper	<1%
10	Batool Zare Khafri, Morteza Akhond, Ghodratollah Absalan. "Carrier-mediated hollow fiber liquid-phase microextraction for preconcentration followed by spectrophotometric determination of amoxicillin", Journal of the Iranian Chemical Society, 2019 Publication	<1%
11	Qun-Yan Wu, Yu-Ting Song, Lin Ji, Cong-Zhi Wang, Zhi-Fang Chai, Wei-Qun Shi. "	<1%

Theoretically unraveling the separation of Am(III)/Eu(III): insights from mixed N,O-donor ligands with variations of central heterocyclic moieties ", Phys. Chem. Chem. Phys., 2017

Publication

12

iosud.utcluj.ro

Internet Source

<1%

13

Mojtaba Shamsipur. "Highly selective and efficient transport of mercury(II) ions across a bulk liquid membrane containing tetrathia-12-crown-4 as a specific ion carrier", Separation and Purification Technology, 20020501

Publication

<1%

14

H.J. Bart, H. Jüngling, N. Ramaseder, R. Marr. "Water and solute solubilization and transport in emulsion liquid membranes", Journal of Membrane Science, 1995

Publication

<1%

15

Muthuraman, G.. "Use of bulk liquid membrane for the removal of chromium (VI) from aqueous acidic solution with tri-n-butyl phosphate as a carrier", Desalination, 20091215

Publication

<1%

16

Pei, L.. "Transport of Tm(III) through dispersion supported liquid membrane containing PC-88A in kerosene as the carrier", Separation and Purification Technology, 20090223

<1%

17

Lin Guo, Jianping Zhang, Dongli Zhang, Yinghui Liu, Yuefeng Deng, Ji Chen. " Preparation of Poly(vinylidene fluoride- -tetrafluoroethylene)-Based Polymer Inclusion Membrane Using Bifunctional Ionic Liquid Extractant for Cr(VI) Transport ", Industrial & Engineering Chemistry Research, 2012

<1%

Publication

18

Goyal, R.K.. "Chromium removal by emulsion liquid membrane using [BMIM]⁺[NTf₂]⁻ as stabilizer and TOMAC as extractant", Desalination, 20110901

<1%

Publication

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off