

## **BAB VI**

### **KESIMPULAN DAN SARAN**

#### **6.1. Kesimpulan**

1. Sumber pajanan petani pemakai pestisida melalui pernapasan(inhalasi) terjadi pada alur kerja membawa, mencampur, menyemprot, mencuci, serta menyimpan; melalui kulit (dermal) pajanan terjadi pada proses pencampuran dan penyemprotan; melalui pencernaan (digesti) pajanan terjadi pada proses penyemprotan petani menyemprot sambil makan dan minum bahkan ada yang merokok.
2. Perilaku petani di desa Curut dalam menggunakan pestisida kurang baik. Tangki semprot yang dibawa oleh petani masih mengandung pestisida, petani mencampur pestisida kurang lebih 3-8 jenis pestisida dalam sekali pencampuran, jarang membaca label pada kemasan sehingga dosis tidak sesuai ukuran yang dianjurkan, melakukan proses penyemprotan tidak sesuai jadwal/petunjuk dalam kemasan, tidak memperhatikan arah angin, disemua tahapan dari membawa, mencampur, menyemprot, mencuci hingga menyimpan petani tidak menggunakan alat pelindung diri yang baik dan benar.
3. Nilai RQ penggunaan pestisida oleh petani di Desa Curut telah melebihi dari nilai 1, hal ini berarti petani di desa Curut telah melampaui batas aman yang diperkenankan dalam menggunakan pestisida.

4. Analisis risiko serta penetapan titik kendali kritis (pada HACCP) dapat digunakan sebagai metode untuk menentukan toolkit yang dapat digunakan untuk mengurangi pajanan pestisida pada petani di Desa Curut.
5. Toolkit Reduksi Risiko Pestisida sebagai hasil penelitian disusun oleh petani, Dinas Pertanian, dan peneliti diperuntukan bagi petani dalam membantu mengurangi dan mencegah pajanan pestisida serta pencemaran lingkungan.

## **6.2. Saran**

1. Bagi Pemerintah
  - a. Petani merupakan pekerja informal yang kurang memahami aplikasi mengolah pestisida seperti cara kerja, pelindung diri untuk itu perlu campur tangan pemegang kebijakan untuk mengawasi kerja petani.
  - b. Perilaku petani yang kurang baik dalam menggunakan pestisida perlu diperbaiki supaya tidak menjadi budaya dengan cara pelatihan dengan Toolkit Reduksi Risiko Pestisida.
  - c. Kebijakan serta pengawasan baik dari pemerintah maupun perusahaan terkait prosedur penggunaan pestisida yang baik dan aman untuk petani.

2. Bagi Masyarakat dan Akademisi
    - a. Kerja sama antar kelompok tani, Dinas Pertanian, Distributor/Agen pestisida serta pihak akademik dalam kegiatan pengabdian masyarakat secara swadaya melakukan pengawasan kerja petani untuk mengurangi pajanan pestisida.
    - b. Untuk pihak akademik dapat mengembangkan metode analisis risiko serta titik kendali kritis (HACCP) dalam memprediksi pajanan pestisida yang masuk dalam tubuh petani.
  3. Bagi Petani
    - a. Petani sebaiknya patuh dan taat dalam menerapkan Toolkit Reduksi Risiko Pestisida untuk mengurangi pajanan pestisida.
    - b. Petani sebaiknya selalu menggunakan alat pelindung diri walaupun tidak diawasi oleh Dinas Pertanian agar kesehatan petani tetap terjaga.



## DAFTAR PUSTAKA

- Abrantes N., Pereira, R. & Gonçalves, F., 2010. Occurrence of pesticides in Water, sediments, and fish tissues in a Lake Surrounded by agricultural lands: Concerning risks to humans and ecological receptors. *Water*, pp.77-88.
- Adebisi-Adelani O., Ibe R. B., Olajide-Taiwo L. O., Amao, I. O., Olajide-Taiwo F. B., 2010. Socio economic factors influencing awareness and of organic farming practices by horticultural farmers In Oyo State Nigeria. *Continental Journal of Agricultural Economics*, Volume 4 No. 7, pp 32-38.
- Adebawale Lawal, O.A., Akeredolu Ale B I, 2010. Agricultural workers' perception of information and communication technology usage for agricultural development in Southwest Nigeria, *Journal Of Social Development in africa*, volume 25 Nomor 2, pp 148-176.
- Adigun A. A., Nicola Wrench, Frederic J., Seidler, Theodore A., Slotkin, 2010. Neonatal organophosphorus pesticide exposure alters developmental trajectory of cell signaling cascades controlling metabolism: Differential effects of diazinon and parathion: *Journal Environmental Health Perspectives*, Volume 118, No. 2: 210-215.
- Afriyanto, Nurjazuli, Budiyono, 2009. Keracunan pestisida pada petani penyemprot cabe di desa Candi Kecamatan Bandungan Kabupaten Semarang. *Jurnal Kesehatan lingkungan Indonesia*: volume 8 No.1:10-14.
- Ahmadi, F. U., Aspek kesehatan kerja pengguna pestisida pada sektor pertanian dan perkebunan, Direktorat Bina Peran , Direktorat Bina Peran Serta Masyarakat Direktorat Jendral Bina Kesehatan DepKes RI, Jakarta, 1990.
- Alavanja Michael C.R., Hoppin Jane A. And Kamel Freya, 2004. Health effects of chronic pesticide exposure: Cancer and neurotoxicity. *Annual Review of Public Health*, volume 25, pp 155-197.
- Anand, T., Chandrasekaran, A., Kuttalam S.P., Senthilraja G., Raguchander T., Samiyappan, R., 2008. Effectiveness of Azoxystrobin in The Control of Erysiphe Cichoracearum and Pseudoperonospora Cubensis on Cucumber. *Journal of Plant Protection Research*. Vol.48, 2 pp. 147-159.
- Anderson B. S., Phillips Bryn M., Hunt John W., Worcester, Karen. 2006. Evidence of pesticide impacts in The Santa Maria River Watershed, California USA. *Environmental Toxicology and Chemistry*, volume 25, No. 4; pp 1160-1170.
- Antia A.L., Santaliestra M.E.O., Mougeot F., Mateo R., 2013. Experimental exposure of red-legged partridges ( *Alectoris rufa* ) to seeds coated with imidacloprid , thiram and difenoconazole. *Ecotoxicology*, 22, pp.125-138.
- Arcury Thomas A., Quandt S. A., 2003. Pesticides at work and at home: Exposure of migrant farmworkers. *Journal Medical Science*,Volume 362, 9400 pp 20-21.
- Arikunto Suharsimi. 2006. Prosedur penelitian suatu pendekatan praktik. PT. Rineka Cipta. Jakarta.

- Bansod, Y.V., Kharkar Sandeep V.,Raut A., Choudalwar P., 2013. Abamectin : an uncommon but potentially fatal cause of pesticide poisoning. *Seven*, 1(3), pp.285-286.
- Barlow F. 1985. Chemistry and formulation. P.T. Haskell (ed): Pesticide application: principles and practice. Oxford University Press, New York, p.17-27.
- Basir, A., Khan, A., Mustafa, R., Khan, Z.M., Rizvi, F., Mahmood, F., Yousaf, A. 2010. Toxicopathological effects of lambda-cyhalothrin in female rabbits (*Oryctolagus cuniculus*). *Sage*, 591-602.
- Bednarska, J.,Edward, P., Sibly, R., Throbeck, P. 2013. A toxicokinetic model for thiamethoxam in rats: implications for higher-tier risk assessment. *springer*, 22, 548-557.
- Belson, Martin, Kieszak, Stephanie, Watson, William, Blindauer, Kim M., 2003. Childhood pesticide exposures on the Texas-Mexico border: Clinical manifestations and poison center use. American Journal of Public Health, Volume 93 No. 8 : pp 1310-1315.
- Bempah, C.K. 2011. A preliminary assessment of consumer's exposure to organochlorine pesticides in fruits and vegetables and the potential health risk in Accra Metropolis, Ghana. *Food Chemistry*, 128(4), pp.1058-1065. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0308814611005589> [Accessed October 19, 2011].
- Bishnu A., Saha T., Mazumdar D., Chakrabarti K., Chakraborty K., 2008. Assessment of the impact of pesticide residues on microbiological and biochemical parameter of tea garden soils in India: Journal of Environmental science and Health; 43;723-731, ISSN 0360-1234.
- Boediono, Wayan Koster, 2008. Teori dan aplikasi statistika dan probabilitas. PT. Remaja Rosdakarya. Pp 433-435
- Carol A.R., Rebecca L. Hines, Daniel A., Suomi Sandra K., Mc. Donal, 2000. Educational needs assessment for IPM in multi-family and community dwellings, Journal Pesticide Safety Education, Vol. 8; 10-18.
- Carriger J.F., Gary M.R., 2008. Aquatic risk assessment of pesticides in surface waters in and adjacent to the Everglades and Biscayne National Parks : I . Hazard assessment and problem formulation. *Ecotoxicology*, pp.660-679.
- Castaneda MA, Del R., Lango F., Cesareo, 2011, DDT in *Crassostrea virginica* (Gmelin, 1791) of Coastal Lagoons in the Gulf of Mexico, Journal of Agricultural science Vol. 3 No.1, pp183-193.
- Chen, Y., Zhang Y., Yao J., Fei Li Y., Yang X., Xiang Wang W., Fang Zhang A.,Chun Gao T., 2013. Frequency distribution of sensitivity of Ustilaginoidea virens to four EBI fungicides , prochloraz , difenoconazole , propiconazole and tebuconazole , and their efficacy in controlling rice false smut in Anhui Province of China. *Phytoparasitica*, 41, pp.277-284.
- Cross P., Edwardsjones G., 2006. Variation in pesticide hazard from arable crop production in Great Britain from 1992 to 2002: Pesticide risk indices and policy analysis. *Crop Protection*, 25(10), pp.1101-1108. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0261219406000536> [Accessed January 2, 2012].

- Daam M. A., Van Den Brink P.J., 2009. Implications of differences between temperature and tropical freshwater ecosystems for The ecological risk assessment of pesticides, *ecotoxicology*, volume 19 pp: 24-37.
- Damalas C.A. & Eleftherohorinos I.G., 2011. Pesticide exposure, safety issues, and risk assessment indicators. *International Journal of Environmental Research and Public Health*, pp.1402-1419.
- Dasgupta S., Craig Meisner., David Wheeler., Khuc Xuyen., Nhan Thi Lam, 2007. Pesticide poisoning of farm workers-implications of blood test results from Vietnam. *International journal of hygiene and environmental health*, 210(2), pp.121-32. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/17008128> [Accessed November 2, 2011].
- Demirci, F., Mustu, M., Kaydan, B.M, Ulgenturk, S. 2012. Effects of some fungicides on Isaria farinosa, and in vitro growth and infection rate on Planococcus citri. *Springer* 39, 353-360.
- Devos Y., 2008. Environmental impact of herbicide regimes used with genetically modified herbicide-resistant maize. *Transgenic Res.* volume 17; pp 1059–1077 DOI 10.1007/s11248-008-9181-8.
- Dewan Perwakilan Rakyat Republik Indonesia, 2005. Naskah Akademik Sistem Penyuluhan Pertanian.
- Dibartolomeis M., Revathi Ramachandran, Sarojeni V. Rengam, 2001. *Pesticides Destroy Our World*, Pesticide Action network Asia and the Pacific. Pp 1-54.
- Dikic D., Mojsovic Cuic A., Cupor I., Benkovic, V., Knezevic A.H., Lasicic D., Orsolic N., 2012. Carbendazim combined with imazalil or cypermethrin potentiate DNA damage in hepatocytes of mice. *Human and Experimental Toxicology*, 31(5), pp.492-505.
- Direktorat Jendral Prasarana dan Sarana Pertanian Direktorat Pupuk dan Pestisida Kementerian Pertanian, 2011. Pedoman Penggunaan Pestisida. Pp 1-64.
- Direktorat Tanaman Buah, 2004. Standar Operasional Prosedur (SPO) Melon. Diakses pada tanggal 22 Mei 2012 di <http://www.deptan.go.id/pesantren/ditbuah>
- Djojosoedarno Soeisno, 1999. Prinsip-Prinsip Manajemen Risiko dan Asuransi, Salemba Empat, Jakarta.
- Djojosumarto Panut, 2008. Pestisida dan aplikasinya. Agromedia Pustaka Jakarta.
- Djojosumarto Panut, 2008. Teknik Aplikasi Pestisida Pertanian. Kanisius, Yogyakarta
- Donoghue, A.M., 2001. The design of hazard risk assessment matrices for ranking occupational health risks and their application in mining and minerals processing. *Society*, 51(2), pp.118-123.
- Dwi Sadono, 2008. Pemberdayaan Petani: Paradigma Baru Penyuluhan Pertanian Di Indonesia, *Jurnal Penyuluhan*, Volume 4 No.1 ISSN 1858-2664.
- Edhi Martono, 2006. SLPHT Sebagai Lembaga Pemberdayaan Petani. *Jurnal Ilmu-ilmu Pertanian*, volume 2 No. 1 ;pp 1-5.
- Edi Basuno, Rita Nur suhaeti, Gelar S Budhi, Muhammad Iqbal, 2007. Kaji Tindak (Action Research) Pemberdayaan Masyarakat Pertanian Daerah Tertinggal. Pusat Analisis Sosial Ekonomi dan Kebijakan Pertanian Departemen Pertanian. ISBN:978-979-3566-63-4.

- Emzir, 2010. Analisis Data: Metodologi Penelitian Kualitatif, Rajawali Press. Jakarta.
- EnHealth, 2002, Guidelines for assessing human health risks from environmental hazards. Diakses [www.health.gov.au/pubhlth/strateg/envhith/risk](http://www.health.gov.au/pubhlth/strateg/envhith/risk)
- EPA, 1998. Pesticide fact sheet. Office of Prevention, Pesticides Environmental Protection and Toxic Substances Agency (7501C).
- EPA, 2004. Edition of the drinking water standards and health advisories. EPA 822-R-04-005. Diakses pada tanggal 19 juli 2012 di <http://www.epa.gov/waterscience>. pp 1-12.
- EPA, 2007. Pesticide fact sheet, Fluopicole. Office of Prevention, Pesticides Environmental Protection and Toxic Substances Agency (7501C).
- EPA, 2007. Risk communication in action risk communication in action : The Tools of message mapping. Environmental Protection.
- EPA, 2008. Science and Decisions: Advancing Risk Assesment. Diakses <http://www.nap.edu/catalog/12209> html.
- EPA, 2009. Risk assesment guidance for superfund. Volume I. Human health evaluation manual (Part F. Supplemental Guidance for Inhalation Risk Assesment)
- Ergonen A.T., Salacin, S. & Ozdemir M.H., 2005. Pesticide use among greenhouse workers in Turkey. *Journal of Clinical Forensic Medicine*, pp.10-13.
- European Food Safety Authority (EFSA), 2009. Modification of the existing MRL for azoxystrobin in cardoon 1. EFSA Journal , 7(10), pp.1-23.
- European Food Safety Authority (EFSA), 2009. Peer review of the pesticide risk assessment of the active substance fluopicolide. EFSA Scientific Report (2009) 299, 1-158.
- European Food Safety Authority (EFSA), 2010. Conclusion on the peer review of the pesticide risk assessment of the active substance fenbuconazole. EFSA Journal 2010; 8(4):pp 1-64.
- Fang W., Xin J., Yong-rong B., Fenxia Y.A.O., Hang-jian G.A.O., Guifen Y.U., Munch J.C., Schroll R., 2007. Organochlorine pesticides in soils under different land usage in the Taihu Lake region , China. , 19, pp.584-590.
- Fareed M., Pathak M.K., Bihari V., Kamal R., Srivastava A.K., Kesavachandran C.N., 2013. Adverse Respiratory Health and Hematological Alterations among Agricultural Workers Occupationally Exposed to Organophosphate Pesticides : A Cross- Sectional Study in North India. *Plos One* 8(7), pp.1-11.
- Fen Jin, Jing Wang, Hua Shoa, Maojun Jin, 2010. Pesticide use and residue control in China, J.Pesticide Science Society of Japan, vol. 35, No. 2; 138-142.
- Fred N Kerlinger. 2002. Asas-Asas Penelitian Behavioral, Editor Koesoemanto. Gadjah Mada University Press.
- Fustinoni S., Campo L., Liesivuori J., Pennanen S., Vergieva T., Amelsvoort Van L.G.P.M., Bosetti C., Loveren H.V., Colosio C., 2008. Biological monitoring and questionnaire for assessing exposure to ethylenebisdithiocarbamates in a multicenter European field study. *Human & Experimental Toxicology*, 27, pp.681-691.
- Garratt J., Kennedy, Angela, 2006. Use of model to assess The reduction in contamination of water bodies by agricultural pesticides through the

- implementation of policy instruments: a case study of the voluntary initiative in UK, Pest Management Science, Volume 62 No. 12; pp 1138.
- Giray B., Çağlayan A., Erkekoglu P., Hincal F., 2010. Fenvalerate Exposure Alters Thyroid Hormone Status in Selenium- and / or Iodine-Deficient Rats. *Biological Trace Element Research*, 135, pp.233-241.
- Glanz Karen, Rimer Barbara K., Viswanath K., Editor, 2008. Health behavior and health education: theory, research, and practice Fourth edition. Published by Jossey-Bass. A Wiley Imprint 989 Market Street, San Francisco, CA 94103-1741. www.joseybass.com. ISBN 978-0-7879-9614-7. pp 42-50.
- Global IP News 2013. Guangdong Zhongxun Agricultural Technology Co Ltd Files Chinese Patent Application for Dimoxystrobin and Hexaconazole Sterilization Composition. New Delhi: Pedia content solution Pvt. Ltd.
- Goldner W.S., Sandler D. P., Yu Fang., Hoppin J. A., Kamel F., 2010. Pesticide use and Thyroid Disease among women in the Agricultural Health Study. American Journal of Epidemiology, Volume 171 No. 4; pp 455.
- Goldoni, A., Klauck, C.R., Da Silva, L.B., Da Silva, M, D., Ardhengi, P, G., Da Silva, L, B., 2014. DNA Damage in Wistar Rats Exposed to Dithiocarbamate Pesticide Mancozeb. *Folia Biologica*, 60, 202-204.
- Gustafsson, K., Blidberg, E., Elfgen, I.K., Hellstro, A., Kylin H., Gorokhova, E., 2010. Direct and indirect effects of the fungicide azoxystrobin in outdoor brackish water microcosms. Ecotoxicology, 19, pp.431-444. DOI 10.1007/s10646-009-0428-9
- Hasan Iqbal, 2002. Pokok-Pokok Materi, Metodologi Penelitian dan Aplikasinya. Ghalia Indonesia, Bogor.
- Henríquez, J.L.S, Sarmiento O.V., Alarcón P.C., 2011. Sensitivity of Venturia inaequalis Chilean Isolates to Difenoconazole, Fenarimol, Mancozeb and Pyrimethanil. *Journal of Agricultural Research*, 71(March), pp.39-44.
- Hiroki Yamamoto, 2003. Assessing the side effect of pesticide on microbial ecosystem in the soil environment. J Pestic. Scie Volume 28;pp 215-216.
- Hohenadel, K., Harris A. Shelley, McLaughlin R. John, Spinelli J. John, Pahwa P., Dosman A. James, Demers A. Paul, and Blair Aaron, 2011. Exposure to Multiple Pesticides and Risk of Non-Hodgkin Lymphoma in Men from Six Canadian Provinces. *International Journal of Environmental Research and Public Health*, (May), pp.2320-2330.
- Hudayya A. Dan Jayanti H., 2013. Pengelompokan Pestisida Berdasarkan Cara Kerja (Mode Of Action). Kementerian Pertanian, Monografi No. 33 ISBN 978-979-8304-59-0.
- Hwang J and Benson, 2005. Identification , Mefenoxam Sensitivity , and Compatibility Type of Phytophthora spp. Attacking Floriculture crops in North Caroline. Agriculture Journal Plant Disease, 89,2, 185-190.
- ILSI, 2004. A simple Guide to Understanding and Applying The Hazard Analysis critical Control Point Concept. The International Life Sciences Institute (ILSI) Europe Edisi ke-3, ISBN 1-57881-179-1.
- Irsal Las, K. Subagyono, dan Setiyanto, 2006. Isu dan pengelolaan lingkungan dalam revitalisasi pertanian. Jurnal Penelitian dan Pengembangan Pertanian, Volume 25, No.3;pp 173-193.

- Iskandar, 2009. Metodologi Penelitian Kualitatif. Aplikasi untuk Penelitian Pendidikan, Hukum, Ekonomi & Manajemen, Sosial, Humaniora, Politik, Agama dan Filsafat). Gaung Persada Press Jakarta.
- Jackson, D.; Cornell, C. B.; Luukinen, B.; Buhl, K.; Stone, D. 2009. Fipronil Technical Fact Sheet; National Pesticide Information Center (NPIC), Oregon State University Extension Services. <http://npic.orst.edu/factsheets/fiptech.pdf>.
- Jeong, H.R., Lim, S.J., Cho, J.Y., 2011. Monitoring and risk assessment of pesticides in fresh omija (*Schizandra chinensis* Baillon) fruit and juice. *Food and chemical toxicology: an international journal published for the British Industrial Biological Research Association*, (November), pp.1-5. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/22079148> [Accessed December 22, 2011].
- Jiang, J., Wan, N., 2009. A model for ecological assessment to pesticide pollution management. *Ecological Modelling*, 220(15), pp.1844-1851. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0304380009002919> [Accessed August 26, 2011].
- Jirachaiyabhas, V., Visuthismajarn, P., Robson, M.G., 2004. Exposure assessment of traditional and IPM farmers on using pesticides : A case study at Bang Rieng Sub District , Khuan Nieng District , Songkhla Province. *Environment & Hazardous Management*, vol.26, pp 161-170.
- Juan C.Sanchez-Hernandez, 2010. Environmental application of earthworm esterase in the agroecosystem. *Journal Pesticide Science Society of Japan*, volume 35 No.3;pp 290-301
- Juraske, R. and Sanjuán, N., 2011. Life cycle toxicity assessment of pesticides used in integrated and organic production of oranges in the Comunidad Valenciana, Spain. *Chemosphere*, 82(7), pp.956-62. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/21075421> [Accessed January 2, 2012].
- Jurisic, A., D. Petrovic, A.P. Rajkovic, D.V. Nicin, S.D., 2010. The application of lambda-cyhalothrin in tick control. *exp Appl Acarol*, 52, 101-109.
- Kardinan, A., 2000. Pestisida Ramuan Nabati dan Aplikasi, PT. Penebar Swadaya, Jakarta.
- Karpouzas, D.G. and Capri, E., 2006. Risk analysis of pesticides applied to rice paddies using. *Europe*, pp.29-38.
- Karthika, C., Sachin J.P., 2008. Gas chromatographic method for the determination of hexaconazole residues in black tea. *Journal of Zhejiang University science*.
- Karunatileke, H., Amarasinghe S., Dassanayake S., Saparamadu T., Weerasinghe S., 2012. Partial ptosis , dilated pupils and ataxia following abamectin poisoning. *Ceylon Medical Journal*, 57(3), pp.125-126.
- Karyadi, 2008. Dampak penggunaan pupuk dan pestisida yang berlebihan terhadap kandungan residu tanah pertanian bawang merah di Kecamatan Gemuh Kabupaten Kendal. *Agromedia*, volume 26 No.1;pp 10-19.
- Kasjono S Heru, Yasril, 2009. Teknik Sampling Untuk Penelitian Kesehatan. Penerbit Graha Ilmu Yogyakarta. Pp 22-27.

- Kawahara, J., Horikoshi, R. and Yamaguchi, T., 2005. Air pollution and young children's inhalation exposure to organophosphorus pesticide in an agricultural community in Japan. *Crop Science*, 31, pp.1123-1132.
- Kawahara, J., Yoshinaga, J. & Yanagisawa, Y., 2007. Dietary exposure to organophosphorus pesticides for young children in Tokyo and neighboring area. *Health (San Francisco)*, 378, pp.263-268.
- Kim J.-hyun, Kim Jaeyoung, Cha Eun Shill, Ko Yousun, Kim Doo Hwan, Lee Won Jin, 2013. Work-Related Risk Factors by Severity for Acute Pesticide Poisoning Among Male Farmers in South Korea. *International Journal of Environmental Research and Public Health*, Vol. 10, 1100-1112.
- King K.D., Russell E Glosgow, Bonnie Leeman Castillo, 2010. Reaiming RE-AIM: Using the Model To Plan, Implement and Evaluate the Effects of Environmental Change Approaches to Enhancing Population Health. *American Journal Of Public Health*, Volume 100 No. 11; pp 2076-2086.
- Kishore Gnana Sam, Hira H Andrade, Lisa, P., 2007; Effectiveness Of Educational program to Promote pesticide Safety Among Pesticide Handlers Of South India, *Int.Arch Occup Environ Health* 81;787-795; DOI 10.1007/s00420-007-0263-3
- Knoepp, J., Vose, J.M., Michael, J.L, Reynolds, C.B., 2012. Imidacloprid Movement in Soils and Impacts on Soil Microarthropods in Southern Appalachian Eastern Hemlock Stands. *Journal of Environmental Quality*, 41, 469-478.
- Köck-schulmeyer, M., Ginebreda, A., Genzalez, S., Cartina, J.L., de Alda, M.L., Barcelo,D., 2011. Chemosphere Analysis of the occurrence and risk assessment of polar pesticides in the Llobregat River Basin ( NE Spain ). *CHEMOSPHERE*. Available at: <http://dx.doi.org/10.1016/j.chemosphere.2011.08.034>.
- Koleva Nikolina G; Schneider Uwe A, 2009. The impact of climate change on the external cost of pesticide applications in US agriculture. *International Journal of Agricultural Sustainability*, volume 7 No. 3 ; pp 203-216.
- Laba I Wayan, 2010. Analisis Empiris Penggunaan Insektisida Menuju Pertanian Berkelanjutan. Naskah disarikan dari bahan Orasi Profesor Riset di Bogor, Pengembangan Inovasi Pertanian volume 3;pp 120-137.
- Lai, H.Y., Hseu Zeng Y., Chen T. C., Chen Bo Ching, Guo Horng Yuh, Chen Zueng Sang, 2010. Health risk-based assessment and management of heavy metals-contaminated soil sites in Taiwan. *International journal of environmental research and public health*, 7(10), pp.3595-614. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3950033/> [Accessed August 29, 2014].
- Leiss, W., 2004. Effective risk communication practice. *Toxicology letters*, 149(1-3), pp.399-404. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC15093287/> [Accessed July 31, 2011].
- Leprevost, C.E., Blanchard, M.R., Cope, W.G., 2011. The Pesticide Risk Beliefs Inventory: A Quantitative Instrument for the Assessment of Beliefs about Pesticide Risks. *International Journal of Environmental Research and Public Health*, pp.1923-1935.

- Lesmes-fabian, C. & Binder, C.R., 2013. Pesticide Flow Analysis to Assess Human Exposure in Greenhouse Flower Production in Colombia. *International Journal of Environmental Research and Public Health*, pp.1168-1185.
- Li G.-chen, Wong S.San, Tsai M. Chen, 2002. Safety Evaluation and Regulatory Control of Pesticide Residues in Taiwan. *Journal of Food and Drug Analysis*, 10(4), pp.269-277.
- Li P., and Akk G.,, 2008. The insecticide fipronil and its metabolite fipronil sulphone inhibit the rat a1b2c2L GABA A receptor. *British Journal of Pharmacology*, 155, pp.783-794.
- Liu, T., Irung, W.R, Dean, A.D, Harris, M.K., 2013. Impacts of spinosad and k- cyhalothrin on spider communitiesin cabbage fields in south Texas. *Springer*, 22, 528-537.
- Liu, Y., Zheng, Y. M, Zhneg, H.J., 2012. Toxicity of profenofos to the springtail, Folsomia candida, and ammonia-oxidizers in two agricultural soils. *springer*.
- Lovasi, G.S., Quinn, J.W., Rauh, V.A, Perera, F.P., Andrews, H.F.,, 2011. Chlorpyrifos Exposure and Urban Residential Environment Characteristics as Determinants of Early Childhood Neurodevelopment,American Journal of Public Health, volume 101 Nomor 1 pp: 63-70.
- Lund, T; MG Saethre; I Nyborg; O. Coulibaly, 2010. Farmer field school-IPM impacts on urban and peri-urban vegetable producers in Cotonou, Benin. *International Journal of Tropical Insect Science* ,Volume 30, No. 1, pp. 19–31doi:10.1017/S1742758410000020
- Machera, K., Goumenou M., Kapetanakis E., Kalamarakis A., Glass C.R., (2003) Determination of Potential Dermal and Inhalation Operator Exposure to Malathion in Greenhouses with the Whole Body Dosimetry Method. *Annals of Occupational Hygiene*, 47, 61-70. <http://dx.doi.org/10.1093/annhyg/mef097>
- Mancini F., Van Bruggen A.C., Janice, L.S.J., 2006. Evaluating Cotton Integrated Pest Management (IPM) Farmer Field School Outcomes Using The Sustainable Livelihoods Approach In India. *Expl. Agriculture*, volume 43, pp: 97-112
- Maryono Joko, 2005. Manfaat Sosial Ekonomi Proyek Pelatihan Pengendalian Hama Terpadu Bagi Petani dan Prospeknya di Masa Mendatang, *Jurnal Organisasi dan Managemen*, Volume 1, No. 1; pp:1-10.
- Mensink, B.W.J.G., 2008. Environmental risk limits for difenoconazole. National Institute for Public Health and The Environment RIVM Letter Report 601716005.
- Ministry of Agriculture, Food and Fisheries, 2004. Abamectin. Diakses pada tanggal 25 Novemver 2014 di <http://www.eddenet.pmra-arl.gc.ca/4.0/4.01.asp>
- Moleong, Lexy J. 2000 *Metodologi Kualitatif*. Cetakan XIV. PT Remaja Rosdakarya, Bandung.
- Mortimore Sara, Carol W., 2004. HACCP: Sekilas Pandang. Alih bahasa Apriningsih. EGC, Jakarta.
- MSDS Syngenta, Ridomil Gold Copper. Syngenta Crop Protection, LLC Post Office Box 18300 Greensboro, NC 27419.

- Munawir Khozanah, 2005. Pemantauan Kadar Pestisida Organoklorin di beberapa muara sungai di Perairan Teluk Jakarta, Oseanologi dan Limnologi di Indonesia, Volume 37; pp15-25.
- Munawir Khozanah, 2010. Pestisida organoklorin di perairan Teluk Klabat Pulau Bangka. Jurnal oseanologi dan Limnologi di Indonesia, Volume 36 No.1; 1-19.
- Nafees Mohammad, Muhammad Rasul Jan, Hisbullah Khan, 2008. Pesticide Use in Swat Valley, Pakistan (Exploring Remedial Measures to Mitigate Environmental and Socioeconomic Impact, Agriculture Journal, Volume 28 No.3; pp 201-205.
- Naravaneni R. & Jamil K., 2007. Determination of AChE levels and genotoxic effects in farmers occupationally exposed to pesticides. *Human & Experimental Toxicology*, 26 pp.723-731.
- Natawigana, H, 1993. Dasar-Dasar Perlindungan Tanaman Triganda Karya, Bandung.
- New York State Department of Environmental Conservation, 2010. Registration of the New Active Ingredient Fluopicolide (Chemical Code 027412) Contained in Presidio Fungicide (EPA Reg. No. 59639-140) and Stellar Fungicide (EPA Reg. No. 59639-143) Diakses <http://pmep.cce.cornell.edu/profiles/>.
- New York State Department of Environmental Conservation, 2012. Registration of a Major Change in Labeling for the Active Ingredient Chlorantraniliprole as Contained in DuPont Altriset Termiticide (EPA Reg. No. 352-829). Diakses pada tanggal 2 Februari 2015, New York. <http://pmep.cce.cornell.edu/profiles/>.
- Notoadmodjo Soekidjo, 2007. Promosi Kesehatan & Ilmu Perilaku. PT Rineka Cipta, Jakarta, halaman 133-150.
- Notoadmojo, Soekidjo, 2003. Ilmu Kesehatan Masyarakat : Prinsip-Prinsip Dasar. Rineka Cipta, Jakarta.
- Notoatmojo, Soekidjo, 2003. Pendidikan dan Perilaku Kesehatan Kerja. Rineka Cipta, Jakarta
- Novisan, 2002. Kiat mengatasi Permasalahan Praktis Petunjuk Pemakaian Pestisida, Argomedia Pustaka.
- Öberg, T., Bergbäck, B., 2005. Review Articles A Review of Probabilistic Risk Assessment of Contaminated Land. *Exposure*, 5(4), pp.213-224.
- OECD, 2002. Guidance Notes For Analysis And Evaluation of Chronic Toxicity and Carsinogenicity Studies. Environment, Health and Safety Publications Series On Testing and Assessment No.35 Paris.
- OHS and Injury Management, 2012. Chemical Management Guidelines.The University of Melbourne.
- Oka, Ida Nyoman, 1995. Pengendalian Hama Terpadu dan Implementasinya di Indonesia, Gadjah Mada University Press, Yogyakarta.
- Oluwole, Oluwafemi, Cheke, Robert a, 2009. Health and Enviromental impact of pesticide use practices: a case study of farmers in Ekiti state, Nigeria. International Journal of Agricultural Sustainability volume.7,No. 3; pp 153-163.

- Omenn S Gilbert, alan C Kessler, Norman T Anderson, Peter Y Chiu, jhon Doull, Virginia V., 1997. Framework for Environmental Health Risk Management The Presidential. Congressional Commission on Risk Assessment and Risk Management The Presidential,pp 1-70
- Palma, P., Kuster,M., Alvarenga, P., Palma, V.L., Fernandes, R.M., Soares, A., Lopez de A., Barcelo, D., Barbosa, I.R., 2009. Risk assessment of representative and priority pesticides, in surface water of the Alqueva reservoir (South of Portugal) using on-line solid phase extraction-liquid chromatography-tandem mass spectrometry. *Environment international*, 35(3), pp.545-51. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/19010545> [Accessed October 15, 2011].
- Pariseau, J., McKenna, P., AboElkhair, M., Saint-Louis, R., Pelletier, E., Davidson, J.F., Tremblay, R., Berthe, F.J., Siah, H. 2011. Effects of pesticide compounds (chlorothalonil and mancozeb) and benzo[a]pyrene mixture on aryl hydrocarbon receptor, p53 and ubiquitin gene expression levels in haemocytes of soft-shell clams (*Mya arenaria*). *Springer*.
- Peraturan Menteri Pertanian Nomor 24/Permentan/SR.140/4/2011 tentang Syarat dan Tatacara Pendaftaran Pestisida
- Peraturan Menteri Pertanian Nomor: 51/Permentan/OT.140/9/2010 Tentang Pedoman Umum Pemulihan Kesuburan Lahan
- Permentan, 2007. Peraturan Menteri Pertanian No.07/Permentan/SR.140/2007 tentang Syarat dan Tatacara Pendaftara Pestisida.
- Pinheiro F.A. & Adissi P.J., 2014. Pesticides Exposure : The Case of Workers on Growing Grapes in San Francisco Valley , Petrolina / Brazil. *Agricultural Sciences*, 5, pp.805-812.
- Pivonia, S.,Gerstl Z., Maduel A., Levita R., Cohen R., 2010. Management of Monosporascus sudden wilt of melon by soil application of fungicides. *European Journal of Plant Pathology*, 128, pp.201-209.
- Poerwandari, E Kristi. 1998. *Pendekatan Kualitatif Dalam Penelitian Psikologi*. Lembaga Pengembangan dan Sarana Pengukuran dan Pendidikan Psikologi. Fakultas Psikologi UI, Jakarta.
- Price, P.S., Han, X., 2011. Maximum cumulative ratio (MCR) as a tool for assessing the value of performing a cumulative risk assessment. *International journal of environmental research and public health*, 8(6), pp.2212-25. Available at: <http://www.ncbi.nlm.nih.gov/articlerender.fcgi>.
- Purnawati Susi, 2008. Pendekatan Ergonomi Total untuk Mengantisipasi Risiko Keracunan Pestisida Pada Petani-Petani Bali. *Jurnal Bumi Lestari*, volume 8 No.2; pp 154-161.
- Pusat Penelitian dan Pengembangan Hortikultura, Badan Penelitian dan Pengembangan Pertanian Kementerian Pertanian, 2014. Daftar dan Pengelompokan pestisida yang benar. Diakses pada tanggal 25 November 2014 di [http://balitsa.litbang.pertanian.go.id/.../5-buku\\_publikasi.html](http://balitsa.litbang.pertanian.go.id/.../5-buku_publikasi.html)?
- Qiao, K., Liu X., Wang H., Xia X., Ji X., Wang K., 2012. Effect of abamectin on root-knot nematodes and tomato yield. *Society*, (May 2011) 68, pp.853-857.
- Oliveira Pasiani J., Torres P., Silva Jucie R., Diniz B. Zago. Caldas E. Dutra, 2012. Knowledge, attitudes, practices and biomonitoring of farmers and residents

- exposed to pesticides in Brazil. *International journal of environmental research and public health*, 9(9), pp.3051-68. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3499853/> [Accessed August 29, 2014].
- Quijano, R., Sarojeni V.R., 1999. Pestisida Berbahaya Bagi Kesehatan. Yayasan Duta Awam,Pesticide Action Network Asia and the Pacific, ISBN: 983-9381-11-3. Series: 983-9381-09-1.
- Quinn Courtney, Mark E Burbach, 2008. Personal Characteristics Preceding Pro-environmental Behaviors That Improve surface Water Quality, Great Plains Research volume 18 No.1; pp 103-114.
- Rachman Sutanto, 2002. Gatra tanah pertanian akrab lingkungan dalam menyongsong pertanian masa depan. Jurnal Ilmu Tanah dan Lingkungan, Volume 3 No.1;pp 29-37
- Rai S, Kokana, Raymond L.Corrall, Rosalind B Miller 2005. Pesticide impact rating index-A pesticide risk indicator for water Quality. Water, Air, and soil pollution, Focus 5;pp 45-65.
- Ramli Soehatman, 2010. Pedoman Praktis Manajemen Risiko dalam Perspektif K3 OHS Risk Management, Dian Rakyat, Jakarta.
- Rasch L.W., Vought L.B.M., Woin P., 1999. Effects of fenvalerate on the net-spinning behaviour of Hydropsyche siltalai ( Döhler ) ( Trichoptera : Hydropsychidae ). Hydrobiologia 382, pp.53-61.
- Reichenberger S., Bach A., Skitschak A., Frede H. Georg, 2007. Mitigation strategies to reduce pesticide inputs into ground- and surface water and their effectiveness; a review. *The Science of the total environment*, 384(1-3), pp.1-35. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1758864/> [Accessed July 21, 2011]
- Research Center For Eco-Environmental Sciences, 2010. Hebei Water Conservation Project II, Environmental Impact Assessment Report. Chinese Academy of Sciences.
- Reus, J.A.W.A. and Leendertse, P.C., 2000. The environmental yardstick for pesticides : a practical indicator used in the Netherlands. *Crop Protection*, 19, pp.637-641.
- Reynaldi S., Duquesne S., Jung K., Liess M., 2006. Lingking Feeding Activity and Maturation of Daphnia Magna Following Short term. *Environmental Toxicology and Chemistry*, Vol.25(7), pp 1826-1830.
- Rich Deborah, 2006. Are pests the Problem or Pesticides. Biology Journal, Volume 28, No. 1 pp 6-7.
- Ropkins K and A.J.Beck, 2002. Application of Hazard Analysis Critical Control Points (HACCP) to Organic Chemical Contaminants in Food. ProQuest Agriculture Journals; 42(2):123-149.
- Ropkins Karl, Andrew F., Beck, A.J., 2003. Development of Hazard Analysis by Critical Control Points ( HACCP ) Procedures to Control Organic Chemical Hazard in The Agricultural Production of Raw Food Commodities. ProQuest Agriculture Journals; 43(3):287-316.

- Salameh Pascale R, Isabelle Baldi, Patrick Brochard, and Bernadette Abi Saleh, 2004. Pesticide in libanon: a knowledge, attitude, and Practice study, Environmental Research 94,1-6, available online at [www.sciencedirect.com](http://www.sciencedirect.com).
- Saldana, T.M., Basso, O., Hoppin, J.A., Baird, Donna D., 2007. Pesticide Exposure and Self-Reported Gestational Diabetes Mellitus in the Agricultural Health Study. Medical Sciences—Endocrinology, volume 30, No.3 pp 529-534.
- Sam, K.G., Andrade, H.H., Pradhan, L., Pradan, A., Sones, S.J., Rao, P.G.M., Sudhakar, C. (2008). Effectiveness of educational program to Promote pesticide safety among pesticide handlers of South India, *International Archives of Occupational and Environmental Health* 81(6), 787-795
- Santoso Slamet, 2009. Statistika Induktif, Plus Aplikasi Analisis Regresi dengan Program SPSS). Ardana Media Yogyakarta. Pp 45-49.
- Selmanoglu, G., Barlas, N. Songur, S., Kocskaya, e.A., 2001. Carbendazim Induced Haematological Biochemical and Histopathological Changes to The Liver and Kidney of Male Rats. Human & Experimental Toxicology, 20, pp.625-630.
- Sharma, D., and Awashti, M.D., 1997. Adsorption and movement of metalaxyl in soils under unsaturated flow conditions. *Kluwer Academic Publishers*, 195, 293-298.
- Singh, A., Yadav, S., Srivastava, V., Kumar, R., Singh D., Sethumadhavan R., Parmar D., 2013. Imprinting of Cerebral and Hepatic Cytochrome P450s in Rat Offsprings Exposed Prenatally to Low Doses of Cypermethrin. *Molecular Neurobiology*, 48, pp.128-140.
- Sinulingga, 2006. Telaah residu organoklor pada wortel Daucus CarotaL Dikawasan sentra Kab.Karo SUMUT. Jurnal Sistem Teknik Industri, volume 7, No.1;pp 92-97.
- Sirivarasai, J., Kaojarern Sming, Yoovathaworn Krongtong, Sura Thanyaachai, 2009. Cholisterase activity, pesticide exposure and health impact in population exposed to organophosphates. Int Arch Occup environ Health volume 82;pp 833-842; 10.1007/s00420-009-0422-9.
- SNI 01-4852, 1998. Sistem Analisis Bahaya dan Pengendalian Titik Kritis serta Pedoman Penerapannya.
- SNI 19-0232, 2005. Nilai Ambang Batas ( NAB ) zat kimia di udara tempat kerja.
- Soepeno Bambang, 2002. Statistik Terapan Dalam Penelitian Ilmu-ilmu Sosial dan Pendidikan. PT. Rineka Cipta Jakarta. Pp 36-43
- Soleh Achmad Zanbar, 2005 Ilmu Statistika Pendekatan Teoritis dan Aplikatif disertai contoh Penggunaan SPSS, Rekayasa Sains Bandung.
- Subdit Pengamanan Pestisida, 1992. Pengenalan dan Pelaksanaan Keracunan Pestisida (terjemahan) DepKes RI Direktorat Jendral PPM dan PLP, Jakarta.
- Subir K. Nag, Mukesh K Raiwar, 2008. Organochlorine Pesticide Recidues in Bovine Milk. Bull Environ Contam Toxicol; 8: 5-9. DOI 10.1007/s00128-007-9276-6
- Sudarma, M., 2008. Sosiologi untuk Kesehatan. Penerbit Salemba Medika.
- Sudarmo, S., 1991. Pestisida, Kanisius, Yogyakarta.
- Sugiyono, 2009. Memahami Penelitian Kualitatif. Penerbit Alfabeta, Bandung.

- Sullivan, J.J., Kean S Goh, 2008. Environmental fate and properties of pyriproxyfen. *J.Pestic.Sci*, Volume 33 No.4 339-350. DOI 10.1584/jpestics.R08-02.
- Sungkawa Hendra Budi, Hubungan Riwayat Paparan Pestisida dengan Kejadian Goiter Pada Petani Hortikultura di Kecamatan Ngablak Kabupaten Magelang, Universitas Diponegoro Semarang, 2008.
- Sutikno, S., 1992. Dasar-Dasar Pestisida dan Dampak Penggunaannya, Gramedia Pustaka Utama, Jakarta.
- Szczepaniec, A., and Raup, M.J., 2013. Direct and indirect effects of imidacloprid on fecundity and abundance of *Eurytetranychus buxi* (Acari: Tetranychidae) on boxwoods. *Springer*.
- Tariq, M.Ilyas, Afzal S., Hussain I., Sultana N., 2007. Pesticides exposure in Pakistan: a review. *Environment international*, 33(8), pp.1107-22. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/17765971> [Accessed January 2, 2012].
- Taylor R. J, Salas B., Gudmestad Neil C., 2004. Differences in Etiology Affect Mefenoxam Efficacy and the Control of Pink Rot and Late Tuber Diseases of Potato, *Agriculture Journal Plant Disease*, 88,3, 301-307.
- Tchounwou P.B., Ashour B.A., Young Curtina M., Ragheb Didair A., Romeh Ahmed A., Goma El-Adarosy, Sheikh Sayed El., Lidell Frances P., Ibitayo O., Assad J. Claude, 2002. Health Risk Assessment of Pesticide Usage in Menia El-Kamh Province of Sharkia Governorate in Egypt. *Environmental Toxicology*, pp.1082-1094.
- The Integrated Risk Information System (IRIS), 1993. Water Quality Standards Handbook. Second Edition.
- Thi, D. & Quyen, M., 2012. Relationship between Solubility , Moisture Sorption Isotherms and Morphology of Chitosan / methylcellulose Films with Different Carbendazim Content. *Science*, 4(6), pp.187-197
- Undang-Undang Republik Indonesia No. 32 Tahun 2009. Perlindungan dan Pengelolaan Lingkungan Hidup.
- USEPA. 2013. Chemicals and physical determinants. In: Management, G. F. D. W. (ed.) *Part 2.3*. New Zealand.
- Van Hoi P, Arthur P.J., Mol, P.O., Van den Brink,P.J., 2009. Pesticide distribution and use in vegetable production in the Red River Delta of Vietnam. *Renewable Agriculture and Food Systems*, Volume 24, No. 3 pp; 174–185.
- Vermeire, T., Macphail, R., Waters, M., 2003. Integrated Human and Ecological Risk Assessment: A Case Study of Organophosphorous Pesticides in the Environment. *Assessment*, 9(1), pp.343-357.
- Waliszewski, S.M., Melo, s.G., Villalobos, P.R., Gomez, A.Z, Amador, M.O., Herrero, M.M., Carvajal, O., 2009. Breast Milk Excretion Kinetic of *b*-HCH, ppDDE and ppDDT, *Bull Environ Contam Toxicol* volume 83;pp 869–873 DOI 10.1007/s00128-009-9796-3
- Wang S.-min, Wu T. Neng, Juang Y. Jer, Dai Yu Tung, Tsai Jy Perng, Chen C.Ying, 2013. Developing a Semi-Quantitative Occupational Risk Prediction Model for Chemical Exposures and Its Application to a National Chemical

- Exposure Databank. *International Journal of Environmental Research and Public Health*, pp.3157-3171.
- Wang Z.H., Ping Nie X., Jie Yue W., Yue, Z., 2011. Toxicological effects of cypermethrin to marine phytoplankton in a co-culture system under laboratory conditions. *Ecotoxicology*, 20, pp. 1258-1267.
- Weis B, Amler S., Amler R.W., 2004. Pesticides. Pediatrics volume 113:pp1030-1036.
- WHO, 1985. Safe use of pesticides. *World Health Organization Technical Report Series*, 720(9), pp.1-60.
- WHO, 2001. Preventing Health Risks from The Use of Pesticides in Agriculture, International Centre for Pesticide Safety.
- WHO, 2004. International Programme on Chemical Safety, Guidelines on The Prevention Of Toxic Exposures Education and Public Awareness Activities, ISBN 92 4 154611 5. Diakses pada tanggal 22 Juni 2011 [http://www.who.int/ipcs/features/prevention\\_guidelines.pdf](http://www.who.int/ipcs/features/prevention_guidelines.pdf)
- WHO, 2006 . Sound Management of Pestisicides And Diagnosis And Treatment Of Pesticide Poisoning, Diakses pada tanggal 22 Juni 2011 pada [http://www.who.int/whopes/recommendations/IPCSpesticide\\_ok.pdf](http://www.who.int/whopes/recommendations/IPCSpesticide_ok.pdf)
- WHO, 2011. Guidelines on public health pesticide management policy for the WHO African Region Pesticide Management Policy.
- Wudiyanto, Rini, 1997. Petunjuk Penggunaan Pestisida, PT. Penebar Swadaya, Jakarta.
- Yoon Joon Ki, Cao Xinde, Ma Lena Q., 2007. Application Methods Affect Phosphorus-Induced Lead Immobilization from a Contaminated Soil. *Journal of Environmental Quality* 36, pp 373-378.
- Youn K, shin, Steven P, Mlynarek, Edwin van Wijngaardens, 2009. Parental Exposure to Pesticides and Childhood Brain Cancer: U.S. Atlantic Coast Childhood Brain Cancer Study , Environmental Health perspectives.
- Zhou P., Zhao Y., Li J., Wu G., Zhang L., Liu Q., Fan S., yang X., Li X., and Wu Yongning, 2012. Dietary exposure to persistent organochlorine pesticides in 2007 Chinese total diet study. *Environment International*, 42, pp.152-159. Available at: <http://dx.doi.org/10.1016/j.envint.2011.05.018>.