

**LEMBAR**  
**HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW**  
**KARYA ILMIAH : JURNAL ILMIAH**

Judul Jurnal Ilmiah (Artikel) : The Effect of Choline Chloride Supplementation on the Reproductive Performance of Simmental Bulls Fed Protected Protein in the Ration

Jumlah Penulis : 9 orang

Status Pengusul : penulis utama

Identitas Jurnal Ilmiah :

- a. Nama Jurnal : Buletin Peternakan (*Bulletin of Animal Science*)
- b. Nomor ISSN : 0126-4400 (print) ISSN 2407-876X (online)
- c. Volume, nomor, bulan tahun: Vol 44, No 2 (2020)
- d. Penerbit : Universitas Gadjah Mada Yogyakarta
- e. DOI artikel (jika ada) : <https://doi.org/10.21059/buletinpeternak.v44i2.55338>
- f. Alamat web jurnal : <https://jurnal.ugm.ac.id/buletinpeternakan/article/view/55338>
- g. Terindeks di DOAJ, GOOGLE SCHOLAR, SINTA 2

Kategori Publikasi Jurnal Ilmiah (beri ✓ pada kategori yang tepat) :

- Jurnal Ilmiah Internasional
- Jurnal Ilmiah Nasional Terakreditasi
- Jurnal Ilmiah Nasional Tidak Terakreditasi

Hasil Penilaian Peer Review :

Komponen Yang Dinilai	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir Yang Diperoleh
	Internasional <input type="checkbox"/>	Nasional Terakreditasi <input checked="" type="checkbox"/>	Nasional Tidak Terakreditasi <input type="checkbox"/>	
a. Kelengkapan unsur isi jurnal (10%)		2,5		$0,6 \times 2,5 = 1,5$
b. Ruang lingkup dan kedalaman pembahasan (30%)		7,5		$0,6 \times 6 = 3,6$
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)		7,5		$0,6 \times 6,5 = 3,9$
d. Kelengkapan unsur dan kualitas terbitan/jurnal (30%)		7,5		$0,6 \times 7 = 4,2$
<b>Total = (100%)</b>		25		
<b>Nilai Pengusul = 13,2</b>				


**Catatan Penilaian artikel oleh Reviewer :**

Buletin Peternakan terakreditasi Ditjen Dikti, copy manuskrip dapat dilacak pada web jurnal, namun tidak terlacak pada dx.doi.org

Manuskrip membahas penelitian tentang efek suplementasi klorin klorida (CC) terhadap mutu sperma sapi pejantan. CC dikenal tidak secara langsung memengaruhi mutu sperma sapi jantan, sehingga gap analyse dan novelty penelitian kurang menyakinkan. Sebagai jurnal nasional terakreditasi, Buletin Peternakan memiliki kelengkapan unsur dan kualitas publikasi yang memadai.

Semarang, Mei 2020

Reviewer 1



Prof.Dr.Ir. Joelal Achmadi, M.Sc.

NIP 19590813 198603 1 002

Jabatan : Guru Besar

Unit kerja : Fak. Peternakan dan Pertanian

**LEMBAR**  
**HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW**  
**KARYA ILMIAH : JURNAL ILMIAH**

Judul Jurnal Ilmiah (Artikel) : The Effect of Choline Chloride Supplementation on the Reproductive Performance of Simmental Bulls Fed Protected Protein in the Ration

Jumlah Penulis : 9 orang

Status Pengusul : penulis utama

Identitas Jurnal Ilmiah : a. Nama Jurnal : Buletin Peternakan (*Bulletin of Animal Science*)  
 b. Nomor ISSN : 0126-4400 (print) ISSN 2407-876X (online)  
 c. Volume, nomor, bulan tahun: Vol 44, No 2 (2020)  
 d. Penerbit : Universitas Gadjah Mada Yogyakarta  
 e. DOI artikel (jika ada) : <https://doi.org/10.21059/buletinpeternakan.v44i2.55338>  
 f. Alamat web jurnal : <https://jurnal.ugm.ac.id/buletinpeternakan/article/view/55338>  
 g. Terindeks di DOAJ, GOOGLE SCHOLAR, SINTA 2

Kategori Publikasi Jurnal Ilmiah :  Jurnal Ilmiah Internasional  
 (beri ✓ pada kategori yang tepat)  Jurnal Ilmiah Nasional Terakreditasi  
 Jurnal Ilmiah Nasional Tidak Terakreditasi

Hasil Penilaian Peer Review :

Komponen Yang Dinilai	Nilai Maksimal Jurnal Ilmiah			Nilai Akhir Yang Diperoleh
	Internasional <input type="checkbox"/>	Nasional Terakreditasi <input checked="" type="checkbox"/>	Nasional Tidak Terakreditasi <input type="checkbox"/>	
a. Kelengkapan unsur isi jurnal (10%)		2,5		2
b. Ruang lingkup dan kedalaman pembahasan (30%)		7,5		7
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)		7,5		7,5
d. Kelengkapan unsur dan kualitas terbitan/jurnal (30%)		7,5		7,5
<b>Total = (100%)</b>		25		24
<b>Nilai Pengusul = 60 % x 24 = 14,4</b>				

**Catatan Penilaian artikel oleh Reviewer :**

- Terkait dengan adanya tampilan isi jurnal yang jelas dan baik, dari Abstrak sampai dengan Referensi yang terkait
- Keadaan yang dibahas pada parameter terlihat cukup baik dari journal pada umumnya
- Kemutakhiran yang ada, cukup bisa disimpulkan dengan jelas dan telah didukung adanya refererensi-referensi yang terkait adanya bahan terakhir sebanyak 24 Artikel dari 29 artikel yang dikumpulkan
- Tampak baik dan mudah dibahas terutama di DOAJ, Google Scholar, Sinta 2, juga yang bersangkutan sebagai Coresponden Author

Semarang, Mei 2020  
 Reviewer 2

Prof. Dr. Ir. Vitus Dwi Y. B. I., M. S., M. Sc.  
 NIP 19590615 198503 1004  
 Jabatan : Guru Besar  
 Unit kerja : Fak. Peternakan dan Pertanian



**KEMENTERIAN RISET, TEKNOLOGI, DAN PENDIDIKAN TINGGI**  
DIREKTORAT JENDERAL PENGUATAN RISET DAN PENGEMBANGAN  
DIREKTORAT PENGELOLAAN KEKAYAAN INTELEKTUAL

# Sertifikat

Kutipan dari Keputusan Direktur Jenderal Penguatan Riset dan Pengembangan Kementerian Riset, Teknologi, dan Pendidikan Tinggi Republik Indonesia  
Nomor: 36a/E/KPT/2016, Tanggal 23 Mei 2016  
Tentang Hasil Akreditasi Terbitan Berkala Ilmiah Cetak  
Periode I Tahun 2016

Nama Terbitan Berkala Ilmiah  
**Buletin Peternakan**  
ISSN: 0126-4400

Penerbit: Fakultas Peternakan Universitas Gadjah Mada bekerjasama  
dengan ISSTAP


Ditetapkan sebagai Terbitan Berkala Ilmiah

## TERAKREDITASI

Akreditasi sebagaimana tersebut di atas berlaku selama  
5 (lima) tahun sejak ditetapkan.

Jakarta, 30 Mei 2016

Direktur Pengelolaan Kekayaan Intelektual,  
Direktorat Jenderal Penguatan Riset dan Pengembangan



*[Signature]*  
Dr. Sadjuga, M.Sc

NIP. 195901171986111001

## Journal Profile

# Buletin Peternakan

eISSN : 2407-876X | pISSN :

[Health](#) [Education](#)

[Universitas Gadjah Mada](#)



S2

Sinta Score



Indexed by GARUDA

20

H-Index

18

H5-Index

2265

Citations

1785

5 Year Citations



# Buletin Peternakan

## (Bulletin of Animal Science)



pISSN : 0126-4400 | eISSN : 2407-876X

Home About Login Register Search Current Archives Announcements Statistics Indexing & Abstracting Journal History Contact

Home > Vol 44, No 2 (2020) > Prasetyono

## The Effect of Choline Chloride Supplementation on the Reproductive Performance of Simmental Bulls Fed Protected Protein in the Ration

<https://doi.org/10.21059/buletinpeternak.v44i2.55338>

Bambang Waluyo Hadi Eko Prasetyono<sup>(1\*)</sup>, Yon Soepri Ondho<sup>(2)</sup>, Agung Subrata<sup>(3)</sup>, Pramesti Kusuma Pratiwi<sup>(4)</sup>, Mutiara Briliana Zahra<sup>(5)</sup>, Trisna Itmamulwafa<sup>(6)</sup>, Tertyani Kartika Pratiwi<sup>(7)</sup>, Muslichatun Nisa<sup>(8)</sup>, Widiyanto Widiyanto<sup>(9)</sup>

- (1) Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia  
 (2) Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia  
 (3) Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia  
 (4) Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia  
 (5) Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia  
 (6) Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia  
 (7) Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia  
 (8) Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia  
 (9) Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia  
 (\*) Corresponding Author

### Abstract

SOYXYL supplementation as a source of high-quality protected protein in rumen (Rumen Protected Protein) has proven to improve reproduction performance of bulls. The SOYXYL is an extrusion product of soybean (*Glycine max*) as a source of rumen protected protein. The potential of the protein supplementation is maximally expressed when it is supported by sufficient of metabolic rate. In this case the choline chloride supplementation increases the metabolic rate. The aim of the research was to analyze the effect of choline chloride supplementation on reproduction performance and hematologic status related to reproduction performance of bulls fed protected protein in the ration. The materials used were 12 bulls aged 5 years having weight of  $700 \pm 2.75$  kg that were divided into 4 treatment groups, each of which consisted of 3 heads. The treatments applied were T0 (control): ration (grass + commercial concentrate) + protected protein supplement "SOYXYL"; T1: control + choline chloride 0.145% dry matter (DM) concentrate/head/day; T2: control + choline chloride 0.290% DM concentrate/head/day; T3: control + choline chloride 0.435% DM concentrate/head/day. Variables measured were nutrient consumption, blood lipid status, blood protein status, and reproduction performance. Data were analyzed using ANOVA in a completely randomized design and statistically processed using SAS program. The result showed that choline chloride supplementation by 0.435% from DM concentrate increased ( $p < 0.05$ ) the concentration of blood plasma protein, blood testosterone hormone, sperm concentration, and sperm motility from 6.44 g/dL, 4.66 ng/mL, 1006.74 million/mL, and 36.00%, respectively, in T0 to be 8.57 g/dL, 9.07 ng/ml, 1270.41 million/mL, and 70.00% in T3, respectively. The choline chloride supplementation up to 0.435% from DM concentrate to bulls supplemented with protected protein containing in the ration increased reproduction performance.

### Keywords

Bulls; Choline chloride; Protected protein; Sperm concentration; Testosterone

### Full Text:

### References

Airaodion, A. I., U. Ogbuagu, E. O. Ogbuagu, A. P. Oloruntoba, A. P. Agunbiade, E. O. Airaodion, I. P. Mokelu, and S. C. Ekeh. 2019. Mechanisms for controlling the synthesis of Lipids – Review. Int. J. Res. 6: 123-135.

Birzniece, V., U. J. Meinhardt, M. A. Uempleby, D. J. Handelsman, and K. K. Y. Ho. 2011. Interaction between testosterone and growth hormone on whole-body protein anabolism occurs in the liver. J. Clin. Endocrinol. Metab. 96: 1060–1067. <https://doi.org/10.1210/jc.2010-2521>.

Focus & Scope

Author Guidelines

Author Fees

How to Online Submission

Publication Ethics

Open Access Policy

Screening For Plagiarism

Editorial Board

Copyright Notice

Peer Reviewers

Visitor Statistics

CITATION ANALYSIS

► SCOPUS

► Google Scholar

TEMPLATE



Article template

REFERENCE MANAGEMENT TOOLS



USER

Username

Password

Remember me

Login

NOTIFICATIONS

► View

Budoff, M. 2016. Triglycerides and triglyceride-rich lipoprotein in causal pathway of cardiovascular disease. *Am. J. Cardiol.* 118: 138-145. <https://doi.org/10.1016/j.amjcard.2016.04.004>

Casares, D., P. V. Escribá, and C. A. Rosselló. 2019. Membrane lipid composition: Effect on membrane and organelle structure, function and compartmentalization and therapeutic avenues. *Int. J. Mol. Sci.* 20(9): 2167-2175. <https://doi.org/10.3390/ijms20092167>

Chandler, T. L. and H. M. White. 2017. Choline and methionine differentially alter methyl carbon metabolism in bovine neonatal hepatocytes. *PLoS One* 12: e0171080. <https://dx.doi.org/10.1371/journal.pone.0171080>

Chaudhari, K. I., D. C. Prajapati, P. M. Lunagariya, K. K. Sorathiya, S. N. Patel, R. P. Patel, and A. L. Nayak. 2017. An importance of choline chloride for poultry and cattle: An overview. *Int. J. Sci. Environ. Technol.* 6: 2804-2810.

<http://www.ijset.net/journal/1895.pdf>

Cheach, J. and W. Yang. 2011. Functions of essential nutrition for high quality spermatogenesis. *Advances in Bioscience and Biotechnology.* 2: 182-197.

Doi:10.4236/abb. <http://www.SciRP.org/journal/ab/>

Constable, P., F. M. Trefz, and H. Stampfle. 2019. Effects on pH and the plasma or serum concentrations, l-lactate, and albumin on the plasma ionized calcium concentration in calves. *J. Vet. Int. Med.* 33: 1822-1832.

<https://doi.org/10.1111/jvim.15509>

Gallier, S. and H. Singh. 2012. The physical and chemical structure of lipids in relation to digestion and absorption. *Lipid Technology.* 24: 271-273.

<https://doi.org/10.1002/lite.201200240>

Gorissen, S. H. M., J. J. R. Crombag, J. M. G. Senden, W. A. H. Waterval, J. Bierau, L. B. Verdijk, and L. J. C. V. Loon. 2018. Protein content and amino acid composition of commercially available plant-based protein isolates. *Amino Acids* 50: 1685-1695. <https://doi.org/10.1007/s00726-018-2640-5>

Grummer, R. 2016. Choline: A limiting nutrient for transition dairy cows. Department of Dairy Science University of Wisconsin, Madison. <file:///D:/PUBLIKASI%20BIB%20APRIL%20%202020/GRUMMER%202016.%20SOUTHWEST-NUTRITION-AND-MANAGEMENT-CONFERENCE-2016.pdf>

Hajilou, M., M. Dehghan-Banadaky, A. Zali, and K. Rezayazdi. 2014. The effects of dietary L-carnitine and rumen-protected choline on growth performance, carcass characteristics and blood and rumen metabolites of Holstein Young bulls. *J. Appl. Anim. Res.* 42: 89-96. <http://dx.doi.org/10.1080/09712119.2013.822807>

Harvey, R. A. and D. R. Ferrier. 2011. *Illustrated Reviews: Biochemistry.* 5<sup>th</sup>edn. Lipponcott Williams & Wilkins, Philadelphia. p. 520.

Kim, N., H. Nakamura, H. Masaki, K. Kumasawa, K. Hirano, and T. Kimura. 2017. Effect of lipid metabolism on male fertility. *Biochemical and Biophysical Research Communications.* 485: 686-692. <https://doi.org/10.1016/j.bbrc.2017.02.103>

Lagace, T. A. 2016. Phosphatidylcholine: Greasing the Cholesterol Transport Machinery. *Lipid Insights* 8: 65-73. <https://doi.org/10.4137%2FLPI.S31746>

Lauro, F. V., D. C. Francisco, G. C. Elodia, R. N. Marcela, P. G. Eduardo, L. R. Maria, and C. L. Abelardo. 2016. Design and synthesis three steroid-tetraone derivatives using testosterone as chemical tool. *Letters in Organic Chemistry.* 13: 591-603. DOI : [10.2174/1570178613666160824143943](https://doi.org/10.2174/1570178613666160824143943)

Niculescu, N. D. and S. H. Zeisel. 2002. Diet, methyl donor and DNA methylation: Interactions between dietary folate, methionine and choline. *J. Nutr.* 132: 2333-2335. <https://doi.org/10.1093/jn/132.8.2333S>

Quimet, M., T. J. Barret, and E. A. Fisher. 2019. HDL and reverse cholesterol transport, basic mechanisms and their roles in vascular health and disease. *Circulation Research.* 124: 1505-1518. <https://doi.org/10.1161/CIRCRESAHA.119.312617>

Prasetyono, B. W. H. E., Suryahadi, T. Toharmat, and R. Syarif. 2007. Strategi suplementasi protein ransum sapi potong berbasis jerami dan dedak padi. *Media Peternakan* 30: 207-217.

Prasetyono, B. W. H. E., Widiyanto, Y. S. Ondho, A. Subrata, and H. S. Widodo. 2020. Effect of SOYXYL as a Dietary Protected Protein Supplement on the Reproductive Performance of Simmental Bulls. *Animal Production.* 22: 1-8.

Radostits, O. M., C. C. Gay, K. W. Hinchcliff, and P. D. Constable. 2007. *Veterinary medicine: A textbook of the disease of cattle, sheep, goats, pigs and horses.* 10<sup>th</sup> edn. Elsevier Health Sciences, Philadelphia, PA, USA.

Rato, L., M. G. Alves, S. Socorro, A. I. Duarte, J. E. Cavaco, and P. F. Oliveira. 2012. Metabolic regulation is important for spermatogenesis. *Nat. Rev. Urol.* 9: 330-338. <https://doi.org/10.1038/nrurol.2012.77>

Sachidhanandam, M., S. N. Singh, A. K. Salhan, and U. S. Ray. 2010. Evaluation of plasma hormone concentrations using enzyme-immunoassay/enzyme-linked immunosorbent assay in healthy Indian men: effect of ethnicity. *Indian J. Clin. Biochem.* 25: 153-157.

SAS. 2009. *SAS User's Guide.* SAS Institute Inc, SAS Campus Drive, Cary, NC 27513.

Steel, R. G. D., J. H. Torrie, and D. A. Dickey. 1996. *Principles and Procedures of Statistics: A Biometrical Approach.* McGraw-Hill College.

Vijayalakshmy, K., M. Virmani, D. Kumar, P. Kumar, and H. Rahman. 2018. Different Methods of Assessing Semen Quality. *Indian Farmer* 5: 1383-1387.

Wang, Y., F. Chen, L. Ye, B. Zirkan, and H. Chen. 2017. Steroidogenesis in Leydig cells: effects of aging and environmental factors. *Reproduction.* 154: R111-R122. <https://doi.org/10.1530/REP-17-0064>

<https://jurnal.ugm.ac.id/buletinpeternakan/article/view/55338>

► [Subscribe](#)

JOURNAL CONTENT

Search

Search Scope

Search

Browse

► [By Issue](#)

► [By Author](#)

► [By Title](#)

► [Other Journals](#)

ABOUT THE AUTHORS

*Bambang Waluyo Hadi Eko Prasetyono*

✉ \* *Corresponding Author*

<https://orcid.org/0000-0001-6327-3944>

Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia Indonesia

Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University

*Yon Soepri Ondho*

Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia Indonesia

*Agung Subrata*

<https://scholar.google.co.id/cit?hl=id&user=OplpATsAAAAJ>

Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia Indonesia

*Pramessti Kusuma Pratiwi*

Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia Indonesia

*Mutiara Brilliana Zahra*

Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia Indonesia



*Trisna Itmamulwafa*

Department of Animal Science, Faculty of Animal and Agricultural Sciences,

Watson, H. 2015. Biological membranes. Essays Biochem. 59: 43-69: <https://doi.org/10.1042/bse0590043>.

DOI: <https://doi.org/10.21059/buletinpeternakan.v44i2.55338>

## Article Metrics

 Abstract views : 106 |  views : 42

## Refbacks

- There are currently no refbacks.

 SHARE    



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-sa/4.0/).

Buletin Peternakan (Bulletin of Animal Science) Indexed by:



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-sa/4.0/).

Diponegoro University,  
Semarang, 50275, Indonesia  
Indonesia










*Tertyani Kartika Pratiwi*  
Department of Animal  
Science, Faculty of Animal  
and Agricultural Sciences,  
Diponegoro University,  
Semarang, 50275, Indonesia  
Indonesia

*Muslichatun Nisa*  
Department of Animal  
Science, Faculty of Animal  
and Agricultural Sciences,  
Diponegoro University,  
Semarang, 50275, Indonesia  
Indonesia

*Widiyanto Widiyanto*  
[https://scholar.google.com/cit:  
user=1TORLxoAAAJ&hl=en](https://scholar.google.com/cit:user=1TORLxoAAAJ&hl=en)

Department of Animal  
Science, Faculty of Animal  
and Agricultural Sciences,  
Diponegoro University,  
Semarang, 50275, Indonesia  
Indonesia

### ARTICLE TOOLS

-  Print this article
-  Indexing metadata
-  How to cite item
-  Finding References
-  Review policy
-  Email this article (Login required)
-  Email the author (Login required)
-  Save to Mendeley
-  Save to Zotero

ISSN 0126-6400

Volume 35 (2)

June 2011

**BULETIN PETERNAKAN**  
*Bulletin of Animal Science*

*Penerbit:*

Fakultas Peternakan Universitas Gadjah Mada

[Website](#) | [Editor URL](#)







# Buletin Peternakan

## (Bulletin of Animal Science)



pISSN : 0126-4400 | eISSN : 2407-876X

[Home](#) [About](#) [Login](#) [Register](#) [Search](#) [Current](#) [Archives](#) [Announcements](#) [Statistics](#) [Indexing & Abstracting](#) [Journal History](#) [Contact](#)

[Home](#) > [About the Journal](#) > **Editorial Policies**

## Editorial Policies

- [Focus and Scope](#)
- [Section Policies](#)
- [Peer Review Process](#)
- [Publication Frequency](#)
- [Open Access Policy](#)
- [Archiving](#)
- [Editorial Team](#)
- [Instruction for Author\(s\)](#)
- [Author Fees](#)
- [Peer Review Process](#)
- [Screening For Plagiarsm](#)
- [Digital Archiving](#)

## Focus and Scope

### Aims

Buletin Peternakan aims to publish original research results and reviews on farm tropical animals related to bioscience, biotechnology, bio resources such as chicken, duck, japanese quail, cattle, buffaloes, sheep, goats, pigs, horses, as well as nondomesticated Indonesian endemic animals, such as silkworm, bee, deers, anoa, babirusa, etc.

### Scope

Buletin Peternakan encompasses a broad range of research topics in animal sciences: breeding and genetics, animal embryology, reproduction and physiology, Animal production system, nutrition, nutrigenomics, feed sciences, pasture, agrostology, animal food science, animal products, animal waste, biotechnology, animal behavior and welfare, health, livestock farming system, socio-economic, and policy.

## Section Policies

### Articles

Open Submissions     Indexed     Peer Reviewed

## Peer Review Process

Every article that goes to the editorial staff will be selected through **Initial Review** processes by Editorial Board. Then, the articles will be sent to the Mitra Bebestari/ peer reviewer and will go to the next selection by **Double Blind Peer Review Process**. After that, the articles will be returned to the authors to revise. These processes take a month (four week) for a maximum time. In the each manuscript, Mitra Bebestari/ peer reviewer will be rated from the substantial and technical aspects. Mitra Bebestari/ peer reviewer that collaboration with Buletin Peternakan (Bulletin of animal science) is the experts in the public administration area and issues around it. They were experienced in the prestigious journal management and publication that was spread around the national and abroad.

## Publication Frequency

Bulletin of Animal Science is published every three months (February, May, August, November).

## Open Access Policy

This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

## Archiving

[Focus & Scope](#)

[Author Guidelines](#)

[Author Fees](#)

[How to Online Submission](#)

[Publication Ethics](#)

[Open Access Policy](#)

[Screening For Plagiarism](#)

[Editorial Board](#)

[Copyright Notice](#)

[Peer Reviewers](#)

[Visitor Statistics](#)

CITATION ANALYSIS

► [SCOPUS](#)

► [Google Scholar](#)

TEMPLATE



Article  
template

REFERENCE  
MANAGEMENT TOOLS

MENDELEY

grammarly

EndNote  
...Bibliographies Made Easy™

USER

Username

Password

Remember me

NOTIFICATIONS

► [View](#)

This journal utilizes the LOCKSS system to create a distributed archiving system among participating libraries and permits those libraries to create permanent archives of the journal for purposes of preservation and restoration. [More...](#)

[▶ Subscribe](#)

## Editorial Team

### Buletin Peternakan (*Bulletin of Animal Science*)

#### Editor in chief:

- **Muhlisin**, Department of Animal Nutrition and Feed Science, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 54391557700; h-index = 5.

#### Managing Editor

- **Bambang Ariyadi**, Department of Animal Production, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 55184028700; h-index = 5.
- **Tri Anggraeni Kusumastuti**, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 57194135275; h-index = 1.
- **Tri Satya Mastuti Widi**, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 57194418225; h-index = 2.
- **Tety Hartatik**, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 6505863692; h-index = 4.

#### International Editor:

- **Yuny Erwanto**, Department of Animal Products Technology, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 6507184764; h-index = 7.
- **Nafiatul Umami**, Department of Animal Nutrition and Feed Science, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 55515013800; h-index = 1.
- **Nanung Agus Fitriyanto**, Department of Animal Products Technology, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 36544733200; h-index = 2.
- **Nanung Danar Dono**, Department of Animal Nutrition and Feed Science, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 56131603300; h-index = 2.
- **Eka Meutia Sari**, Breeding dan Pemuliaan Ternak, Universitas Syiah Kuala, Indonesia. Scopus ID = 57190665652; h-index = 2.
- **Dyah Maharani**, Department of Animal Production, Faculty of Animal Sciences, Universitas Gadjah Mada, Indonesia. Scopus ID = 54881785100; h-index = 3.
- **Jamhari**, Department of Animal Products Technology, Teknologi Hasil Ternak, Universitas Gadjah Mada, Indonesia. Scopus ID = 35082056800; h-index = 2.
- **Sri Mukodiningsih**, Nutrisi dan Makanan Ternak, Universitas Diponegoro, Indonesia. Scopus ID = 57189042929; h-index = 1.
- **Sutrisno Hadi Purnomo**, Sosial Ekonomi Peternakan, Universitas Negeri Sebelas Maret. Scopus ID = 55683342400; h-index = 3.
- **Trisiwi Wahyu Widayati**, Faculty of Animal Sciences, Universitas Negeri Papua, Indonesia. Scopus ID = 57191056182; h-index = 1.
- **Abdul Razak Alimon**, Universiti Putra Malaysia, Malaysia. Scopus ID = 6603104909; h-index = 10.
- **Bounmy Keohavong**, Souphanouvong University, Laos. Scopus ID = 57205074640; h-index = 1.
- **Cheorun Jo**, Seoul National University, Korea. Scopus ID = 7006072985; h-index = 46.
- **Egil Robert Orskov**, International Feed Resources Unit, Aberdeen, UK. Scopus ID = 7005860217; h-index = 48.
- **Henning Otte Hansen**, University of Copenhagen, Denmark. Scopus ID = 56295438900; h-index = 2.
- **Liang Chou Hsia**, Pingtung University of Science and Technology, Taiwan. Scopus ID = 36722621700; h-index = 4.
- **Mohammad Taghi Beigi Nassiri**, Khuzwstan Ramin Agricultural and Natural Resources University, Iran. Scopus ID = 56994110200; h-index = 3.
- **Moriyama Hiromitsu**, Tokyo University of Agriculture and Technology, Japan.
- **Sang Jip Ohh**, Kangwon National University, Korea. Scopus ID = 6603464243; h-index = 10.
- **Peter Charles Wynn**, Charles Stuart University, Australia. Scopus ID = 7006216390; h-index = 25.
- **Tomoyaki Nakagawa**, Gifu University, Japan.
- **Wu Chean Ping**, National Chiayi University, Taiwan.
- **Zulkifli Idrus**, Universitas Putra Malaysia. Scopus ID = 56040494900; h-index = 24.

#### Editorial staffs:

- **Galuh Adi Insani**
- **Sri Agtin Tejawati**
- **Adhitya Permadi**

## Instruction for Author(s)

### Instruction for Authors

#### Bulletin of Animal Science, Faculty of Animal Science, Universitas Gadjah Mada

Manuscripts must be written whether in Bahasa Indonesia or in English. Manuscripts must be prepared double-space in Microsoft Word using Arial font at 11 points and the margin should be no less than 2.5 cm all around in A4 (21 × 29.7 cm) paper. Pages on the manuscripts must be numbered consecutively in the bottom right hand corner, beginning with the title page. The lines on all pages must be numbered consecutively in the left side of the pages beginning with number 1 at the title page.

Manuscripts submitted to the Bulletin of Animal Science must be an original results of research or review article and must not have been published in or submitted previously to a peer-reviewed scientific journal. Manuscript should contain following section in this order: Title page, Abstract, Introduction, Materials and Methods, Results and Discussion, Conclusion, Acknowledgement and References.

**Title Page.** The title of manuscripts must be prepared as brief as possible, typed with capital letter and no more than 20 words. The title of manuscripts written in Bahasa Indonesia must be translated into English. The Authors must be written below the title in full name without professional ranks or titles. Authors' institutions address, including name of Department and University, City, Country and Postal Code must be written below author's name. In case of authors are from more than one institution, key the author to the address with superscript of Arabic numerals and write the additional institution address as footnote in the bottom of page. Also, key the corresponding author name with "\*" and include the phone number and email address.

JOURNAL CONTENT

Search

Search Scope

All

Search

Browse

[▶ By Issue](#)

[▶ By Author](#)

[▶ By Title](#)

[▶ Other Journals](#)

**Abstract.** Abstract must be prepared on the separate page with the title page and the word

**ABSTRACT** must be typed with capital-bold-italic style in separate line with the body-text of abstract. The abstract consists of no more than 300 words in one paragraph beginning with a clear statement of the research objective. The abstract contains a brief but understandable summary of the pertinent results, including materials and methods, results with statistical evidences and discussion, and conclusion with no references cited.

**Key words.** List up to 6 key words or phrases that represent the research. The term *Key words* must be type in italic followed by colon on separate line after the abstract. The first letter of each key word is uppercase; key words are separated by commas, presented in alphabetical order and surrounded by bracket.

**Introduction.** The introduction start on the next page after the abstract. It must contain a brief justification for conducting the research, the hypothesis to be tested and the objectives of the research. The introduction also contains references that support the research. However, extensive discussion of relevant literature should be included in results and discussion section, not in introduction section.

**Materials and Methods.** This section must contain a clear description or specific original reference for all biological, analytical, and statistical procedures. All modification of the procedures must be explained clearly, so that the methods can be done by other scientist. Diets, animals (breed, sex, age, body weight), surgical techniques (if available), data measurements and statistical models should be described clearly. Information regarding the brand names, company names (manufacturer) and locations for all equipment and chemical (commercial products) used in the research, must be provided.

**Results and Discussion.** The results are presented in the form of tables, figures, graphs or photos. The data should be prepared so that the data in tables or figures can be understood without referring to information on the body text of discussion. Discussion contains the authors' interpretation of the results of the study and integrate the research findings with the previously published literature to provide the readers a broad base interpretation and assertions. The discussion should be written clearly and concisely.

**Conclusion.** Conclusion highlights the substantiation of the results of the research with no discussion. It must be written shortly and concisely.

**References.** References must be prepared according to guidelines of Journal of Animal Science. References cited in the text must be written:

- Name (Year) or (Name, Year) for single author. For example: Erwanto (2014) or (Erwanto, 2014).
- Name and Name (Year) or (Name and Name, Year) for reference written by two authors. For example: Erwanto and Fitriyanto (2013) or (Erwanto and Fitriyanto, 2013).
- Name *et al.* (Year) or (Name *et al.*, Year) for refence written by more than 2 authors. For example: Umami *et al.* (2014) or (Umami *et al.*, 2014).
- Groups of references cited together in one sentence in the body text must be written in chronological order. For example: (Erwanto, 2009; Umami *et al.*, 2012; Fitriyanto and Agus, 2014).

In references section, references must be listed alphabetically according to the author(s) last name and the chronologically. In case of two or more publication by the same author(s) in the same year should be differentiated by adding the lowercase letter (a, b, c..) after the year of publication. The journal name must be written according to journal's abbreviation standard. In case of local journal which its abbreviation is not available, the full name of journal is allowed.

Sample references are as follows:

#### 1. Journal articles and abstract

Scaglia, G. and H. T. Boland. 2014. The effect of bermudagrass hybrid on forage characteristics, animal performance, and grazing behavior of beef steers. *J. Anim. Sci.* 92(3):1228-1238.

Dijcker, J. C., E. A. Hagen-Plantinga, H. Everts, Y. Queau, V. Biourge, and W. H. Hendriks. 2014. Factors contributing to the variation in feline urinary oxalate excretion rate. *J. Anim. Sci.* 92:1029-1036.

#### 2. Standard Books

AOAC. 1990. *Official Methods of Analysis*. 15<sup>th</sup> edn. Association of Official Analytical Chemist, Arlington.

NRC. 2000. *Nutrient requirements of beef cattle*. 7<sup>th</sup> revised edition. National Academic. Press, Washington.

Hartadi, H., S. Reksohadiprojo, and A. D. Tillman. 2005. *Tabel komposisi pakan untuk Indonesia*. Gadjah Mada University Press, Yogyakarta.

#### 3. Books and articles within edited books

Robinson, P. H., E. K. Okine, and J. J. Kennelly. 1992. Measurements of protein digestion in ruminant. In: *Modern method in protein nutrition and metabolism*. Academic Press, San Diego, p. 121-127.

#### 4. Electronic publication (Internet citation)

FDA. 2014. Approved animal products online. Available

at: <http://www.fda.gov/AnimalVeterinary/Products/ApprovedAnimalProducts/default.htm>. Accessed 3 February 2015.

reviewers' comment are also sent anonymously to corresponding author to take the necessary actions and responses. The decision of the revised manuscript will be then evaluated in editorial board meeting, based on the reviewer's recommendation from among several possibilities: rejected, require major revision, need minor revision, or accepted. The Editor-in-Chief of Buletin Peternakan has the right to decide which manuscripts submitted to the journal should be published.

---

## Screening For Plagiarsm

Plagiarism screening will be conducted by Buletin Peternakan (Bulletin of Animal Science) Editorial Board using [Plagiarsm Checker](#) and [AiMOS 2.0](#)

---

## Digital Archiving

This journal utilizes the [Indonesia One Search \(IOS\)](#), [Indonesian Scientific Journal Database \(ISJD\)](#), and [Indonesian Publication Index \(IPI\)](#) system to create a distributed archiving system among participating libraries and permits those libraries to create permanent archives of the journal for purposes of preservation and restoration.

Buletin Peternakan (Bulletin of Animal Science) Indexed by:



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#).

Anonymous. 2003. Acetaldehyde Chemical Backgrounder. Available at: <http://www.nsc.org./library.htm>. Accessed 23 January 2014.

**Tables.** All tables should be cited in the text. All tables must be numbered using arabic numerals. The title of tables must be as brief as possible but clearly represents the data on it. For manuscript that is

written in Bahasa Indonesia, each title and body of the tables must be followed by the english translation on a bracket and written in italic style. There must be only three vertical lines inside table. First, the double-line below the title of table (top of first row); Second, the single-line in the bottom of first row; and third, the single-line in the bottom of the last row of table. There must be no vertical line inside table. The rows of table must be in a single space. The first letter in title of the column and row must be type in capital letter.


**Figures (Graph, diagram or photo).** Figures must be numbered using arabic numerals and the title must be written under the figures. The title must be written clearly and concisely and for manuscript that is written in Bahasa Indonesia, there must be a translation of the title written in a bracket in italic style after the original title in Bahasa Indonesia. The letters inside the figures (if available) must be typed in Times New Roman fonts. Legends of the figures must be written after the title of figures, in the same line and there must be no legend inside the figures. The figures can be prepared in corel or jpeg file separated from the text.

Use of number. The use of numbers on the body text of manuscript and tables or figures are as follow:

- The numbers from one to nine must be spelled out (example: one, five, eight) and numbers 10 above use arabic numerals (example: 10, 15, 168).
- Use arabic numerals with abbreviated units of measure, for example: 5 g, 7 d, 1% and numerical designations in the text, for example: experiment 4, group 2, etc.
- Do not begin sentence with numeral number. Spell it out or rearrange the sentence.
- Use the 24-h clock system: 09:30, 13:40 h, etc. Give day length in quantitative hours (e.g. 2 h 16 min). Abbreviate the terms hour (h), minute (min) second (s) and year (yr) when used with a number in the text but spell them out when they are used alone.

### In Indonesian Language :

Please [download here](#)



## Author Fees

This journal charges the following author fees.

Article Publication: 800000.00 (IDR)

If this paper is accepted for publication, you will be asked to pay an Article Publication Fee to cover publications costs.

If you do not have funds to pay such fees, you will have an opportunity to waive each fee. We do not want fees to prevent the publication of worthy work.

## Peer Review Process

The submitted manuscript is first reviewed by an editor. It will be evaluated in the office whether it is suitable with our focus and scope or has a major methodological flaw. Every submitted manuscript which pass this step will be checked to identify any plagiarism before being reviewed by reviewers. This journal uses double-blind review, The manuscript will be sent to the reviewer anonymously. Reviewers' comment are also sent anonymously to corresponding author to take the necessary actions and responses. The decision of



# Buletin Peternakan

## (Bulletin of Animal Science)



pISSN : 0126-4400 | eISSN : 2407-876X

Home About Login Register Search Current Archives Announcements Statistics Indexing & Abstracting Journal History Contact

Home > Archives > **Vol 44, No 2 (2020)**

## Vol 44, No 2 (2020)

### BULETIN PETERNAKAN VOL. 44 (2) MAY 2020

DOI: <https://doi.org/10.21059/buletinpeternak.v44i2>

## Table of Contents

### Articles

#### Evaluation of Different Techniques in Recovering of Oocytes and Storage Duration of Ovaries on the Quality and Quantity of Bovine In Vitro Maturation

Zaituni Udin, Masrizal Masrizal, Hendri Hendri, Syafri Nanda

[10.21059/buletinpeternak.v44i2.52181](https://doi.org/10.21059/buletinpeternak.v44i2.52181) Abstract views : 93 | PDF views : 57

#### Reproductive Performances of Friesian Holstein Dairy Cows in Different Agricultural Ecosystems

Tendy Kusmayadi, Muhamad Hasan Hadiana, Ujang Hidayat Tanuwiria

[10.21059/buletinpeternak.v44i2.39917](https://doi.org/10.21059/buletinpeternak.v44i2.39917) Abstract views : 91 | PDF views : 41

#### Identification of Glucogenic Amino Acids Content in *Gliricidia maculata* as an Alternative Energy Source for High-Yielding Periparturient Dairy Cows

Sulvia Dwi Astuti SW, Budi Prasetyo Widjyobroto, Ali Agus, Lies Mira Yusiati

[10.21059/buletinpeternak.v44i2.54103](https://doi.org/10.21059/buletinpeternak.v44i2.54103) Abstract views : 111 | PDF views : 37

#### The Effect of Choline Chloride Supplementation on the Reproductive Performance of Simmental Bulls Fed Protected Protein in the Ration

Bambang Waluyo Hadi Eko Prasetyono, Yon Soepri Ondho, Agung Subrata, Pramesti Kusuma Pratiwi, Mutiara Briliiana Zahra, Trisna Itmamulwafa, Tertyani Kartika Pratiwi, Muslichatun Nisa, Widiyanto Widiyanto

[10.21059/buletinpeternak.v44i2.55338](https://doi.org/10.21059/buletinpeternak.v44i2.55338) Abstract views : 105 | PDF views : 42

#### Application of *Saccharomyces cerevisiae* as a Probiotic for Producing Low Cholesterol and Antibiotic-Free Broiler Meat

Suci Wulandari, Theo Mahiseta Syahniar, Dadik Pantaya

[10.21059/buletinpeternak.v44i2.48544](https://doi.org/10.21059/buletinpeternak.v44i2.48544) Abstract views : 122 | PDF views : 103

#### Growth Performance, Mortality, Relative Organ Weight, Blood Biochemistry, and Intestinal Microbial of Arbor Acres Broiler Fed Diets Containing Mannan-Riched Fraction (Mrf) and Probiotic-Enhanced Liquid Acidifier

Danung Nur Adli, Osfar Sjoefjan

[10.21059/buletinpeternak.v44i2.54713](https://doi.org/10.21059/buletinpeternak.v44i2.54713) Abstract views : 210 | PDF views : 119

#### Refeeding Postmolting Method to Improve Weekly Production Performance of Rejected Laying Hens with Low Mortality

Claude Mona Airin, Amelia Hana, Pudji Astuti, Sarmin Sarmin, Trini Susmiati, Okt Herawati

[10.21059/buletinpeternak.v44i2.45508](https://doi.org/10.21059/buletinpeternak.v44i2.45508) Abstract views : 130 | PDF views : 61

#### Resistance Profile of Extended Spectrum Beta Lactamase-Producing *Escherichia coli* Bacteria using Vitek® 2 Compact Method

Freshinta Jellia Wibisono, Bambang Sumiarto, Tri Untari, Mustofa Helmi Effendi, Dian Ayu Permatasari, Adiana Mutamsari Witaningrum

[10.21059/buletinpeternak.v44i2.51347](https://doi.org/10.21059/buletinpeternak.v44i2.51347) Abstract views : 143 | PDF views : 85

#### Physicochemical Characteristics and Microbiological Quality of the Topside and Longissimus Dorsi of Indonesian Local Buffalo Meat

Noraimah Binti Sulaiman, Cece Sumantri, Irma Isnafia Arief, Cahyo Budiman

[10.21059/buletinpeternak.v44i2.45544](https://doi.org/10.21059/buletinpeternak.v44i2.45544) Abstract views : 107 | PDF views : 30

<https://jurnal.ugm.ac.id/buletinpeternakan/issue/view/4196>

Focus & Scope

Author Guidelines

Author Fees

How to Online Submission

Publication Ethics

Open Access Policy

Screening For Plagiarism

Editorial Board

Copyright Notice

Peer Reviewers

Visitor Statistics

CITATION ANALYSIS

► SCOPUS

► Google Scholar

TEMPLATE



Article template

REFERENCE MANAGEMENT TOOLS

MENDELEY

grammarly

EndNote  
...Bibliographies Made Easy™

USER

Username

Password

Remember me

Login

NOTIFICATIONS

► View

Buletin Peternakan (Bulletin of Animal Science) Indexed by:



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-sa/4.0/).

[▶ Subscribe](#)

JOURNAL CONTENT

Search

Search Scope

All

Browse

- [▶ By Issue](#)
- [▶ By Author](#)
- [▶ By Title](#)
- [▶ Other Journals](#)



# The Effect of Choline Chloride Supplementation on the Reproductive Performance of Simmental Bulls Fed Protected Protein in the Ration

*by* Bambang Prasetyono

---

**Submission date:** 02-Jun-2020 09:28AM (UTC+0700)

**Submission ID:** 1336254636

**File name:** The\_Effect\_of\_Choline\_Chloride.pdf (470.23K)

**Word count:** 5724

**Character count:** 31056

Doi: 10.21059/buletinpeternakan.v44i2.55338

## The Effect of Choline Chloride Supplementation on the Reproductive Performance of Simmental Bulls Fed Protected Protein in the Ration

Bambang Waluyo Hadi Eko Prasetyono\*, Yon Soepri Ondho, Agung Subrata, Pramesti Kusuma Pratiwi, Mutiara Briliana Zahra, Trisna Itmamulwafa, Tertyani Kartika Pratiwi, Muslichatun Nisa, and Widiyanto

Department of Animal Science, Faculty of Animal and Agricultural Sciences, Diponegoro University, Semarang, 50275, Indonesia

### ABSTRACT

SOYXYL supplementation as a source of high-quality protected protein in rumen (Rumen Protected Protein) has proven to improve reproduction performance of bulls. The SOYXYL is an extrusion product of soybean (*Glycine max*) as a source of rumen protected protein. The potential of the protein supplementation is maximally expressed when it is supported by sufficient of metabolic rate. In this case the choline chloride supplementation increases the metabolic rate. The aim of the research was to analyze the effect of choline chloride supplementation on reproduction performance and hematologic status related to reproduction performance of bulls fed protected protein in the ration. The materials used were 12 bulls aged 5 years having weight of  $700 \pm 2.75$  kg that were divided into 4 treatment groups, each of which consisted of 3 heads. The treatments applied were T0 (control): ration (grass + commercial concentrate) + protected protein supplement "SOYXYL"; T1: control + choline chloride 0.145% dry matter (DM) concentrate/head/day; T2: control + choline chloride 0.290% DM concentrate/head/day; T3: control + choline chloride 0.435% DM concentrate/head/day. Variables measured were nutrient consumption, blood lipid status, blood protein status, and reproduction performance. Data were analyzed using ANOVA in a completely randomized design and statistically processed using SAS program. The result showed that choline chloride supplementation by 0.435% from DM concentrate increased ( $p < 0.05$ ) the concentration of blood plasma protein, blood testosterone hormone, sperm concentration, and sperm motility from 6.44 g/dL, 4.66 ng/mL, 1006.74 million/mL, and 36.00%, respectively, in T0 to be 8.57 g/dL, 9.07 ng/ml, 1270.41 million/mL, and 70.00% in T3, respectively. The choline chloride supplementation up to 0.435% from DM concentrate to bulls supplemented with protected protein containing in the ration increased reproduction performance.

Keywords: Bulls, Choline chloride, Protected protein, Sperm concentration, Testosterone

#### Article history

Submitted: 13 April 2020  
Accepted: 26 May 2020

\* Corresponding author:  
Telp. +62 852 0097 1963  
E-mail: bambangwhp@gmail.com

### Introduction

Reproductive performance of bulls in producing high quantity and quality of semen is closely related to the reproductive performance of cattle in terms of conception rate and calving interval. Among the factors that affect the reproductive performance of bulls are the quality and quantity of feed provided. The quality of feed, especially concentrate, has received enough attention, but its increased utility has not received adequate attention. In practice, most of concentrate composition used in bull ration is technically acceptable. However, the efficient use of nutrients in the concentrates (especially proteins) has not been fully considered. Meanwhile, efforts to improve the efficient use of

the nutrients have been developed, including the use of rumen-protected proteins.

Although it has been proven that rumen-protected protein supplements, such as SOYXYL, are beneficial for beef cattle fattening (Prasetyono *et al.*, 2007), further investigations need to be carried out especially the ones focusing on bull's reproductive performance. Field observations about the effect of adding SOYXYL as one of the rumen-protected protein supplements identified that improvements in the reproductive performance of bulls could also be improved by adding feed additives; for example, choline chloride which functions to stimulate biosynthetic processes at the level of metabolic intermediaries which leads to an increase in the quality and quantity of spermatozoa.

Choline chloride influences intermediary metabolism through its role as methyl donor to synthesize limiting essential amino acid (methionine), phosphatidylcholine, and carnitine (Chandler and White, 2017). As choline chloride is rapidly degraded in the rumen, its supplementation in diet is not effective; therefore, it should be supplemented in the form of protected choline chloride (Chaudhari *et al.*, 2017). Methionine is an amino acid that is needed in every protein biosynthesis (Gorissen *et al.*, 2018); meanwhile, phosphatidylcholine is needed as a component of bio-membrane that stimulates enzyme to activate intracellular metabolism, and it also functions as an essential lipoprotein component in transporting lipid (Lagace, 2016). In addition, carnitine has an important role in transporting lipid acid into mitochondria in order to provide energy in the biosynthesis processes. The mechanism by which choline chloride can increase the effectiveness of the use of protected protein nutrients in intermediate metabolism, that is, choline chloride can increase the metabolic rate leading to an efficient use of protein (Grummer, 2016). It is therefore expected that the increased efficiency of protein used due to SOYXYL supplementation will be much higher by combining the supplement with choline chloride supplementation. Based on that mechanism, choline chloride is expected to improve the reproductive performance of bulls.

Given the explanations, the objective of this study was to investigate the effect of choline chloride supplementation on the reproductive performance of Simmental bulls fed protected protein in the ration. The choline chloride improves the reproductive performance of bulls by increasing the metabolic rate.

## Materials and Methods

### Experimental bulls

Twelve Simmental bulls aged approximately five years with body weight of  $700 \pm 2.75$  kg were reared in the Artificial Insemination Institute of Central Java Province for 90 days. All bulls were individually stalled. Prior to experiment, all healthy bulls were injected with preparative vitamin containing of A, D, E, and K vitamins and adapted to the treatment feed for a month.

### Experimental procedure

All experimental bulls were fed with elephant grass (15% DM) and drinking water *ad libitum*, commercial concentrate (containing 85.25% of DM, 3.6% ash, 2.22% crude fat, 16.5% crude fiber, 71.26% Total Digestible Nutrients, 18.23% crude protein, and 33.35% Un-degraded Dietary Protein, on DM basis) as many as 5 kg/head/day, protected protein supplement "SOYXYL" (Prasetyono *et al.*, 2007) as many as 3% from the concentrate portion (Prasetyono *et al.*, 2020), and choline chloride 60%

(manufactured by Shandong NB Technology Co., LTD., China). The levels of choline chloride used were 0.145%, 0.290%, and 0.435% from DM concentrate/head/day.

Feeding was scheduled twice a day, morning (7 AM) and afternoon (3 PM), and the experimental bulls were divided into four treatment groups: T0, T1, T2, and T3. T0 (control) = ration (grass + commercial concentrate) + protected protein supplement "SOYXYL". T1 = control + choline chloride 0.145% DM concentrate/head/day. T2 = control + choline chloride 0.290% DM concentrate/head/day. T3 = control + choline chloride 0.435% DM concentrate/head/day. All treatments were replicated three times and ran according to completely randomized design (Steel *et al.*, 1996).

Variables observed were nutrient consumption, blood lipid status, blood protein status, and reproduction performance. Semen and blood used for the experiment were collected at the end of the experiment (90<sup>th</sup> day) from 7 - 8 AM. The semen was collected using an artificial vagina.

Sperm motility was calculated by observing spermatozoa cells movement using microscope and stated in percentage (%). The percentage of the spermatozoa motility was calculated by  $(\Sigma \text{total spermatozoa} - \text{unmovable spermatozoa}) \times 100\%$ . Sperm concentration was calculated using hemocytometer (million/mL).

Diluted and homogenized fresh sperm was sucked using erythrocyte pipet and were dropped into hemocytometer; then, they were observed using microscope as they appeared within the hemocytometer. Five diagonal boxes were chosen within which the number of spermatozoa were calculated. Sperm concentration was calculated by the number of spermatozoa in the boxes  $\times 10^6/\text{million/mL}$  (Vijayalakshmy *et al.*, 2018).

The level of blood protein was analyzed three hours after feeding experimental bulls. Sterile disposable sterile syringe, Eppendorf tube, and spectrophotometer were used to collect and analyze blood samples. The blood samples were collected at 90<sup>th</sup> day of the experiment. The blood collected, 3 cc – 4 cc, was taken from a jugular vein using Venoject tube containing EDTA that functions to avoid blood being coagulated. After that, the collected blood was kept in a cool box, brought to laboratory, and centrifuged with 3000 rpm for 10 minutes in order to take the blood plasma to be analyzed its level of protein.

The level of total protein concentration of the blood sample was calculated by using photometer principles (Photometer 5010®) using commercial kits. The fundamental principle of photometry is measuring light absorption as a result of light interaction that has a certain wavelength with substances or color substances the light through in. Meanwhile, testosterone hormone was analyzed using Eliza method (the enzyme linked immunosorbent assay) using testosterone kits (Sachidhanandam *et al.*, 2010).

## 7 Statistical analysis

Data were analyzed statistically by analysis of variance (ANOVA) using the general linear model procedures of SAS (SAS, 2009), and Duncan's Multiple Range Tests were then used when the significant differences ( $p < 0.05$ ) appeared between treatment groups (Steel *et al.*, 1996).

## Results and Discussion

### Nutrient consumption

Data on the nutrient consumption of bulls are presented in Table 1. The elevated levels of line chloride supplement significantly increased ( $p < 0.05$ ) consumption in terms of the levels of Dry Matter (DM), Crude Protein (CP), Nitrogen Free Extract (NFE), Total Digestible Nutrients (TDN), and Ether extract (EE). It was apparent that DM, CP, NFE, TDN, and EE consumptions were higher ( $p < 0.05$ ) in T3 compared to those in T0. It was most likely that choline chloride supplementation supplies methyl group to synthesize phosphatidylcholine as a biological membrane component and to support metabolic function of biological membrane (Watson, 2015). According to Casares *et al.* (2019), Phosphatidylcholine is a biological membrane compiler, which is important for maintaining membrane integrity. The resultant of various important functions of choline which are reflected in maintaining the integrity of the membrane will increase the responsiveness of cells to nutrient intake, namely an increase in metabolic rate. Increased metabolic rate requires higher energy support. The increased need for energy stimulated appetite so that the consumption of DM increased in line with the increase in Choline Chloride supplementation at

the level of 0.435% DM (T3). The increased consumption of DM would be accompanied by an increase in the consumption of DM components, including protein, NFE, TDN, and EE (Table 1).

### Blood lipid status

Blood lipid status of the experimental bulls were evaluated under variables of blood triglyceride (TG), total cholesterol, Low Density Lipoprotein (LDL) cholesterol, and High Density Lipoprotein (HDL) cholesterol (Table 2).

**Triglyceride.** There is a relationship between triglycerides and spermatogenesis that appears on the high levels of triglycerides, which can inhibit glucose utilization by Sertoli cells and; thus, affect spermatogenesis (Kim *et al.*, 2017). Triglyceride (TG) found in blood comes from absorbed long chain fatty acid of feed that when entering intestine mucosa cell, it is synthesized into TG and transforms into lipoprotein, especially Very Low Density Lipoprotein (VLDL), before entering circulation system (Budoff, 2016). The lipoprotein in the circulation system supplies TG to various tissues including liver and extra hepatic tissue (Budoff, 2016). The blood triglyceride may also come from liver through fatty acid esterification produced by adipose tissue mobilization that later is transformed in VLDL and entering the circulation system (Budoff, 2016).

Table 2 shows that the levels of blood TG in the treatment groups T0, T1, T2, and T3 are 15.33, 17.00, 17.67, and 23.67 (mg/dL), respectively. The increased ( $p < 0.05$ ) TG level in the blood of T2 and T3 seemed due the increased lipid consumption as well as the increased consumption of feed DM in the respective bulls. The increased TG of the blood plasma was also the result of the increased TG secretion generated from the resistance in liver in using long chain

Table 1. Nutrient consumption

Variables	Treatment				SEM	Significance
	T0	T1	T2	T3		
DM consumption (kg/head/day)	14.32 <sup>b</sup>	14.96 <sup>ab</sup>	16.87 <sup>ab</sup>	17.47 <sup>a</sup>	0.79	$p < 0.05$
CP consumption (kg/head/day)	1.73 <sup>b</sup>	1.80 <sup>ab</sup>	2.00 <sup>ab</sup>	2.07 <sup>a</sup>	0.24	$p < 0.05$
NFE consumption (kg/head/day)	8.22 <sup>b</sup>	8.62 <sup>ab</sup>	9.82 <sup>ab</sup>	10.20 <sup>a</sup>	0.53	$p < 0.05$
TDN consumption (kg/head/day)	9.69 <sup>b</sup>	10.12 <sup>ab</sup>	11.40 <sup>ab</sup>	11.80 <sup>a</sup>	0.49	$p < 0.05$
EE consumption (kg/head/day)	0.51 <sup>b</sup>	0.52 <sup>ab</sup>	0.55 <sup>ab</sup>	0.56 <sup>a</sup>	0.01	$p < 0.05$

<sup>a,b,c,d</sup> Different superscript on the same row shows the significant differences ( $p < 0.05$ );

T0 (control) = ration (grass + commercial concentrate) + protected protein suppl. "SOYXYL";

T1 = control + choline chloride 0.145% DM concentrate/head/day;

T2 = control + choline chloride 0.290% DM concentrate/head/day;

T3 = control + choline chloride 0.435% DM concentrate/head/day;

DM= Dry Matter; CP=Crude Protein; NFA=Nitrogen Free Extract; TDN=Total Digestible Nutrients; EE= Ether extract.

Table 2. Blood lipid and protein status of experimental bulls

Variables	Treatment				SEM	Significance
	T0	T1	T2	T3		
Triglyceride (mg/dL)	15.33 <sup>c</sup>	17.00 <sup>b</sup>	17.67 <sup>b</sup>	23.67 <sup>a</sup>	0.71	$p < 0.05$
Total cholesterol (mg/dL)	85.67 <sup>b</sup>	88.67 <sup>b</sup>	91.33 <sup>b</sup>	106.67 <sup>a</sup>	3.24	$p < 0.05$
HDL cholesterol (mg/dL)	60.33 <sup>b</sup>	62.67 <sup>b</sup>	63.67 <sup>b</sup>	75.33 <sup>a</sup>	2.11	$p < 0.05$
LDL cholesterol (mg/dL)	32.00 <sup>a</sup>	28.33 <sup>ab</sup>	25.67 <sup>b</sup>	24.67 <sup>b</sup>	1.19	$p < 0.05$
Blood Plasma protein (g/dL)	6.44 <sup>c</sup>	7.82 <sup>b</sup>	8.16 <sup>b</sup>	8.57 <sup>a</sup>	0.17	$p < 0.05$
Blood Plasma albumin (g/dL)	3.17 <sup>b</sup>	3.28 <sup>b</sup>	3.31 <sup>b</sup>	3.56 <sup>a</sup>	0.05	$p < 0.05$
Blood Plasma globulin (g/dL)	4.26 <sup>b</sup>	4.76 <sup>ab</sup>	4.85 <sup>ab</sup>	5.19 <sup>a</sup>	0.32	$p < 0.05$

<sup>a,b,c,d</sup> Different superscript on the same row shows the significant differences ( $p < 0.05$ ).

T0 (control) = ration (grass + commercial concentrate) + protected protein suppl. "SOYXYL";

T1 = control + choline chloride 0.145% DM concentrate/head/day;

T2 = control + choline chloride 0.290% DM concentrate/head/day;

T3 = control + choline chloride 0.435% DM concentrate/head/day.

fatty acid resulted from mobilization of TG tissue, mainly, adipose tissue, that enter blood circulation as VLDL component. The increased lipid mobilization takes place, as the increased metabolic level occurs (Budoff, 2016; Airaodion *et al.*, 2019), and the existence of the increased metabolic level is caused by an increased intracellular enzyme activity stimulated by cAMP from ATP through a catalysis by cyclase adrenal enzyme (Airaodion *et al.*, 2019). The increased activity of the enzyme by second messenger that presumably increase its synthesis in line with the increase of the availability of methyl supplemented by choline chloride to form phosphatidylcholine which is part of the second messenger precursor in bio membrane (Airaodion *et al.*, 2019).

**Total Cholesterol.** The level of total cholesterol of blood plasma in the treatment group T0, T1, T2, and T3 were 85.67, 88.67, 91.33, and 106.67 mg/dL, respectively. The supplementation of choline chloride up to 0.290% DM at bulls supplemented with protected protein (3% from concentrate) tended to increase the total cholesterol in total blood plasma. The increase of the total cholesterol was significantly difference ( $p < 0.05$ ) occurred in choline chloride supplementation at the level of 0.435%. The increased consumption of lipid (Ether extract) was in line with proportion to the increase of the level of choline chloride supplementation (Table 1). According to Gallier and Singh (2012), the lipid transported in the transportation system happens through lipoprotein formation in which free and esterification lipid exists. The formation of the lipoprotein increases corresponding to the increased lipid absorption as a result of the increased nutrient consumption. The increased lipoprotein synthesis followed by the increased cholesterol synthesis causes the total level of cholesterol increases. The choline chloride plays a role in the synthesis of lipoproteins for lipid transport. In this case choline chloride supplies the methyl group to the synthesis of phosphatidylcholine which is the main part of lipoprotein.

**HDL Cholesterol.** The level of HDL cholesterol of blood plasma at the treatment group T0, T1, T2, and T3 were 60.33, 62.67, 63.67, and 75.33 mg/dL, respectively (Table 2). The level of the HDL cholesterol increased, as the supplementation of choline chloride given  $17\%$  up to 0.290%. The significantly increased ( $p < 0.05$ ) level of HDL cholesterol was found in the treatment group supplemented by 0.435% choline chloride, which was 75.33 mg/dL.

According to Ouimet *et al.* (2019), HDL synthesized either in liver or in intestine functions to support absorbed lipid transportation. The increased lipid absorption is followed by the increased HDL synthesis to transport nutrient; as a result, the level of HDL increases. The HDL synthesis is also supported by sufficient protein availability, in this case, it was taken from the

protected protein supplementation (SOYXYL) containing in the ration.

**LDL Cholesterol.** Table 2 shows that the level of LDL cholesterol in the treatment group T0, T1, T2, and T3 are 32.00, 28.33, 25.67, and 24.67, respectively. The level of LDL cholesterol tended to decrease at the level of 0.145% supplementation of choline chloride. The significant decrease ( $p < 0.05$ ) was found at the supplementation of choline chloride at the level of 0.290% and 0.435%. The decreased level of LDL cholesterol took place in accordance with the increased level of HDL cholesterol. According to Ouimet *et al.* (2019), HDL facilitates blood cholesterol taken from extrahepatic tissue and other lipoprotein to be supplied to liver and metabolized. This mechanism was likely to decrease LDL cholesterol level while HDL cholesterol level increased.

#### Blood protein status

Blood protein status could be evaluated on the basis of the protein level of total plasma and essential protein in blood plasma; such as, albumin and globulin.

**Blood Plasma Protein.** The data of the protein level of the blood plasma show that the level of plasma protein at the treatment group T0, T1, T2, and T3 were 6.44, 7.82, 8.16, and 8.57 g/dL, respectively (Table 2). The choline chloride supplementation at the experimental bulls increased the level of blood plasma protein ( $p < 0.05$ ). The highest level of blood plasma protein was found to be in the treatment group T3, which was supplemented with 0.435% choline chloride. This phenomenon might happen, as there was an increased in protein bio synthesis at the treatment group supplemented with choline chloride. Furthermore, choline chloride can also function as methyl donor to synthesize amino acid; such as, methionine, carnitine, and phosphatidylcholine (Harvey and Ferrier, 2011). They further explained that as methionine is a limiting essential amino acid, the increase of its availability will increase the efficiency of protein biosynthesis. Carnitine is an amino acid that might function to facilitate the entering of fatty acid into mitochondria to be oxidized so that the availability of the energy will be engaged for supporting protein biosynthesis. Meanwhile, the phosphatidylcholine is the second messenger precursor that stimulates adenylyl enzyme of bio membrane cyclase to form cAMP from ATP, so enzymes catalyzed intracellular metabolism is activated. The increased level of the intracellular metabolism affects the increased protein biosynthesis that later appears in the increased level of the blood plasma protein.

**Blood Plasma Albumin.** The analysis of the level of blood plasma albumin shows that the level of blood plasma albumin at the treatment group T0, T1, T2, and T3 were 3.17, 3.28, 3.31, and 3.56 g/dL, respectively (Table 2). The level of blood plasma albumin tended to increase in the supplementation of choline chloride at the level of

up to 0.290%. The significantly increased level of blood plasma albumin ( $p < 0.05$ ) was found in treatment group supplemented by 0.435% choline chloride. The increased level of the blood plasma albumin took place, as there is an increase in protein biosynthesis following the increased level of the metabolic (Constable *et al.*, 2019) that was resulted by choline chloride supplementation taken from the availability of essential amino acid from SOYXYL; therefore, the efficiency of the protein biosynthesis increased. The increased level of blood plasma albumin may also take place in line with the increased need of that compound to transport lipid acid resulted from adipose tissue mobilization to lever and other extra hepatic tissue (Constable *et al.*, 2019). The level of blood plasma albumin at four treatment groups was in normal range, that is 2.1-3.6 g/dL (Radostits *et al.*, 2007).

**Blood Plasma Globulin.**— The level of blood plasma globulin of bulls at treatment group T0, T1, T2, and T3 is 4.26, 4.76, 4.85, and 5.19 g/dL, respectively (Table 2). The level of blood plasma globulin tended to increase as a result of choline chloride supplementation given up to the level of 0.290%. The significantly increased level of globulin ( $p < 0.05$ ) was found in the choline chloride supplementation at level of 0.435%. This explained that the choline chloride given to the bulls fed with SOYXYL caused the increased protein biosynthesis as well as the increased level of blood plasma globulin. The increased level of blood plasma globulin was presumably occurred as a result of the increased need of protein to transport steroid hormone (in this case testosterone) that its production increased in bulls fed with SOYXYL due to choline chloride supplementation (Table 2). The level of blood plasma globulin of the experimental bulls was in normal range, which is 2.9 – 4.9 g/dL (Radostits *et al.*, 2007).

**Reproduction performance**

Reproduction performance of the experimental bulls was reflected on the variables of testosterone hormone concentration, sperm concentration, and sperm motility (Table 3).

**Testosterone Hormone Concentration.**— Testosterone hormone concentration of blood plasma on T0, T1, T2, and T3 is 4.6600, 5.4767, 7.220, and 9.070 ng/mL, respectively (Table 3). The supplementation of choline chloride to the experimental bulls supplemented with 3% of

protein bypass significantly increased ( $p < 0.05$ ) the concentration of testosterone hormone. The hormone concentration of blood plasma testosterone was higher following the increased level of choline chloride supplementation (up to 0.435% from DM concentrate).

According to Lauro *et al.* (2016), the increased level of choline chloride supplementation intensifies blood cholesterol level leading to the increased concentration of testosterone hormone. Cholesterol is a precursor compound of steroid hormones, such as testosterone hormone. Meanwhile, the increased biosynthesis of steroid hormone is supported by the availability of enzyme catalyzing the process of the biosynthesis hormone. In this case, the availability of the enzyme causing the increased protein level of blood plasma was caused by the increased level of choline chloride supplementation up to 0.435% from DM concentrate.

According to Wang *et al.* (2017), testosterone hormone is produced by Leydig cells as the spot of the main steroidogenesis in the testes. The increased production of testosterone hormone as a result of choline chloride supplementation to bulls supplemented by protected protein was also taken place at the cellular level, which was the increased proliferation of the Leydig cells.

**Sperm Concentration.** The sperm concentration on T0, T1, T2, and T3 is 1006.74, 1061.19, 1151.59, and 1270.41 million/mL, respectively (Table 3). Choline chloride given to the experimental bulls supplemented with up to 0.435% from DM concentrate proved to increase sperm concentration ( $p < 0.05$ ).

When choline chloride interacts with folate acids in using methionine for biologic and biosynthetic, it is an essentially metabolic base of cells proliferation in various tissues, including spermatogenesis taken place in *tubuli seminiferi* in testes through both meiosis and mitosis germ cells (Niculescu and Zeisel, 2002). Thus, the essential function of the nutrients increased spermatogenesis while choline chloride was given to the bulls supplemented with protected protein as reflected in the increased sperm concentration. Meanwhile, testosterone hormone increases protein anabolism in proliferation of spermatozoa cells in the spermatogenesis process (Birzniece *et al.*, 2011). Therefore, choline chloride given to the bulls supplemented with protected

Table 3. Reproduction and body weight gain performance of experimental bulls

Variables	Treatment				SEM	Significance
	T0	T1	T2	T3		
Testosterone hormone concentration (ng/mL)	4.6600 <sup>c</sup>	5.4767 <sup>c</sup>	7.220 <sup>b</sup>	9.070 <sup>a</sup>	1.83	$p < 0.05$
Sperm concentration (million/mL)	1006.74 <sup>d</sup>	1061.19 <sup>c</sup>	1151.59 <sup>b</sup>	1270.41 <sup>a</sup>	16.12	$p < 0.05$
Sperm motility (%)	36.00 <sup>c</sup>	40.67 <sup>bc</sup>	45.00 <sup>b</sup>	70.00 <sup>a</sup>	2.09	$p < 0.05$
Body weight gain (kg/day)	0.37	0.43	0.45	0.60	0.09	$p > 0.05$

<sup>a,b,c,d</sup> Different superscript on the same row shows the significant differences ( $p < 0.05$ ).  
 T0 (control) = ration (grass + commercial concentrate) + protected protein suppl. "SOYXYL";  
 T1 = control + choline chloride 0.145% DM concentrate/head/day;  
 T2 = control + choline chloride 0.290% DM concentrate/head/day;  
 T3 = control + choline chloride 0.435% DM concentrate/head/day.

protein increased the concentration of the testosterone hormone (Table 3).

**Sperm Motility.** The sperm motility on T0, T1, T2, and T3 are 36.00, 40.67, 45.00, and 70%, respectively (Table 3). Cheach and Yang (2011) stated that cAMP level determines the sperm motility, as this compound is formed from ATP through enzymatic reaction catalyzed by cyclase adenyl cyclase. The adenyl cyclase enzyme is activated by the second messenger formed from phosphatidylcholine. The supplementation of choline chloride contributes to phosphatidylcholine biosynthesizing as the second messenger to activate adenyl cyclase. This mechanism underlined the fact that the sperm motility significantly increased ( $p < 0.05$ ) as a result of choline chloride supplementation at the level of 0.290% and 0.435% from DM concentrate.

**Body Weight Gain.** The body weight gain (BWG) of bulls supplemented with protected protein and choline chloride was not significantly increased compared to those without being given choline chloride supplementation. The BWG on T0, T1, T2, and T3 is 0.37, 0.43, 0.45, and 0.60 kg/day, respectively (Table 3).

The choline chloride given to the bulls supplemented with protected protein increases bulls' metabolic level; increased energy availability and protein synthesis used for supporting production of reproduction hormone and spermatogenesis (Niculescu and Zeisel, 2002; Birzniece *et al.*, 2011). The phenomenon of the increased level of testosterone hormone and sperm concentration was identified to happen in the bulls supplemented with choline chloride. The production of the testosterone hormone and sperm concentration was even higher as the choline chloride given were increased up to 0.435% from DM concentrate. As a result, there was no significant difference on the BWG among treatment groups, although the consumption of DM feed in the group supplemented with choline chloride was higher than that of T0, and the DM feed consumption increased in line with the increased of the supplementation level of the choline chloride. The findings support previous study which reported that rumen-protected choline (RPC) supplements cannot affect growth performance in Holstein young bulls, but lipid metabolism may be affected by RPC (Hajilou *et al.*, 2014).

There was no significant difference on BWG although the DM feed consumption was increased suggested that the increased consumption of DM feed did not increased fat deposition in the adipose tissues. In fact, the metabolic status support reproduction performance leading to bulls' fertility (Rato *et al.*, 2012).

### Conclusion

The supplementation of choline chloride up to 0.435% from dry matter concentrate to bulls supplemented with protected protein improves

hematologic status for reproduction purposes that can be identified from the increased concentration of testosterone hormone and sperm without adding the body weight gain of the bulls.

### Acknowledgment

The authors would like to extend appreciation to the Rector and the Head of the LPPM (community development and research institute) of Diponegoro University for providing fund (Project No. 385-38/UN7.P4.3/PP/2019, Fiscal Year 2019) and approving the study. We would also like to extend our gratitude to the Dean of Faculty of Animal and Agricultural Sciences, Diponegoro University for approving the research proposal and providing facilities including laboratory to conduct the research. Our appreciation also goes to students who carried out the field study.

### References

- Airaodion, A. I., U. Ogbuagu, E. O. Ogbuagu, A. P. Oloruntoba, A. P. Agunbiade, E. O. Airaodion, I. P. Mokelu, and S. C. Ekeh. 2019. Mechanisms for controlling the synthesis of Lipids – Review. *Int. J. Res.* 6: 123-135.
- Birzniece, V., U. J. Meinhardt, M. A. Umpleby, D. J. Handelsman, and K. K. Y. Ho. 2011. Interaction between testosterone and growth hormone on whole-body protein anabolism occurs in the liver. *J. Clin. Endocrinol. Metab.* 96: 1060–1067. <https://doi.org/10.1210/jc.2010-2521>.
- Budoff, M. 2016. Triglycerides and triglyceride-rich lipoprotein in causal pathway of cardiovascular disease. *Am. J. Cardiol.* 118: 138-145. <https://doi.org/10.1016/j.amjcard.2016.04.004>
- Casares, D., P. V. Escribá, and C. A. Rosselló. 2019. Membrane lipid composition: Effect on membrane and organelle structure, function and compartmentalization and therapeutic avenues. *Int. J. Mol. Sci.* 20(9): 2167-2175. <https://doi.org/10.3390/ijms20092167>
- Chandler, T. L. and H. M. White. 2017. Choline and methionine differentially alter methyl carbon metabolism in bovine neonatal hepatocytes. *PLoS One* 12: e0171080. <https://dx.doi.org/10.1371/journal.pone.0171080>
- Chaudhari, K. I., D. C. Prajapati, P. M. Lunagariya, K. K. Sorathiya, S. N. Patel, R. P. Patel, and A. L. Nayak. 2017. An importance of choline chloride for poultry and cattle: An overview. *Int. J. Sci. Environ. Technol.* 6: 2804-2810. <http://www.ijset.net/journal/1895.pdf>
- Cheach, J. and W. Yang. 2011. Functions of essential nutrition for high quality

- spermatogenesis. *Advances in Bioscience and Biotechnology*. 2: 182-197.  
Doi:10.4236/abb.  
<http://www.SciRP.org/journal/ab/>
- Constable, P., F. M. Trefz, and H. Stampf. 2019. Effects on pH and the plasma or serum concentrations, l-lactate, and albumin on the plasma ionized calcium concentration in calves. *J. Vet. Int. Med.* 33: 1822-1832.  
<https://doi.org/10.1111/jvim.15509>
- Gallier, S. and H. Singh. 2012. The physical and chemical structure of lipids in relation to digestion and absorption. *Lipid Technology*. 24: 271-273.  
<https://doi.org/10.1002/lite.201200240>
- Gorissen, S. H. M., J. J. R. Crombag, J. M. G. Senden, W. A. H. Waterval, J. Bierau, L. B. Verdijk, and L. J. C. V. Loon. 2018. Protein content and amino acid composition of commercially available plant-based protein isolates. *Amino Acids* 50: 1685-1695.  
<https://doi.org/10.1007/s00726-018-2640-5>
- Grummer, R. 2016. Choline: A limiting nutrient for transition dairy cows. Department of Dairy Science University of Wisconsin, Madison. <file:///D:/PUBLIKASI%20BIB%20APRIL%20%202020/GRUMMER%202016.%20SOUTHWEST-NUTRITION-AND-MANAGEMENT-CONFERENCE-2016.pdf>
- Hajilou, M., M. Dehghan-Banadaky, A. Zali, and K. Rezayazdi. 2014. The effects of dietary L-carnitine and rumen-protected choline on growth performance, carcass characteristics and blood and rumen metabolites of Holstein Young bulls. *J. Appl. Anim. Res.* 42: 89-96.  
<http://dx.doi.org/10.1080/09712119.2013.822807>
- Harvey, R. A. and D. R. Ferrier. 2011. *Illustrated Reviews: Biochemistry*. 5<sup>th</sup> edn. Lipponcott Williams & Wilkins, Philadelphia. p. 520.
- Kim, N., H. Nakamura, H. Masaki, K. Kumasawa, K. Hirano, and T. Kimura. 2017. Effect of lipid metabolism on male fertility. *Biochemical and Biophysical Research Communications*. 485: 686-692.  
<https://doi.org/10.1016/j.bbrc.2017.02.103>
- Lagace, T. A. 2016. Phosphatidylcholine: Greasing the Cholesterol Transport Machinery. *Lipid Insights* 8: 65-73.  
<https://doi.org/10.4137%2FLPI.S31746>
- Lauro, F. V., D. C. Francisco, G. C. Elodia, R. N. Marcela, P. G. Eduardo, L. R. Maria, and C. L. Abelardo. 2016. Design and synthesis three steroid-tetraone derivatives using testosterone as chemical tool. *Letters in Organic Chemistry*. 13: 591-603. DOI : 10.2174/1570178613666160824143943
- Niculescu, N. D. and S. H. Zeisel. 2002. Diet, methyl donor and DNA methylation: Interactions between dietary folate, methionine and choline. *J. Nutr.* 132: 2333-2335.  
<https://doi.org/10.1093/jn/132.8.2333S>
- Ouimet, M., T. J. Barret, and E. A. Fisher. 2019. HDL and reverse cholesterol transport, basic mechanisms and their roles in vascular health and disease. *Circulation Research*. 124: 1505-1518.  
<https://doi.org/10.1161/CIRCRESAHA.119.312617>
- Prasetyono, B. W. H. E., Suryahadi, T. Tohamat, and R. Syarif. 2007. Strategi suplementasi protein ransum sapi potong berbasis jerami dan dedak padi. *Media Peternakan* 30: 207-217.
- Prasetyono, B. W. H. E., Widiyanto, Y. S. Ondho, A. Subrata, and H. S. Widodo. 2020. Effect of SOYXYL as a Dietary Protected Protein Supplement on the Reproductive Performance of Simmental Bulls. *Animal Production*. 22: 1-8.
- Radostits, O. M., C. C. Gay, K. W. Hinchcliff, and P. D. Constable. 2007. *Veterinary medicine: A textbook of the disease of cattle, sheep, goats, pigs and horses*. 10<sup>th</sup> edn. Elsevier Health Sciences, Philadelphia, PA, USA.
- Rato, L., M. G. Alves, S. Socorro, A. I. Duarte, J. E. Cavaco, and P. F. Oliveira. 2012. Metabolic regulation is important for spermatogenesis. *Nat. Rev. Urol.* 9: 330-338. <https://doi.org/10.1038/nrurol.2012.77>
- Sachidhanandam, M., S. N. Singh, A. K. Salhan, and U. S. Ray. 2010. Evaluation of plasma hormone concentrations using enzyme-immunoassay/enzyme-linked immunosorbent assay in healthy Indian men: effect of ethnicity. *Indian J. Clin. Biochem.* 25: 153-157.
- SAS. 2009. *SAS User's Guide*. SAS Institute Inc, SAS Campus Drive, Cary, NC 27513.
- Steel, R. G. D., J. H. Torrie, and D. A. Dickey. 1996. *Principles and Procedures of Statistic: A Biometrical Approach*. McGraw-Hill College.
- Vijayalakshmy, K., M. Virmani, D. Kumar, P. Kumar, and H. Rahman. 2018. Different Methods of Assessing Semen Quality. *Indian Farmer* 5: 1383-1387.
- Wang, Y., F. Chen, L. Ye, B. Zirkon, and H. Chen. 2017. Steroidogenesis in Leydig cells: effects of aging and environmental factors. *Reproduction*. 154: R111-R122.  
<https://doi.org/10.1530/REP-17-0064>
- Watson, H. 2015. *Biological membranes. Essays Biochem.* 59: 43-69.  
<https://doi.org/10.1042/bse0590043>



# The Effect of Choline Chloride Supplementation on the Reproductive Performance of Simmental Bulls Fed Protected Protein in the Ration

## ORIGINALITY REPORT

6%

SIMILARITY INDEX

4%

INTERNET SOURCES

4%

PUBLICATIONS

3%

STUDENT PAPERS

## PRIMARY SOURCES

1	Tawny L. Chandler, Heather M. White. "Choline and methionine differentially alter methyl carbon metabolism in bovine neonatal hepatocytes", PLOS ONE, 2017 Publication	1%
2	<a href="https://link.springer.com">link.springer.com</a> Internet Source	1%
3	<a href="http://www.infric.or.jp">www.infric.or.jp</a> Internet Source	1%
4	<a href="http://www.ajas.info">www.ajas.info</a> Internet Source	<1%
5	<a href="http://edepot.wur.nl">edepot.wur.nl</a> Internet Source	<1%
6	<a href="http://www.tandfonline.com">www.tandfonline.com</a> Internet Source	<1%
7	<a href="http://brage.bibsys.no">brage.bibsys.no</a> Internet Source	<1%

8	<a href="https://data.epo.org">data.epo.org</a> Internet Source	<1%
9	<a href="https://bmcneurol.biomedcentral.com">bmcneurol.biomedcentral.com</a> Internet Source	<1%
10	D P Zendrato, F Hasan, N D Hanafi, Y L Henuk, A H Daulay. "The utilization of cassava by-products into complete ration on performances and feed digestibility of weaning male crossbred Landrace pigs", IOP Conference Series: Earth and Environmental Science, 2020 Publication	<1%
11	<a href="https://ufdc.ufl.edu">ufdc.ufl.edu</a> Internet Source	<1%
12	<a href="https://www.pjbs.org">www.pjbs.org</a> Internet Source	<1%
13	<a href="https://www.yumpu.com">www.yumpu.com</a> Internet Source	<1%
14	Submitted to University of Sheffield Student Paper	<1%
15	Supriyati, I. Gusti Made Budiarsana, Lisa Praharani, Rantan Krisnan, I. Ktut Utama. "Effect of choline chloride supplementation on milk production and milk composition of Etawah grade goats", Journal of Animal Science and Technology, 2016 Publication	<1%

---

16

[www.scielo.br](http://www.scielo.br)

Internet Source

<1%

---

17

A. B. Mohd Fadzelly, R. Asmah, O. Fauziah.  
"Effects of Strobilanthes crispus Tea Aqueous  
Extracts on Glucose and Lipid Profile in Normal  
and Streptozotocin-Induced Hyperglycemic  
Rats", Plant Foods for Human Nutrition, 2006

Publication

<1%

---

18

Submitted to Lambung Mangkurat University

Student Paper

<1%

---

---

Exclude quotes      On

Exclude matches      Off

Exclude bibliography      On

# The Effect of Choline Chloride Supplementation on the Reproductive Performance of Simmental Bulls Fed Protected Protein in the Ration

---

GRADEMARK REPORT

---

FINAL GRADE

**/0**

GENERAL COMMENTS

**Instructor**

---

PAGE 1

---

PAGE 2

---

PAGE 3

---

PAGE 4

---

PAGE 5

---

PAGE 6

---

PAGE 7

---