

DAFTAR PUSTAKA

- A.N. Bratsev, I.L. Glezin, V.B. Kovshechnikov, I.I. Kumkova, V.A. Kuznetsov, V.E. Popov, S.V. Shtengel, A. A. U. (2007) 'Experimental research of air gasification of waste . The first results.', *28th ICPIG*, (July 2007), pp. 1848–1851.
- Air-Online (2004) *Air - Specific Heat at Constant Pressure and Varying Temperature, Engineering Toolbox*. Available at: https://www.engineeringtoolbox.com/air-specific-heat-capacity-d_705.html.
- Air Liquide (2017) 'CO Cold Box – Syngas Separation and Purification', pp. 1–2. Available at: <https://www.engineering-airliquide.com/co-cold-box-syngas-separation-and-purification>.
- AirDensity-Online (2003) *Air - Density , Specific Weight and Thermal Expansion Coefficient at Varying Temperature and Constant Pressures Online calculator , figures and tables showing density , specific weight and thermal expansion coefficient of air at temperatures ranging -100, Engineering Toolbox*.
- Anyaegbunam, F. N. C. D. (2014) 'Thermal Plasma Process for Hazardous Waste Treatment', *International Journal of Engineering Research & Technology (IJERT)*, 3(3), pp. 1769–1773.
- Arvanitoyannis, I. S., Kassaveti, A. and Ladas, D. (2008) *Food Waste Treatment Methodologies, Waste Management for the Food Industries*. Elsevier Inc. doi: 10.1016/B978-0-12-373654-3.50009-2.
- ASTM D 7582-15 (2015) *Standard Test Methods for Proximate Analysis of Coal and Coke by Macro*, *ASTM International*. doi: 10.1520/D7582.
- Autret, E., Berthier, F., Luszezanec, A. and Nicolas, F. (2007) 'Incineration of municipal and assimilated wastes in France: Assessment of latest energy and material recovery performances', *Journal of Hazardous Materials*,

139(3), pp. 569–574. doi: 10.1016/j.jhazmat.2006.02.065.

Basu, P. (2013) *Biomass Gasification, Pyrolysis dan Torrefaction: practical design and theory*.

Bermudez, J. M. and Fidalgo, B. (2016) ‘Production of bio-syngas and bio-hydrogen via gasification’, in *Handbook of Biofuels Production: Processes and Technologies: Second Edition*, pp. 431–494. doi: 10.1016/B978-0-08-100455-5.00015-1.

Bocci, E., Carlo, A. Di, Mcphail, S. J., Gallucci, K., Foscolo, P. U., Moneti, M., Villarini, M. and Carlini, M. (2014) ‘Biomass to fuel cells state of the art: A review of the most innovative technology solutions’, *International Journal of Hydrogen Energy*. Elsevier Ltd, pp. 1–20. doi: 10.1016/j.ijhydene.2014.09.022.

CH4-Online (2018) *Methane - Density and Specific Weight, Engineering Toolbox*. Available at: https://www.engineeringtoolbox.com/methane-density-specific-weight-temperature-pressure-d_2020.html.

Chumak, O., Hlina, M., Kopecky, V., Mas, A., Skoblja, S., Oost, G. Van and Vierendeels, J. (2015) ‘Plasma gasification of refuse derived fuel in a single-stage system using different gasifying agents’, *Waste Management*. doi: 10.1016/j.wasman.2015.07.014.

D5373-13, A. (2013) *Standard Test Methods for Instrumental Determination of Carbon, Hydrogen, and Nitrogen in Laboratory Samples of Coal and Coke 1, ASTM International*. doi: 10.1520/D5373-13.

Dedi, S. (2017) ‘Estimasi Emisi Karbon Dari Sampah Permukiman dengan Metode IPCC di Kecamatan Ulee Kareng, Banda Aceh’, *Jurnal Teknik Sipil Unsyiah Kuala*, 1, pp. 339–348.

Diaz, G., Sharma, N., Leal-Quiros, E. and Munoz-Hernandez, A. (2015) ‘Enhanced hydrogen production using steam plasma processing of biomass: Experimental apparatus and procedure’, *International Journal of Hydrogen Energy*. Elsevier Ltd, 40(5), pp. 2091–2098. doi:

10.1016/j.ijhydene.2014.12.049.

Dodge, E. (2008) ‘Plasma - Gasification of Waste Clean Production of Renewable Fuels through the Vaporization of Garbage’, in *Cornel University-Johnson Graduate School of Management*, pp. 1–51.

Doherty, W., Reynolds, A. and Kennedy, D. (2009) ‘The effect of air preheating in a biomass CFB gasifier using ASPEN Plus simulation’, *Biomass and Bioenergy*. Elsevier Ltd, 33(9), pp. 1158–1167. doi: 10.1016/j.biombioe.2009.05.004.

EPAct (1992) ‘Fuel Conversion Factors to Gasoline Gallon Equivalents’, *Department of Energy*, pp. 1–2. Available at: <https://epact.energy.gov/fuel-conversion-factors>.

Faaij, P. C., Uil, H. Den, Hamelinck, C. N. and Boerrigter, H. (2004) ‘Production of FT transportation fuels from biomass; technical options, process analysis and optimisation, and development potential’, *Energy*, 29, pp. 1743–1771. doi: 10.1016/j.energy.2004.01.002.

Fabry, F., Rehmet, C., Rohani, V., Fulcheri, L., Fabry, F., Rehmet, C., Rohani, V., Fulcheri, L. and Gasification, W. (2013) ‘Waste Gasification by Thermal Plasma : A Review’, *Waste and Biomass Valorization*, 4(3), pp. 421–439.

Favas, J., Monteiro, E. and Rouboa, A. (2017) ‘Hydrogen production using plasma gasification with steam injection’, *International Journal of Hydrogen Energy*, 42(16), pp. 10997–11005. doi: 10.1016/j.ijhydene.2017.03.109.

Galeno, G., Minutillo, M. and Perna, A. (2011) ‘From waste to electricity through integrated plasma gasification/fuel cell (IPGFC) system’, *International Journal of Hydrogen Energy*. Elsevier Ltd, 36(2), pp. 1692–1701. doi: 10.1016/j.ijhydene.2010.11.008.

Gil, J., Corella, J., Aznar, M. P. and Caballero, M. A. (1999) ‘Biomass gasification in atmospheric and bubbling fluidized bed: Effect of the type of gasifying agent on the product distribution’, *Biomass and Bioenergy*, 17(5), pp. 389–403. doi: 10.1016/S0961-9534(99)00055-0.

- Gnanapragasam, N. V and Rosen, M. A. (2017) 'A review of hydrogen production using coal , biomass and other solid fuels', *BioFuels*. Taylor & Francis, 1759(April), pp. 7269–7277. doi: 10.1080/17597269.2017.1302662.
- H2-Online (2018) *Hydrogen - Density and Specific Weight, Engineering Toolbox*. Available at: https://www.engineeringtoolbox.com/hydrogen-H2-density-specific-weight-temperature-pressure-d_2044.html.
- H2O-Online (2004) *Water - Heat Capacity (Specific Heat), Engineering Toolbox*. Available at: https://www.engineeringtoolbox.com/specific-heat-capacity-water-d_660.html.
- HeatVap-Online (2010) *Water - Heat of Vaporization, Engineering Toolbox*. Available at: https://www.engineeringtoolbox.com/water-properties-d_1573.html.
- Hlina, M., Hrabovsky, M., Kavka, T. and Konrad, M. (2014) 'Production of high quality syngas from argon/water plasma gasification of biomass and waste', *Waste Management*. Elsevier Ltd, 34(1), pp. 63–66. doi: 10.1016/j.wasman.2013.09.018.
- Hofbauer, H. and Rauch, R. (2008) 'Stoichiometric Water Consumption of Steam Gasification by the FICFB-Gasification Process', *Progress in Thermochemical Biomass Conversion*, (May 2019), pp. 199–208. doi: 10.1002/9780470694954.ch14.
- Jambeck, J. R., Geyer, R., Wilcox, C., Siegler, T. R., Perryman, M., Andrady, A., Narayan, R. and Law, K. L. (2015) 'Plastic waste inputs from land into the ocean', *sciencemag*, pp. 768–771. doi: 10.1029/EO066i007p00059-06.
- Khuriati, A., Purwanto, P., Setiyo Huboyo, H., Suryono, S. and Bawono Putro, A. (2018) 'Application of aspen plus for municipal solid waste plasma gasification simulation : case study of Jatibarang Landfill in Semarang Indonesia', *Journal of Physics: Conference Series*, 1025(1), pp. 1–7.
- Leonard, J. and Herumurti, W. (2013) 'Evaluasi Fungsi Insinerator dalam Memusnahkan', *Jurnal Teknik POMITS*, 2(2), pp. 138–143.

- Li, J., Liu, K., Yan, S., Li, Y. and Han, D. (2016) 'Application of thermal plasma technology for the treatment of solid wastes in China: An overview', *Waste Management*. Elsevier Ltd, 58, pp. 260–269. doi: 10.1016/j.wasman.2016.06.011.
- Li, X. T., Grace, J. R., Lim, C. J., Watkinson, A. P., Chen, H. P. and Kim, J. R. (2004) 'Biomass gasification in a circulating fluidized bed', *Biomass and Bioenergy*, 26, pp. 171–193. doi: 10.1016/S0961-9534(03)00084-9.
- Lorcet, H., Guenadou, D., Latge, C., Brothier, M., Mariaux, G. and Vardelle, A. (2009) 'Kinetics modeling of biomass gasification under thermal plasma conditions . Application to a refractory species : the methane', *Ispec 19*.
- Lorcet, H., Guenadou, D., Latge, C., Brothier, M., Mariaux, G. and Vardelle, A. (2009) 'Kinetics modeling of biomass gasification under thermal plasma conditions . Application to a refractory species : the methane', in *ISPC 19 Proceedings*, pp. 1–5. Available at: <https://www.ispc-conference.org/ispcproc/ispc19/papers/280.pdf>.
- Lv, P., Yuan, Z., Ma, L., Wu, C., Chen, Y. and Zhu, J. (2007) 'Hydrogen-rich gas production from biomass air and oxygen/steam gasification in a downdraft gasifier', *Renewable Energy*, 32(13), pp. 2173–2185. doi: 10.1016/j.renene.2006.11.010.
- Ma, W., Hoffmann, G., Schirmer, M., Chen, G. and Rotter, V. S. (2010) 'Chlorine characterization and thermal behavior in MSW and RDF', *Journal of Hazardous Materials*. Elsevier B.V., 178(1–3), pp. 489–498. doi: 10.1016/j.jhazmat.2010.01.108.
- Majid Akmal Irfan, Pradana Yano Surya, Budhijanto Wiratni, Deendarlianto Deendarlianto, Budiman Arief, S. H. (2017) 'Technological Evaluation of Municipal Solid Waste Management System in Indonesia', *Energy Procedia*, 105, pp. 263–269. doi: 10.1016/j.egypro.2017.03.312.
- Minutillo, M., Perna, A. and Bona, D. Di (2009) 'Modelling and performance analysis of an integrated plasma gasification combined cycle (IPGCC)

- power plant', *Energy Conversion and Management*, 50, pp. 2837–2842. doi: 10.1016/j.enconman.2009.07.002.
- Molino, A., Chianese, S. and Musmarra, D. (2016) 'Biomass gasification technology: The state of the art overview', *Journal of Energy Chemistry*. Elsevier B.V., 25(1), pp. 10–25. doi: 10.1016/j.jechem.2015.11.005.
- Molino, A., Larocca, V., Chianese, S. and Musmarra, D. (2018) 'Biofuels production by biomass gasification: A review', *Energies*, 11(4), pp. 1–31. doi: 10.3390/en11040811.
- Mountouris, A., Voutsas, E. and Tassios, D. (2006) 'Solid waste plasma gasification: Equilibrium model development and exergy analysis', *Energy Conversion and Management*, 47(13–14), pp. 1723–1737. doi: 10.1016/j.enconman.2005.10.015.
- Mueller, C. J., Musculus, M. P. B., Pickett, L. M., Pitz, W. J. and Westbrook, C. K. (2004) 'The Oxygen Ratio: A Fuel-Independent Measure of Mixture Stoichiometry', in *30th International Symposium on Combustion*, pp. 781–784. doi: 10.1145/2733373.2807402.
- Musale, S. and Padhya, H. (2013) 'Process Modeling And Simulation In Plasma Technology – An Innovative Approach Towards Sustainable Solution For Solid Waste Treatment', *International Refereed Journal of Engineering and Science (IRJES)*, 2(4 (April 2013)), pp. 50–54.
- Muvhiwa, R. F., Sempuga, B., Hildebrandt, D. and Van Der Walt, J. (2018) 'Study of the effects of temperature on syngas composition from pyrolysis of wood pellets using a nitrogen plasma torch reactor', *Journal of Analytical and Applied Pyrolysis*. Elsevier, 130(October 2017), pp. 249–255. doi: 10.1016/j.jaap.2018.01.014.
- Ngamchompoo, W. and Triratanasirichai, K. (2017) 'Experimental investigation of high temperature air and steam biomass gasification in a fixed-bed downdraft gasifier', *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*. Taylor & Francis, 39(8), pp. 733–740. doi:

10.1080/15567036.2013.783657.

- Nic, M., Hovorka, L., Jirat, J., Kosata, B. and Znamenacek, J. (2005) *IUPAC Compendium of Chemical Terminology 2nd ed. (the 'Gold Book'), International Union of Pure and Applied Chemistry*. doi: 10.1351/goldbook.I03352.
- Niwarlangga, C. (2016) 'Reaktor Membran WGSR untuk Produksi Gas Hidrogen', *Jurnal Teknik Kimia ITB*, (May).
- Novita, D. M. (2010) 'Heating Value Based on Composition and Characteristics of Municipal Solid Waste in Indonesia in Waste to Energy Concept', *Jurnal Teknik Lingkungan*, 16(2), pp. 103–114.
- Nur, M. (2011) *Fisika Plasma dan Aplikasinya, Universitas Diponegoro Semarang*.
- Rogoff, M. J., & Screve, F. (2011) 'Waste to Energy', *WTE technology*, pp. 21–43. doi: 10.1016/B978-1-4377-7871-7.10003-6.
- Roos, C. J. (2010) *Clean Heat and Power Using Biomass Gasification for Industrial and Agricultural Projects, US Dept of Energy - Clean Energy Application Center*.
- Rupesh, S., Muraleedharan, C. and Arun, P. (2016) 'ASPEN plus modelling of air-steam gasification of biomass with sorbent enabled CO₂ capture', *Resource-Efficient Technologies*. Elsevier B.V., 2(2), pp. 94–103. doi: 10.1016/j.reffit.2016.07.002.
- Setneg. Indonesia (2018) *Perpres No. 35 tahun 2018 - Percepatan Pembangunan Instalasi Pengolah Sampah Menjadi Energi Listrik Berbasis Teknologi Ramah Lingkungan*.
- Sikarwar, V. S., Zhao, M., Clough, P., Yao, J., Zhong, X., Memon, M. Z., Shah, N., Anthony, E. J. and Fennell, P. S. (2016) 'An overview of advances in biomass gasification', *Energy and Environmental Science*. Royal Society of Chemistry, 9(10), pp. 2939–2977. doi: 10.1039/c6ee00935b.
- Speight, J. G. (2014) 'Gasifier Types', in *Gasification of Unconventional*

- Feedstocks*, pp. 54–90. doi: 10.1016/b978-0-12-799911-1.00003-0.
- Tan, B. H. (2018) *Process Simulation of Plasma Gasification for Landfill Waste*. KTH Royal Institute of Technology-Sweden.
- Thermeq Services (2019) ‘THEORY OF DEAERATION’, *Stork*, pp. 1–10. Available at: <https://www.stork.com/en/products-services/equipment-manufacturing-repair/stork-thermeq/deaerators/deaerator-operating-principle/theory-of-deaeration>.
- Toolbox, E. (2005) *Nitrogen - Specific Heat*, *Online*. Available at: https://www.engineeringtoolbox.com/nitrogen-d_977.html.
- Valmundsson, A. S. and Janajreh, I. (2014) ‘Plasma Gasification Process Modeling and Energy Recovery From Solid Waste’, *Proceedings of the ASME 2011 5th International Conference on Energy Sustainability*, ES2011-542(January 2011), pp. 1–8. doi: 10.1115/ES2011-54284.
- Vapor-Online (2005) *Water Vapor - Specific Heat*, *Engineering ToolBox*. Available at: http://www.engineeringtoolbox.com/water-vapor-d_979.html.
- Verma, B. K., Rajeshkannan, E., Renganathan, T. and Pushpavanam, S. (2018) ‘A hybrid thermo-kinetic model for high temperature plasma gasification’, *AIChE Journal*, 64(7), pp. 2592–2602. doi: 10.1002/aic.16146.
- Vinod C. Khera (1968) *Kinetic study of the catalytic oxidation of carbon monoxide*. University of Windsor.
- Yong-Chil Seo, M. T. A. and W.-S. Y. (2018) ‘Gasification of Municipal Solid Waste’, in *Gasification for Low-grade Feedstock*, p. 13. Available at: <https://www.intechopen.com/books/gasification-for-low-grade-feedstock/gasification-of-municipal-solid-waste>.
- Young, G. C. (2010) *Municipal Solid Waste to Energy Conversion Processes*. Wiley. doi: 10.1002/9780470608616.
- Zafar, S. (2019) ‘Comparison of Different Waste-to- Energy Processes’, *Clean Energy Application Center*, pp. 5–9.

Zhang, Q., Dor, L., Fenigshtein, D., Yang, W. and Blasiak, W. (2012) 'Gasification of municipal solid waste in the Plasma Gasification Melting process', *Applied Energy*. Elsevier Ltd, 90(1), pp. 106–112. doi: 10.1016/j.apenergy.2011.01.041.