

DAFTAR PUSTAKA

- Abdessalem, A.K., Bellakhal, N., Oturan, N., Dachraoui, M. dan Oturan, M.A. 2010. Treatment of a mixture of three pesticides by photo- and electro-Fenton processes. *Desalination*, 250(1): 450–455. Tersedia di <http://dx.doi.org/10.1016/j.desal.2009.09.072>.
- Abedinzadeh, N., Shariat, M., Monavari, S.M. dan Pendashteh, A. 2018. Evaluation of color and COD removal by Fenton from biologically (SBR) pre-treated pulp and paper wastewater. *Process Safety and Environmental Protection*, 116: 82–91. Tersedia di <https://doi.org/10.1016/j.psep.2018.01.015>.
- Ahmad, A.L., Wong, S.S., Teng, T.T. dan Zuhairi, A. 2008. Improvement of alum and PACl coagulation by polyacrylamides (PAMs) for the treatment of pulp and paper mill wastewater. *Chemical Engineering Journal*, 137(3): 510–517.
- Akyol, A., Can, O.T., Demirbas, E. dan Kobya, M. 2013. A comparative study of electrocoagulation and electro-Fenton for treatment of wastewater from liquid organic fertilizer plant. *Separation and Purification Technology*, 112: 11–19. Tersedia di <http://dx.doi.org/10.1016/j.seppur.2013.03.036>.
- Ashrafi, O., Yerushalmi, L. dan Haghghat, F. 2015. Wastewater treatment in the pulp-and-paper industry: A review of treatment processes and the associated greenhouse gas emission. *Journal of Environmental Management*, 158: 146–157.
- Asina, F., Brzonova, I., Voeller, K., Kozliak, E., Kubátová, A., Yao, B. dan Ji, Y. 2016. Biodegradation of lignin by fungi, bacteria and laccases. *Bioresource Technology*, 220: 414–424. Tersedia di <http://dx.doi.org/10.1016/j.biortech.2016.08.016>.
- Atmaca, E. 2009. Treatment of landfill leachate by using electro-Fenton method. *Journal of Hazardous Materials*, 163(1): 109–114.
- Babuponnusami, A. dan Muthukumar, K. 2014. A review on Fenton and improvements to the Fenton process for wastewater treatment. *Journal of Environmental Chemical Engineering*, 2(1): 557–572. Tersedia di <http://dx.doi.org/10.1016/j.jece.2013.10.011>.
- Baiju, A., Gandhimathi, R., Ramesh, S.T. dan Nidheesh, P. V. 2018. Combined heterogeneous Electro-Fenton and biological process for the treatment of stabilized landfill leachate. *Journal of Environmental Management*, 210: 328–337. Tersedia di <https://doi.org/10.1016/j.jenvman.2018.01.019>.
- Brillas, E., Sire, I. dan Oturan, M.A. 2009. Electro-Fenton Process and Related Electrochemical Technologies Based on Fenton ' s Reaction Chemistry. 6570–6631.
- Brink, A., Sheridan, C. dan Harding, K. 2018. Combined biological and advance

- oxidation processes for paper and pulp effluent treatment. *South African Journal of Chemical Engineering*, 25(2018): 116–122. Tersedia di <https://doi.org/10.1016/j.sajce.2018.04.002>.
- Casado, J., Fornaguera, J. dan Galan, M.I. 2005. Mineralization of Aromatics in Water by Sunlight-Assisted Electro-Fenton Technology in a Pilot Reactor. *Environmental Science and Technology*, 39(6): 1843–1847.
- Chen, X., Si, C. dan Fatehi, P. 2018. Enhancement in biological treatment of pulping wastewater by fly ash. *Chemosphere*, 210: 1–9. Tersedia di <https://doi.org/10.1016/j.chemosphere.2018.06.160>.
- Comninellis, C. 2008. *Electrochemistry for the Environment*. London: Springer New.
- Cruz-González, K., Torres-López, O., García-León, A., Guzmán-Mar, J.L., Reyes, L.H., Hernández-Ramírez, A. dan Peralta-Hernández, J.M. 2010. Determination of optimum operating parameters for Acid Yellow 36 decolorization by electro-Fenton process using BDD cathode. *Chemical Engineering Journal*, 160(1): 199–206.
- Cruz-González, K., Torres-Lopez, O., García-León, A.M., Brillas, E., Hernández-Ramírez, A. dan Peralta-Hernández, J.M. 2012. Optimization of electro-Fenton/BDD process for decolorization of a model azo dye wastewater by means of response surface methodology. *Desalination*, 286: 63–68. Tersedia di <http://dx.doi.org/10.1016/j.desal.2011.11.005>.
- Diaw, P.A., Oturan, N., Seye, M.D.G., Coly, A., Tine, A., Aaron, J.J. dan Oturan, M.A. 2017. Oxidative degradation and mineralization of the phenylurea herbicide fluometuron in aqueous media by the electro-Fenton process. *Separation and Purification Technology*, 186: 197–206. Tersedia di <http://dx.doi.org/10.1016/j.seppur.2017.06.005>.
- El-Ghenymy, A., Rodríguez, R.M., Arias, C., Centellas, F., Garrido, J.A., Cabot, P.L. dan Brillas, E. 2013. Electro-Fenton and photoelectro-Fenton degradation of the antimicrobial sulfamethazine using a boron-doped diamond anode and an air-diffusion cathode. *Journal of Electroanalytical Chemistry*, 701: 7–13. Tersedia di <http://dx.doi.org/10.1016/j.jelechem.2013.04.027>.
- FAOSTAT 2019. *Statistics Division FAOSTAT*. Tersedia di [http://www.fao.org/faostat/en/#search/pulp and paper](http://www.fao.org/faostat/en/#search/pulp%20and%20paper).
- Farooqi, I.H. dan Basheer, F. 2017. Treatment of Adsorbable Organic Halide (AOX) from pulp and paper industry wastewater using aerobic granules in pilot scale SBR. *Journal of Water Process Engineering*, 19(June): 60–66. Tersedia di <http://dx.doi.org/10.1016/j.jwpe.2017.07.005>.
- Ganiyu, S.O., Zhou, M. dan Martínez-Huitle, C.A. 2018. Heterogeneous electro-Fenton and photoelectro-Fenton processes: A critical review of fundamental principles and application for water/wastewater treatment. *Applied Catalysis*

- B: *Environmental*, 235(April): 103–129. Tersedia di <https://doi.org/10.1016/j.apcatb.2018.04.044>.
- Guivarch, E., Trevin, S., Lahitte, C. dan Oturan, M.A. 2003. Degradation of azo dyes in water by Electro-Fenton process. *Environmental Chemistry Letters*, 1(1): 38–44.
- Gümüş, D. dan Akbal, F. 2016. Comparison of Fenton and electro-Fenton processes for oxidation of phenol. *Process Safety and Environmental Protection*, 103(3): 252–258.
- Hu, Y., Lu, Y., Liu, G., Luo, H., Zhang, R. dan Cai, X. 2018. Effect of the structure of stacked electro-Fenton reactor on treating nanofiltration concentrate of landfill leachate. *Chemosphere*, 202: 191–197. Tersedia di <https://doi.org/10.1016/j.chemosphere.2018.03.103>.
- Iglesias, O., Dios, M.A.F. de, T. Tavares b, A, M.A.S. dan Pazos, M. 2015. Heterogeneous electro-Fenton treatment : preparation , characterization and performance in groundwater pesticide removal. *Journal of Industrial and Engineering Chemistry*, 27: 276–282.
- Jaafarzadeh, N., Ghanbari, F., Ahmadi, M. dan Omidinasab, M. 2017a. Efficient integrated processes for pulp and paper wastewater treatment and phytotoxicity reduction: Permanganate, electro-Fenton and Co₃O₄/UV/peroxymonosulfate. *Chemical Engineering Journal*, 308: 142–150. Tersedia di <http://dx.doi.org/10.1016/j.cej.2016.09.015>.
- Jaafarzadeh, N., Ghanbari, F. dan Alvandi, M. 2017b. Integration of coagulation and electro-activated HSO₅⁻ to treat pulp and paper wastewater. *Sustainable Environment Research*, 27(5): 223–229. Tersedia di <http://dx.doi.org/10.1016/j.serj.2017.06.001>.
- Khatri, I., Singh, S. dan Garg, A. 2018. Performance of electro-Fenton process for phenol removal using Iron electrodes and activated carbon. *Journal of Environmental Chemical Engineering*, 6: 7368–7376.
- Kim, S.C. 2016. Application of response surface method as an experimental design to optimize coagulation-flocculation process for pre-treating paper wastewater. *Journal of Industrial and Engineering Chemistry*, 38: 93–102. Tersedia di <http://dx.doi.org/10.1016/j.jiec.2016.04.010>.
- Klidi, N., Clematis, D., Delucchi, M., Gadri, A., Ammar, S. dan Panizza, M. 2018. Applicability of electrochemical methods to paper mill wastewater for reuse. Anodic oxidation with BDD and TiRuSnO₂ anodes. *Journal of Electroanalytical Chemistry*, 815(February): 16–23. Tersedia di <https://doi.org/10.1016/j.jelechem.2018.02.063>.
- Klidi, N., Proietto, F., Vicari, F., Galia, A., Ammar, S., Gadri, A. dan Scialdone, O. 2019. Electrochemical treatment of paper mill wastewater by electro-Fenton process. *Journal of Electroanalytical Chemistry*. Tersedia di

<https://linkinghub.elsevier.com/retrieve/pii/S1572665719302723>.

- Kourdali, S., Badis, A. dan Boucherit, A. 2014. Degradation of direct yellow 9 by electro-Fenton : Process study and optimization and , monitoring of treated water toxicity using catalase. *Ecotoxicology and Environmental Safety*, 110: 110–120. Tersedia di <http://dx.doi.org/10.1016/j.ecoenv.2014.08.023>.
- Kourdali, S., Badis, A., Boucherit, A., Boudjema, K. dan Saiba, A. 2018. Electrochemical disinfection of bacterial contamination: Effectiveness and modeling study of E. coli inactivation by electro-Fenton, electro-peroxide-coagulation and electrocoagulation. *Journal of Environmental Management*, 106–119.
- Kristianingrum, S. 2012. Handout Spektroskopi Infra Merah (Infrared Spectroscopy, IR). 15.
- Kurt, U., Apaydin, O. dan Gonullu, M.T. 2007. Reduction of COD in wastewater from an organized tannery industrial region by Electro-Fenton process. *Journal of Hazardous Materials*, 143(1–2): 33–40.
- Lei, H., Li, H., Li, Z., Li, Z., Chen, K., Zhang, X. dan Wang, H. 2010. Electro-Fenton degradation of cationic red X-GRL using an activated carbon fiber cathode. *Process Safety and Environmental Protection*, 88(6): 431–438. Tersedia di <http://dx.doi.org/10.1016/j.psep.2010.06.005>.
- Lin, H. 2015. *Removal of organic pollutants from water by electro-Fenton and electro-Fenton like processes*. Université Paris-Est.
- Liu, H., Zhao, X. dan Qu, J. 2010. Electrocoagulation in Water Treatment. *Electrochemistry for the Environment*. hal.1–563.
- Loaiza-Ambuludi, S., Panizza, M., Oturan, N., Özcan, A. dan Oturan, M.A. 2013. Electro-Fenton degradation of anti-inflammatory drug ibuprofen in hydroorganic medium. *Journal of Electroanalytical Chemistry*, 702: 31–36. Tersedia di <http://dx.doi.org/10.1016/j.jelechem.2013.05.006>.
- Malakootian, M. dan Moridi, A. 2017. Efficiency of electro-Fenton process in removing Acid Red 18 dye from aqueous solutions. *Process Safety and Environmental Protection*, 111: 138–147.
- Mansour, L. Ben, Ksentini, I. dan Elleuch, B. 2007. Treatment of wastewaters of paper industry by coagulation-electroflotation. *Desalination*, 208(1–3): 34–41.
- Moreira, F.C., Boaventura, R.A.R., Brillas, E. dan Vilar, V.J.P. 2017. Electrochemical advanced oxidation processes: A review on their application to synthetic and real wastewaters. *Applied Catalysis B: Environmental*, 202: 217–261. Tersedia di <http://dx.doi.org/10.1016/j.apcatb.2016.08.037>.
- Moreira, F.C., Garcia-Segura, S., Vilar, V.J.P., Boaventura, R.A.R. dan Brillas, E. 2013. Decolorization and mineralization of Sunset Yellow FCF azo dye by

- anodic oxidation, electro-Fenton, UVA photoelectro-Fenton and solar photoelectro-Fenton processes. *Applied Catalysis B: Environmental*, 142–143: 877–890. Tersedia di <http://dx.doi.org/10.1016/j.apcatb.2013.03.023>.
- Moussavi, G. dan Aghanejad, M. 2014. The performance of electrochemical peroxidation process for COD reduction and biodegradability improvement of the wastewater from a paper recycling plant. *SEPARATION AND PURIFICATION TECHNOLOGY*, 132: 182–186. Tersedia di <http://dx.doi.org/10.1016/j.seppur.2014.05.007>.
- Nidheesh, P. V. dan Gandhimathi, R. 2012. Trends in electro-Fenton process for water and wastewater treatment: An overview. *Desalination*, 299: 1–15. Tersedia di <http://dx.doi.org/10.1016/j.desal.2012.05.011>.
- Oturan, N. dan Oturan, M.A. 2018. Electro-Fenton Process: Background, New Developments, and Applications. *Electrochemical Water and Wastewater Treatment*, 193–221.
- Pajootan, E., Arami, M. dan Rahimdokht, M. 2014. Discoloration of wastewater in a continuous electro-Fenton process using modified graphite electrode with multi-walled carbon nanotubes/surfactant. *Separation and Purification Technology*, 130: 34–44.
- Panizza, M. 2018. *Fine Chemical Industry, Pulp and Paper Industry, Petrochemical Industry and Pharmaceutical Industry. Electrochemical Water and Wastewater Treatment*. Elsevier Inc. Tersedia di <http://dx.doi.org/10.1016/B978-0-12-813160-2.00013-4>.
- Panizza, M. dan Cerisola, G. 2009. Direct And Mediated Anodic Oxidation of Organic Pollutants. *Chemical Reviews*, 109(12): 6541–6569. Tersedia di <https://pubs.acs.org/doi/10.1021/cr9001319>.
- Panizza, M., Delucchi, M., Giuliano, A., Cerisola, G., Barbucci, A., Carpanese, M.P. dan Cataldo-Hernández, M. 2013. Electro-Fenton degradation of anionic surfactants. *Separation and Purification Technology*, 118: 394–398.
- Panizza, M. dan Oturan, M.A. 2011. Degradation of Alizarin Red by electro-Fenton process using a graphite-felt cathode. *Electrochimica Acta*, 56(20): 7084–7087.
- Pimentel, M., Oturan, N., Dezotti, M. dan Oturan, M.A. 2008. Phenol degradation by advanced electrochemical oxidation process electro-Fenton using a carbon felt cathode. *Applied Catalysis B: Environmental*, 83(1–2): 140–149.
- Prabhakaran, D., Kannadasan, T. dan Ahmed Basha, C. 2009. Treatability of resin effluents by electrochemical oxidation using batch recirculation reactor. *International Journal of Environmental Science and Technology*, 6(3): 491–498.
- Prasetyo, D.E., Wulandari, S.Y. dan Ismunarti, D.H. 2015. Kajian Konsentrasi Pestisida Karbamat (Karbofuran dan Metomil) di Perairan Mlonggo,

Kabupaten Jepara. *Journal Oseanografi*, 4: 451–456.

- Radwan, M., Gar Alalm, M. dan Eletriby, H. 2018. Optimization and modeling of electro-Fenton process for treatment of phenolic wastewater using nickel and sacrificial stainless steel anodes. *Journal of Water Process Engineering*, 22(January): 155–162. Tersedia di <https://doi.org/10.1016/j.jwpe.2018.02.003>.
- Rahmawati, D. 2011. *The Influence of Industrial Activities Against the Water Quality of the Diwak River in Semarang Regency Bergas and River Water Pollution Control Efforts*.
- Rosales, E., Pazos, M., Longo, M.A. dan Sanromán, M.A. 2009. Electro-Fenton decoloration of dyes in a continuous reactor: A promising technology in colored wastewater treatment. *Chemical Engineering Journal*, 155(1–2): 62–67.
- Skoog, D.A., Holler, F.J. dan Crouch, S.R. 1998. *Principles of Instrumental Analysis Sixth Edition*. Thompson Brooks/Cole.
- Smith, B.C. 2011. *Fundamentals of Fourier Transform Infrared Spectroscopy Second Edition*. New York: CRC Press Taylor & Francis Group.
- Sruthi, T., Gandhimathi, R., Ramesh, S.T. dan Nidheesh, P. V. 2018. Stabilized landfill leachate treatment using heterogeneous Fenton and electro-Fenton processes. *Chemosphere*, 210: 38–43. Tersedia di <https://doi.org/10.1016/j.chemosphere.2018.06.172>.
- Sun, J., Shi, S., Lee, Y. dan Sun, S. 2009. Fenton oxidative decolorization of the azo dye Direct Blue 15 in aqueous solution. *Chemical Engineering Journal*, 155: 680–683.
- Toczyłowska-Mamińska, R. 2017. Limits and perspectives of pulp and paper industry wastewater treatment – A review. *Renewable and Sustainable Energy Reviews*, 78(May): 764–772.
- Vashi, H., Iorhemen, O.T. dan Tay, J.H. 2018. Aerobic granulation: A recent development on the biological treatment of pulp and paper wastewater. *Environmental Technology and Innovation*, 9: 265–274. Tersedia di <https://doi.org/10.1016/j.eti.2017.12.006>.
- Wang, C.T., Chou, W.L., Chung, M.H. dan Kuo, Y.M. 2010. COD removal from real dyeing wastewater by electro-Fenton technology using an activated carbon fiber cathode. *Desalination*, 253(1–3): 129–134. Tersedia di <http://dx.doi.org/10.1016/j.desal.2009.11.020>.
- Xia, Y., Shang, H., Zhang, Q., Zhou, Y. dan Hu, X. 2019. Electrogeneration of hydrogen peroxide using phosphorus-doped carbon nanotubes gas diffusion electrodes and its application in electro-Fenton. *Journal of Electroanalytical Chemistry*, 840(February): 400–408. Tersedia di <https://doi.org/10.1016/j.jelechem.2019.04.009>.

- Yang, H., Zhou, M., Yang, W., Ren, G. dan Ma, L. 2018. Rolling-made gas diffusion electrode with carbon nanotube for electro-Fenton degradation of acetylsalicylic acid. *Chemosphere*, 206: 439–446. Tersedia di <https://doi.org/10.1016/j.chemosphere.2018.05.027>.
- Yatmaz, H.C. dan Uzman, Y. 2009. Degradation of pesticide monochrotophos from aqueous solutions by electrochemical methods. *International Journal of Electrochemical Science*, 4(5): 614–626.
- Yazdanbakhsh, A., Mehdipour, F., Eslami, A., Maleksari, H.S. dan Ghanbari, F. 2015. The combination of coagulation, acid cracking and Fenton-like processes for olive oil mill wastewater treatment: Phytotoxicity reduction and biodegradability augmentation. *Water Science and Technology*, 71(7): 1097–1105.
- Yu, F., Zhou, M. dan Yu, X. 2015. Cost-effective electro-Fenton using modified graphite felt that dramatically enhanced on H₂O₂ electro-generation without external aeration. *Electrochimica Acta*, 163: 182–189.
- Yuan, S., Fan, Y., Zhang, Y., Tong, M. dan Liao, P. 2011. Pd-catalytic in situ generation of H₂O₂ from H₂ and O₂ produced by water electrolysis for the efficient electro-fenton degradation of Rhodamine B. *Environmental Science and Technology*, 45(19): 8514–8520.
- Yuliani, G., Chaffee, A.L. dan Garnier, G. 2019. UV-induced colour generation of pulp and paper mill effluents as a proxy of ligno-cellulosic biorefinery wastewater. *Journal of Water Process Engineering*, 29(November 2018).
- Zhang, C., Ren, G., Wang, W., Yu, X., Yu, F., Zhang, Q. dan Zhou, M. 2019a. A new type of continuous-flow heterogeneous electro-Fenton reactor for Tartrazine degradation. *Separation and Purification Technology*, 208(May 2018): 76–82. Tersedia di <https://doi.org/10.1016/j.seppur.2018.05.016>.
- Zhang, H., Fei, C., Zhang, D. dan Tang, F. 2007. Degradation of 4-nitrophenol in aqueous medium by electro-Fenton method. *Journal of Hazardous Materials*, 145: 227–232.
- Zhang, H., Ran, X. dan Wu, X. 2012. Electro-Fenton treatment of mature landfill leachate in a continuous flow reactor. *Journal of Hazardous Materials*, 241–242: 259–266. Tersedia di <http://dx.doi.org/10.1016/j.jhazmat.2012.09.040>.
- Zhang, H., Zhang, D. dan Zhou, J. 2006. Removal of COD from landfill leachate by electro-Fenton method. 135(June 2005): 106–111.
- Zhang, Y., Chen, Z., Wu, P., Duan, Y., Zhao, Y., Zhou, L., Lai, Y. dan Wang, F. 2019b. Design of a novel and efficient electro-Fenton cathode with skeleton of melamine foams. *Materials Letters*, 239: 196–199. Tersedia di <https://doi.org/10.1016/j.matlet.2018.12.096>.
- Zhou, H., Kang, L., Zhou, M., Zhong, Z. dan Xing, W. 2018. Membrane enhanced COD degradation of pulp wastewater using Cu₂O/H₂O₂ heterogeneous

Fenton process. *Chinese Journal of Chemical Engineering*, 26(9): 1896–1903. Tersedia di <https://doi.org/10.1016/j.cjche.2018.01.007>.

Zhou, L., Hu, Z., Zhang, C., Bi, Z., Jin, T. dan Zhou, M. 2013. Electrogenation of hydrogen peroxide for electro-Fenton system by oxygen reduction using chemically modified graphite felt cathode. *Separation and Purification Technology*, 111: 131–136.

Zhou, M., Yu, Q., Lei, L. dan Barton, G. 2007. Electro-Fenton method for the removal of methyl red in an efficient electrochemical system. *Separation and Purification Technology*, 57(2): 380–387.

Zhou, W., Rajic, L., Chen, L., Kou, K., Ding, Y., Meng, X., Wang, Y., Mulaw, B., Gao, J., Qin, Y. dan Alshawabkeh, A.N. 2019. Activated carbon as effective cathode material in iron-free Electro-Fenton process: Integrated H₂O₂ electrogeneration, activation, and pollutants adsorption. *Electrochimica Acta*, 296: 317–326. Tersedia di <https://doi.org/10.1016/j.electacta.2018.11.052>.