

## DAFTAR PUSTAKA

1. Magnay JL, Brien SO, Gerlinger C, Seitz C. A systematic review of methods to measure menstrual blood loss. 2018;1-13.
2. Antara H, Sosiodemografi F, Dalam S, Kejadian M, Studi P, Bidan P. Hubungan antara faktor sosiodemografi dan sikap dalam menghadapi kejadian dismenorea pada remaja putri di sma negeri 1 suboh situbondo. 2016.
3. Article O, Lubis SM, Deliana M. Paediatrica Indonesiana. 2011;51(1):41-46.
2. Vitamin E for the treatment of dysmenorrhea. 2005;112(August):2005. doi:10.1111/j.1471-0528.2005.00741.x
3. Sadeghi N, Paknezhad F, Nooshabadi MR, Kavianpour M, Rad SJ, Haghghian HK. Vitamin E and fish oil , separately or in combination , on treatment of primary dysmenorrhea : a double-blind , randomized clinical trial. *Gynecol Endocrinol*. 2018;0(0):1-5. doi:10.1080/09513590.2018.1450377
4. Gynecology A. the management of dysmenorrhea in adolescents. 1996:1335-1338.
5. Sari D, Nurdin AE. Artikel Penelitian Hubungan Stres dengan Kejadian Dismenore Primer pada Mahasiswi Pendidikan Dokter Fakultas Kedokteran Universitas Andalas. 2015;4(2):567-570.
6. Mumford SL, Browne RW, Schliep KC, et al. Serum Antioxidants Are Associated with Serum Reproductive Hormones and Ovulation among Healthy Women 1 – 3. 2016;(C):1-9. doi:10.3945/jn.115.217620.1
7. Jabbour HN. Prostaglandin (PG)F<sub>2</sub> Receptor Expression and. 2015;88(October):1825-1832. doi:10.1210/jc.2002-021368
8. Hata AN, Breyer RM. Pharmacology and signaling of prostaglandin receptors : Multiple roles in inflammation and immune modulation. 2004;103:147-166. doi:10.1016/j.pharmthera.2004.06.003 59
9. Mortality A, Iii ERM, Pastor-barriuso R, Dalal D, Riemersma RA. Review N. Analysis : High-Dosage Vitamin E Supplementation May Increase. 2005.
10. Glickman-Simon R, Lindsay T. Evidence-Based Integrative Medicine Updates C Annabinoids For C Hronic P Ain , M Editerranean D Iet , And C Ognitive F Uinction ; V Itamin E And S Elenium For C Ataract P Revention ; And A Cupuncture And M Oxibustion For P Rimary D Ysmenorrhea ., 2015:1-5. Doi:10.1016/J.Explore.2015.08.013
11. El-nashar SA, Shazly SAM, Famuyide AO. Pictorial blood loss assessment chart for quantification of menstrual blood loss : a systematic review. 2015:157-163. doi:10.1007/s10397-015-0893-5
12. Proctor M, Pa M. Herbal and dietary therapies for primary and secondary dysmenorrhoea ( Review ). 2009;(2).

13. Sma B, Kabupaten DI, Hulu R. Faktor - faktor yang berhubungan dengan nyeri menstruasi (dismenorea) pada remaja putri di beberapa sma di kabupaten rokan hulu tahun 2013. 2014;1(4).
14. Dismenore K, Di P. Faktor-faktor yang berhubungan dengan kejadian dismenore primer di pondok pesantren al-imdad yogyakarta. 2019.
15. Novita C, Dewi Yi, Utami Gt, Studi P, Keperawatan I, Riau U. Efektifitas Tauma Herbal Drink Terhadap Intensitas. 2015;2(2).
16. Pengantar K. Literature Review Dismenore Primer Dan Penatalaksanaan Non Program Studi Ilmu Keperawatan. 2017.
17. Pattanittum P, Kunyanone N, Brown J, Us S, Barnes J, Seyfoddin V. Dietary Supplements For Dysmenorrhoea (Review). 2016;(3).  
Doi:10.1002/14651858.Cd002124.Pub2.Www.Cochranlibrary.Com
18. Lina M, Kumalasari F. Efektivitas Senam Dismenore Sebagai Terapi Alternatif Menurunkan Tingkat Nyeri Haid Tinjauan Sistematis Penelitian Tahun 2011-2016 The Effectiviness of Dysmenorrhea Gymnastics as an Alternative Therapy in Reducing Menstrual Pain A Systematic Research Review 2011-2016. 2017;1(1):10-14.
19. Nasehi M, Sehhatie F, Zamanzadeh V, Delazar A, Javadzadeh Y, Chongheralu BM. Comparison of the effectiveness of combination of fennel extract/vitamin E with ibuprofen on the pain intensity in students with primary dysmenorrhea. 2013;18(5).
20. Burnett M, Lemyre M. No . 345-Primary Dysmenorrhea Consensus Guideline. XXX. 2017;39(7):585-595. doi:10.1016/j.jogc.2016.12.023
21. Ziaei S, Zakeri M, Kazemnejad A. A randomised controlled trial of vitamin E in the treatment of primary dysmenorrhoea. 2005;112(April):466-469.
22. Lanza E, Forman MR, Johnson EJ, Muesing RA, Graubard BI, Beecher GR. Human Nutrition and Metabolism a -Tocopherol Concentrations in Plasma but not in Lipoproteins Fluctuate during the Menstrual Cycle in Healthy Premenopausal Women 1. 1998;(March):1150-1155.
23. Anisa MV. The Effect Of Exercises On Primary Dysmenorrhea. 2015;4:60-65.
24. Menarche U, Gizi S, Siklus Dan. Usia Menarche , Status Gizi, Dan Siklus Menstruasi Santri Putri. 2010:1-12.
25. Charu S, Amita R, Sujoy R, Et Al. ‘ Menstrual Characteristics ’ And ‘ Prevalence And Effect Of Dysmenorrhoea ’ On Quality Of Life Of Medical Students ‘ Menstrual Characteristics ’ And ‘ Prevalence And Effects Of Dysmenorrhea ’ On Quality Of Life Of Medical Students. 2012;4(4).
26. Of N, Lampung S, Kunci K, Natar K. Faktor Risiko Dismenore Primer Pada Siswi Sekolah Menengah Pertama ( Smp X ) Kecamatan Natar Kabupaten Lampung Selatan Risk Factors Of Primary Disminore In Junior High School ( Smp ) In District
27. Errold S. Greenberg, Clint E. Bruess SBO. *Exploring the Dimensions of Human Sexuality.*; 2000 .<https://books.google.co.id/books?id=hm3aTuANFroC&lpg=PA65&ots=9L3R6v5ufQ&dq=Daniel E%2C Balog LF. Early female>

- puberty%3A a review of research on etiology and implication.&hl=id&pg=PA65#v=onepage&q=Daniel E, Balog LF. Early female puberty: a review of research on etiology and implication.&f=false.
28. MoolRaj Kural. Menstrual characteristics and prevalence of dysmenorrhea in college going girls. *J Fam Med Prim Care*. 2015;Jul-Sep; 4.
  29. Alatas F, Ilmu B, Komunitas K, et al. Dismenore Primer dan Faktor Risiko Dismenore Primer pada Remaja Primary Dysmenorrhea and Risk Factor of Primary Dysmenorrhea in Adolescent. 2016;5(September):79-84.
  30. Danielle. Women's Health In General Practice. *Churchill Livingstone*. 2011. <https://www.elsevier.com/Books/Womens-Health-In-General.../978-0-7295-3871-8>.
  31. Sabilu Y, Fachlevy Af, Kesehatan F, Universitas M, Oleo H. Jurnal Ilmiah Mahasiswa Kesehatan Masyarakat Vol. 2/No.6/ Mei 2017; Issn 250-731x ., 2017;2(6):1-14.
  32. Karlina L. Penurunan Nyeri Dismenorea Primer melalui Kompres Hangat pada Remaja Effect of Warm Compress on Decreasing Primary Dysmenorrhea Pain in Adolescents. 2014;3.
  33. Rahayu A, Pertiwi S, Patimah S, Kunci K. Pissn 2477-3441 Eissn 2477-345x Pengaruh Endorphine Massage Terhadap Rasa Sakit Dismenore Pada Mahasiswi Jurusan Kebidanan Poltekkes Kemenkes Tasikmalaya Tahun 2017 Influence Of Endorphine Massage On Dismenore Disease On Students In Midwifery Poltekkes Kemenkes Tasikmalaya , 2017 Jurnal Bidan " Midwife Journal " Volume 3 No . 02 , Juli 2017 Pissn 2477-3441 Eissn 2477-345x Jurusan Kebidanan Poltekkes Kemenkes Tasikmalaya. 2017;3(02).
  34. Multidisiplin S, Pengetahuan I, Dismenorhea D, Et Al. Prosiding Seminar Nasional 2018 Pengaruh Pemberian Vitamin E Terhadap Perubahan Prosiding Seminar Nasional 2018 Seminar Nasional Sinergitas Multidisiplin Ilmu Pengetahuan Dan Teknologi ( SMIPT ),. 2018;1(April):30-38.
  35. Urip J, Km S, Ii K. Pengaruh Pemberian Vitamin E Terhadap Perubahan Derajat Dismenorhea Pada Mahasiswa Kebidanan Universitas Muslim Indonesia Public Health Faculty Universitas Muslim Indonesia -. 2018;1(3):226-234.
  36. Gf Prp, Nf Adant, Penderita Apadap. Pengaruh Pemberian Vitamin E Terhadap Kadar. 2018;9(2):57-64.
  37. Dewantari Nm. Peranan Gizi Dalam Kesehatan Reproduksi Ni Made Dewantari
  38. Psikologi J, Pendidikan Fi, Semarang Un. Hubungan Regulasi Emosi Dengan Rasa Nyeri Haid (Dismenore ) Pada Remaja. 2015.
  39. Masyarakat Dg, Manusia Fe. Hubungan Kebiasaan Makan, Aktivitas Fisik, Dan Status Gizi Dengan Kejadian Dismenorea Pada Mahasiswi Ppku Ipb Fitri Utari Agustini. 2017.
  40. FKM. Faktor Risiko Dismenore Primer Pada Wanita Usia Subur Di Kelurahan Ploso Kecamatan Tambaksari Surabaya. (August 2016):37-49. doi:10.20473/jbe.v4i1.37-49
  41. Gamayanti IL, Julia M. Dismenore dan Kecemasan pada Remaja. 2013;15(1).

42. Willem JL, Medan I. Hubungan pola makan dan aktivitas fisik dengan. 2012.
43. “Pengaruh Vitamin E Dalam Mengurangi Nyeri Haid (Dismenore) Pada Wanita Usia Muda Yang Dinilai Dengan Visual Analog Scale” Fahmi Mf , Aboet A., Siregar MFG., Adenin I., Siregar HS., Ardiansyah E. 2013:400.
44. Obeidat BA, Alchalabi HA, Abdul-Razzak KK, Al-Farras MI. Premenstrual Symptoms in Dysmenorrheic College Students: Prevalence and Relation to vitamin D and Parathyroid Hormone Levels. *Int J Environ Res Public Health*. 2012;9(11):4210-4222. doi:10.3390/ijerph9114210
45. Terzi R, Terzi H, Kale A. Evaluating the relation of premenstrual syndrome and primary dysmenorrhea in women diagnosed with fibromyalgia. *Rev Bras Reumatol (English Ed)*. 2015;55(4):334-339. doi:10.1016/j.rbre.2014.12.010
46. Chin LN, Nambiar S. Management of premenstrual syndrome. *Obstet Gynaecol Reprod Med*. 2017;27(1):1-6. doi:10.1016/j.ogrm.2016.11.003
47. Ziaei S, Zakeri M, Kazemnejad A. A randomised controlled trial of vitamin E in the treatment of primary dysmenorrhoea. 2005;112(April):466-469.
48. Jabbour HN. Prostaglandin ( PG ) F<sub>2</sub> □ Receptor Expression and. 2015;88(October):1825-1832. doi:10.1210/jc.2002-021368
49. Hata AN, Breyer RM. Pharmacology and signaling of prostaglandin receptors: Multiple roles in inflammation and immune modulation. 2004;103:147-166. doi:10.1016/j.pharmthera.2004.06.003
50. Mortality A, Iii ERM, Pastor-barriuso R, Dalal D, Riemersma RA. Review Meta-Analysis: High-Dosage Vitamin E Supplementation May Increase. 2005.
51. Magnay JL, Brien SO, Gerlinger C, Seitz C. A systematic review of methods to measure menstrual blood loss. 2018:1-13.
52. Vitamin E for the treatment of dysmenorrhea. 2005;112(August):2005. doi:10.1111/j.1471-0528.2005.00741.x
53. Mumford SL, Browne RW, Schliep KC, et al. Serum Antioxidants Are Associated with Serum Reproductive Hormones and Ovulation among Healthy Women 1 – 3. 2016;(C):1-9. doi:10.3945/jn.115.217620.1
54. Lanza E, Forman MR, Johnson EJ, Muesing RA, Graubard BI, Beecher GR. Human Nutrition and Metabolism a -Tocopherol Concentrations in Plasma but not in Lipoproteins Fluctuate during the Menstrual Cycle in Healthy Premenopausal Women 1. 1998;(March):1150-1155.
55. Sadeghi N, Paknezhad F, Nooshabadi MR, Kavianpour M, Rad SJ, Haghghian HK. Vitamin E and fish oil , separately or in combination , on treatment of primary dysmenorrhea : a double-blind , randomized clinical trial. *Gynecol Endocrinol*. 2018;0(0):1-5.

doi:10.1080/09513590.2018.1450377

56. Article O, Lubis SM, Deliana M. Paediatrica Indonesiana. 2011;51(1):41-46.
57. Finna melinda. Jurnal Dunia Kesmas Volume 4 . Nomor 1 . Januari 2015. 2015;4:14-23.
58. Mts S, Nu M, Hidayah AL. Pengaruh Usia Menarche Terhadap Terjadinya Disminore Primer Pada Siswi Mts Maarif Nu Al Hidayah Banyumas Retno Soesilowati 1 , Yunia Annisa 1 1. 2016;14(3):8-14.
59. Nur Masruroh NAF. Hubungan Asupan Zat Besi Dan Vitamin E Dengan Kejadian Disminore Pada Remaja Putri. *J Kebidanan*,. 2019;9:14-17.
60. Hosnu Inayati. Pengkajian Nyeri Multidimensional Pada Remaja Dengan Disminore Primer. 2017;08(November):112-122.
61. Sol JM, Biology M. Human prostaglandin reductase 1 (PTGR1): Substrate specificity, site-directed mutagenesis and catalytic mechanism. 2016;1.
62. Sampalis F, Bunea R, Duguet N, Dupuis S. Evaluation of the Effects of Neptune Krill Oil <sup>TM</sup> on the Management of Premenstrual Syndrome and Dysmenorrhea. 2003;8(2).
63. Manuscript A. NIH Public Access. 2015;15(3):694-706. doi:10.1016/j.pmn.2013.03.002. Adolescent
64. Cholifah. Hubungan Anemia, Status Gizi, Olahraga Dan Pengetahuan Dengan Kejadian Disminore Pada Remaja PUTRI. 2015;1(1).
65. Fernandes AM, Bsn CDC, Batalha L, et al. Pain assessment using the Adolescent Pediatric Pain Tool : A systematic review. 2014;19(4):212-218.
66. Alex Brando Silalahi. HUBUNGAN STATUS GIZI DENGAN DISMINORE PADA REMAJA PUTRI. 2010.

Sekolah Pascasarjana  
Universitas Diponegoro