

DAFTAR PUSTAKA

- Abdul-sattar, N. (2007). Comparative Analysis of the EIA system of Developed and Developing Countries : Cases of Hydroelectric Power Plants. *Masters Thesis*, (January 2007), 70. <https://doi.org/10.13140/2.1.3174.4963>
- Ansolabehere, S., & Konisky, D. M. (2009). Public attitudes toward construction of new power plants. *Public Opinion Quarterly*, 73(3), 566–577. <https://doi.org/10.1093/poq/nfp041>
- Arabi, B., Munisamy, S., Emrouznejad, A., & Shadman, F. (2014). Power industry restructuring and eco-efficiency changes: A new slacks-based model in Malmquist-Luenberger Index measurement. *Energy Policy*, 68, 132–145. <https://doi.org/10.1016/j.enpol.2014.01.016>
- Atkinson, R. W., Fuller, G. W., Anderson, H. R., Harrison, R. M., & Armstrong, B. (2010). Urban Ambient Particle Metrics and Health. *Epidemiology*, 21(4), 501–511. <https://doi.org/10.1097/EDE.0b013e3181debc88>
- ATSDR. (2016). *Agency for Toxic Substances and Disease Registry: Minimal Risk Levels*. (May), 1–17.
- Badan Standardisasi Nasional. (2016). *Manajemen lingkungan – Evaluasi kinerja lingkungan – Panduan Environmental management – Environmental performance evaluation – Guidance (ISO 14031:2013, IDT)*. Jakarta: Badan Standardisasi Nasional.
- Baker, D. C., & McLelland, J. N. (2003). Evaluating the effectiveness of British Columbia's environmental assessment process for first nations' participation in mining development. *Environmental Impact Assessment Review*, 23(5), 581–603. [https://doi.org/10.1016/S0195-9255\(03\)00093-3](https://doi.org/10.1016/S0195-9255(03)00093-3)
- Bari, M. A., & Kindzierski, W. B. (2017). Ambient fine particulate matter (PM_{2.5}) in Canadian oil sands communities: Levels, sources and potential human health risk. *Science of the Total Environment*, 595, 828–838. <https://doi.org/10.1016/j.scitotenv.2017.04.023>
- Belkin, H. E., Tewalt, S. J., Hower, J. C., Stucker, J. D., & Keefe, J. M. K. O. (2009). Geochemistry and petrology of selected coal samples from Sumatra , Kalimantan , Sulawesi , and Papua , Indonesia. *International Journal of Coal Geology*, 77(3–4), 260–268. <https://doi.org/10.1016/j.coal.2008.08.001>
- Berry, P., Clarke, K.-L., Pajot, M., & Hutton, D. (2011). Risk Perception, Health Communication, and Adaptation to the Health Impacts of Climate Change in Canada. In Ford J., Berrang-Ford L. (eds) *Climate Change Adaptation in Developed Nations. Advances in Global Change Research*, vol 42. (pp. 205–219). https://doi.org/https://doi.org/10.1007/978-94-007-0567-8_14
- Bhanarkar, A. D., Gavane, A. G., Tajne, D. S., Tamhane, S. M., & Nema, P. (2008). Composition and size distribution of particules emissions from a coal-fired power plant in India. *Fuel*, 2095–2101. <https://doi.org/10.1016/j.fuel.2007.11.001>
- Cashmore, M. (2004). The role of science in environmental impact assessment: Process and procedure versus purpose in the development of theory. *Environmental Impact Assessment Review*, 24(4), 403–426. <https://doi.org/10.1016/j.eiar.2003.12.002>
- Cashmore, M., Richardson, T., Hilding-Ryedvik, T., & Emmelin, L. (2010). Evaluating the effectiveness of impact assessment instruments: Theorising the nature and implications of their political constitution. *Environmental Impact Assessment Review*, 30(6), 371–379. <https://doi.org/10.1016/j.eiar.2010.01.004>
- Cesari, D., Amato, F., Pandolfi, M., Alastuey, A., Querol, X., & Contini, D. (2016). An inter-
-

- comparison of PM10 source apportionment using PCA and PMF receptor models in three European sites. *Environmental Science and Pollution Research*, 23(15), 15133–15148. <https://doi.org/10.1007/s11356-016-6599-z>
- Chang, L., Yang, J., Zhao, Y., Liu, H., Zhang, J., & Zheng, C. (2019). Behavior and fate of As, Se, and Cd in an ultra-low emission coal-fired power plant. *Journal of Cleaner Production*, 209, 722–730. <https://doi.org/10.1016/j.jclepro.2018.10.270>
- Chengfeng, Z., Qiang, Y., & Junming, S. (2005). Characteristics of particulate matter from emissions of four typical coal-fired power plants in China. *Fuel Processing Technology*, 86(7), 757–768. <https://doi.org/10.1016/j.fuproc.2004.08.006>
- Chiang, P.-H., Chen, C. W., Hsieh, D. P. H., Chan, T.-C., Chiang, H.-C., & Wen, C.-P. (2014). Lung Cancer Risk in Females Due to Exposures to PM2.5 in Taiwan. *The Open Epidemiology Journal*, 7(1), 6–16. <https://doi.org/10.2174/1874297120140530002>
- Cimorelli, A. J., Perry, S. G., Venkatram, A., Weil, J. C., Paine, R. J., Wilson, R. B., ... Brode, R. W. (2005). AERMOD: A dispersion model for industrial source applications. Part I: General model formulation and boundary layer characterization. *Journal of Applied Meteorology*, 44(5), 682–693. <https://doi.org/10.1175/JAM2227.1>
- Clarke, B. L. (1992). *Trace elements emission from coal combustion and gasification*. (November).
- Cohen, D. D., Crawford, J., Stelcer, E., & Bac, V. T. (2010). Long range transport of fine particle windblown soils and coal fired power station emissions into Hanoi between 2001 to 2008. *Atmospheric Environment*, 44(31), 3761–3769. <https://doi.org/10.1016/j.atmosenv.2010.06.047>
- Contini, D., Cesari, D., Conte, M., & Donato, A. (2016). Application of PMF and CMB receptor models for the evaluation of the contribution of a large coal-fired power plant to PM10 concentrations. *Science of the Total Environment*, 560–561, 131–140. <https://doi.org/10.1016/j.scitotenv.2016.04.031>
- Coutinho, Miguel, Butt, & Hamza, K. (2014). *Environmental Impact Assessment Guidance for Coal Fired Power Plants in Pakistan* (S. Rauf, ed.). National Impact Assessment Programme.
- Coze, A. S., & Nava, A. F. (2009). Review of environmental impact assessment and monitoring of aquaculture in latin America. *FAO Fisheries and Aquaculture Technical Paper*, (527), 395–454.
- Crilley, L. R., Lucarelli, F., Bloss, W. J., Harrison, R. M., Beddows, D. C., Calzolari, G., ... Vecchi, R. (2017). Source apportionment of fine and coarse particles at a roadside and urban background site in London during the 2012 summer ClearfLo. *Environmental Pollution*, 220, 766–778. <https://doi.org/10.1016/j.envpol.2016.06.002>
- Cropper, M., Gamkhar, S., Malik, K., Limonov, A., & Partridge, I. (2012). *The Health Effects of Coal Electricity Generation in India* Maureen Cropper, Shama Gamkhar, Kabir Malik, Alex Limonov, and Ian Partridge *The Health Effects of Coal Electricity Generation in India*. (June), 12–25.
- Dai, C., Huang, S., Peng, H., Yi, K., Zhou, Y., & Qin, P. (2019). Particulate pollution status and its characteristics during 2015–2016 in Hunan, China. *Atmospheric Pollution Research*, 10(3), 739–748. <https://doi.org/10.1016/j.apr.2018.12.001>
- Deng, S., Shi, Y., Liu, Y., Zhang, C., Wang, X., Cao, Q., ... Zhang, F. (2014). Emission characteristics of Cd, Pb and Mn from coal combustion: Field study at coal-fired power plants in China. *Fuel Processing Technology*, 126, 469–475. <https://doi.org/10.1016/j.fuproc.2014.06.009>
- Din, S. A. M., Nik Yahya, N. N. H., Hanapi, N., & Abdullah, A. (2015). Coal-fired power plant airborne particles impact towards human health. *Jurnal Teknologi*, 77(30), 19–24. <https://doi.org/10.11113/jt.v77.6854>
- Ding, F. (2012). Analysis of Upper Air Environmental Impact of Pollutants Discharged by Power
-

- Plant. *Procedia Environmental Sciences*, 13(2011), 1149–1154.
<https://doi.org/10.1016/j.proenv.2012.01.108>
- Dinis, M. L., Fiúza, A., Góis, J., Carvalho, J. M. S., & Castro, A. C. M. (2014). Modeling Radionuclides Dispersion and Deposition Downwind of a Coal-fired Power Plant. *Procedia Earth and Planetary Science*, 8, 59–63. <https://doi.org/10.1016/j.proeps.2014.05.013>
- Duan, J., Chen, Y., Fang, W., & Su, Z. (2015). Characteristics and relationship of PM, PM10, PM2.5 concentration in a polluted city in northern China. *Procedia Engineering*, 102, 1150–1155. <https://doi.org/10.1016/j.proeng.2015.01.239>
- Duinker, P. N., & Greig, L. A. (2006). Scenario analysis in environmental impact assessment: Improving explorations of the future. *Environmental Impact Assessment Review*, 27(3), 206–219. <https://doi.org/10.1016/j.eiar.2006.11.001>
- Engelbrecht, J. P., Swanepoel, L., Chow, J. C., Watson, J. G., & Egami, R. T. (2002). *The comparison of source contributions from residential coal and low-smoke fuels , using CMB modeling , in South Africa*. 5, 157–167.
- EPA. (2015). *Report on the 2015 U . S . Environmental Protection Agency (EPA) International Decontamination Research and Development Conference*. (December).
- Esworthy, R. (2013). CRS Report for Congress Air Quality: EPA’s 2013 Changes to the Particulate Matter (PM) Standard. *Congressional Research Service*.
- Filipiak-Szok, A., Kurzawa, M., & Szłyk, E. (2015). Determination of toxic metals by ICP-MS in Asiatic and European medicinal plants and dietary supplements. *Journal of Trace Elements in Medicine and Biology*, 30, 54–58. <https://doi.org/10.1016/j.jtemb.2014.10.008>
- Fjeld, R. A., Eisenberg, N. I., & Compton, K. L. (2007). *Quantitative environmental risk analysis for human health*. The Wiley Bicentennial . A John Wiley & Sons , Inc.
- Gibson, M. D., Kundu, S., & Satish, M. (2013). Dispersion model evaluation of PM2.5, NOx and SO2 from point and major line sources in Nova Scotia, Canada using AERMOD Gaussian plume air dispersion model. *Atmospheric Pollution Research*, 4(2), 157–167. <https://doi.org/10.5094/APR.2013.016>
- Glasson, J., & Therivel, R. (2013). *Introduction To Environmental Impact Assessment*. <https://doi.org/10.4324/9781315881218>
- Guaita, R., Pichiule, M., Mate, T., Linares, C., & Diaz, J. (2011). Short-term impact of particulate matter (PM2.5) on respiratory mortality in Madrid. *International Journal of Environmental Health Research*, 21(4), 260–274. <https://doi.org/10.1080/09603123.2010.544033>
- Gugamsetty, B. (2012). Source Characterization and Apportionment of PM10, PM2.5 and PM0.1 by Using Positive Matrix Factorization. *Aerosol and Air Quality Research*, 476–491. <https://doi.org/10.4209/aaqr.2012.04.0084>
- Guttikunda, S. K., & Jawahar, P. (2014). Atmospheric emissions and pollution from the coal-fired thermal power plants in India. *Atmospheric Environment*, 92, 449–460. <https://doi.org/10.1016/j.atmosenv.2014.04.057>
- Hadi, S. P. (2001). *Dimensi Lingkungan Perencanaan Pembangunan* (1st ed.). Semarang: Gadjah Mada University Press.
- Hadi, S. P. (2009). *Aspek Sosial Amdal Sejarah, Teori dan Metode* (2nd ed.). Semarang: Gadjah Mada University Press.
- Hadi, S. P. (2020). Omnibus Law Lingkungan Hidup. *Suara Merdeka* 3 Januari 2020.
- Hagan, N., Robins, N., Hsu-Kim, H., Halabi, S., Morris, M., Woodall, G., ... Vandenberg, J. (2011).
-

- Estimating historical atmospheric mercury concentrations from silver mining and their legacies in present-day surface soil in Potosí, Bolivia. *Atmospheric Environment*, 45(40), 7619–7626. <https://doi.org/10.1016/j.atmosenv.2010.10.009>
- Hák, T., Janoušková, S., & Moldan, B. (2016). Sustainable Development Goals: A need for relevant indicators. *Ecological Indicators*, 60, 565–573. <https://doi.org/10.1016/j.ecolind.2015.08.003>
- Handler, M., Puls, C., Zbiral, J., Marr, I., Puxbaum, H., & Ā, A. L. (2008). *Size and composition of particulate emissions from motor vehicles in the Kaisermu.* 42, 2173–2186. <https://doi.org/10.1016/j.atmosenv.2007.11.054>
- Hao, J., Wang, L., Shen, M., Li, L., & Hu, J. (2007). Air quality impacts of power plant emissions in Beijing. *Environmental Pollution*, 147(2), x. <https://doi.org/10.1016/j.envpol.2006.06.013>
- Hao, Y., Meng, X., Yu, X., Lei, M., Li, W., Shi, F., ... Xie, S. (2018). Characteristics of trace elements in PM_{2.5} and PM₁₀ of Chifeng, northeast China: Insights into spatiotemporal variations and sources. *Atmospheric Research*, 213(July 2018), 550–561. <https://doi.org/10.1016/j.atmosres.2018.07.006>
- Hasan, M. H., Mahlia, T. M. I., & Nur, H. (2012). A review on energy scenario and sustainable energy in Indonesia. *Renewable and Sustainable Energy Reviews*, 16(4), 2316–2328. <https://doi.org/10.1016/j.rser.2011.12.007>
- Hopke, P. K. (1991). a Guide To Positive Matrix Factorization. *Journal of Neuroscience*, 2, 1–16. <https://doi.org/10.1007/s00267-004-1089-3>
- Hopke, P. K. (2016). Review of receptor modeling methods for source apportionment. *Journal of the Air and Waste Management Association*, 66(3), 237–259. <https://doi.org/10.1080/10962247.2016.1140693>
- Hopke, P. K., & Cohen, D. D. (2011). Application of receptor modeling methods. *Atmospheric Pollution Research*, 2(2), 122–125. <https://doi.org/10.5094/APR.2011.016>
- Huang, Y., Shen, H., Chen, H., Wang, R., Zhang, Y., Su, S., ... Tao, S. (2014). *Quantification of global primary emission of PM_{2.5}, PM₁₀, and TSP from Combustion and Industrial Process Sources.* 1–10.
- Hueglin, C., Gehrig, R., Baltensperger, U., Gysel, M., Monn, C., & Vonmont, H. (2005). *Chemical characterisation of PM_{2.5}, PM₁₀ and coarse particles at urban, near-city and rural sites in Switzerland.* 39, 637–651. <https://doi.org/10.1016/j.atmosenv.2004.10.027>
- Iraldo, F., Testa, F., & Frey, M. (2009). Is an environmental management system able to influence environmental and competitive performance? The case of the eco-management and audit scheme (EMAS) in the European union. *Journal of Cleaner Production*, 17(16), 1444–1452. <https://doi.org/10.1016/j.jclepro.2009.05.013>
- Ito, S., Yokoyama, T., & Asakura, K. (2006). *Emissions of mercury and other trace elements from coal-fired power plants in Japan.* 368, 397–402. <https://doi.org/10.1016/j.scitotenv.2005.09.044>
- Jay, S., Jones, C., Slinn, P., & Wood, C. (2007). Environmental impact assessment: Retrospect and prospect. *Environmental Impact Assessment Review*, 27(4), 287–300. <https://doi.org/10.1016/j.eiar.2006.12.001>
- Jayadipraja, E. A., Daud, A., & Assegaf, A. H. (2016). *The application of the AERMOD model in the environmental health to identify the dispersion area of total suspended particulate from cement industry stacks.* 4(6), 2044–2049.
- Jeong, S. J. (2011). CALPUFF and AERMOD dispersion models for estimating odor emissions from industrial complex area sources. *Asian Journal of Atmospheric Environment*, 5(1), 1–7. <https://doi.org/10.5572/ajae.2011.5.1.001>
-

- Jones, F. C. (2016). Cumulative effects assessment: theoretical underpinnings and big problems. *Environmental Reviews*, 24(2), 187–204. <https://doi.org/10.1139/er-2015-0073>
- Julisar, A.-N. (2012). Sustainable development and its relevance to Indonesia. *Journal of Madani: Edition II*, 1–2.
- Kang, J., Zhang, J., & Gao, J. (2016). Improving performance evaluation of health, safety and environment management system by combining fuzzy cognitive maps and relative degree analysis. *Safety Science*, 87, 92–100. <https://doi.org/10.1016/j.ssci.2016.03.023>
- Karanasiou, A. A., Siskos, P. A., & Eleftheriadis, K. (2009). Assessment of source apportionment by Positive Matrix Factorization analysis on fine and coarse urban aerosol size fractions. *Atmospheric Environment*, 43(21), 3385–3395. <https://doi.org/10.1016/j.atmosenv.2009.03.051>
- Kesarkar, A. P., Dalvi, M., Kaginalkar, A., & Ojha, A. (2007). Coupling of the Weather Research and Forecasting Model with AERMOD for pollutant dispersion modeling. A case study for PM10 dispersion over Pune, India. *Atmospheric Environment*, 41(9), 1976–1988. <https://doi.org/10.1016/j.atmosenv.2006.10.042>
- Khodeir, M., Shamy, M., Alghamdi, M., Zhong, M., Sun, H., Costa, M., ... Maciejczyk, P. (2012). Source apportionment and elemental composition of PM2.5 and PM10 in Jeddah City, Saudi Arabia. *Atmospheric Pollution Research*, 3(3), 331–340. <https://doi.org/10.5094/APR.2012.037>
- Kim, K.-H., Kabir, E., & Kabir, S. (2015a). A review on the human health impact of airborne particulate matter. *Environment International*, 74(January), 136–143. <https://doi.org/10.1016/j.envint.2014.10.005>
- Kim, K.-H., Kabir, E., & Kabir, S. (2015b). A review on the human health impact of airborne particulate matter. *Environment International*, 74(January), 136–143. <https://doi.org/10.1016/j.envint.2014.10.005>
- Kim, M., Deshpande, S. R., & A, K. C. C. (2007). *Source apportionment of fine particulate matter (PM 2.5) at a rural Ohio River Valley site*. 41, 9231–9243. <https://doi.org/10.1016/j.atmosenv.2007.07.061>
- Koistinen, K. (2002a). *Exposure of an Urban Adult Population to PM 2.5*.
- Koistinen, K. (2002b). *Exposure of an Urban Adult Population to PM 2.5*. Finland: National Public Health Institute Mannerheimintie 166.
- Kristensen, P. (2004). The DPSIR framework. *A Comprehensive / Detailed Assessment of the Vulnerability of Water Resources to Environmental Change in Africa Using River Basin Approach*, 1–10. Retrieved from [http://enviro.lclark.edu:8002/rid=1145949501662_742777852_522/DPSIR Overview.pdf](http://enviro.lclark.edu:8002/rid=1145949501662_742777852_522/DPSIR%20Overview.pdf)
- Kuo, P. H., Tsuang, B. J., Chen, C. J., Hu, S. W., Chiang, C. J., Tsai, J. L., ... Ku, K. C. (2014). Risk assessment of mortality for all-cause, ischemic heart disease, cardiopulmonary disease, and lung cancer due to the operation of the world's largest coal-fired power plant. *Atmospheric Environment*, 96, 117–124. <https://doi.org/10.1016/j.atmosenv.2014.07.024>
- Kurniawan, A. L. I. R., Murayama, T., & Nishikizawa, S. (2019). Reforming EIA system : What should Indonesia do ? *39th Annual Conference of the International Association for Impact Assessment*, 1–7. IAIA 2019.
- Lee, J. H., & Hopke, P. K. (2006). *Apportioning sources of PM 2.5 in St. Louis, MO using speciation trends network data*. 40, 360–377. <https://doi.org/10.1016/j.atmosenv.2005.11.074>
- Lee, S. W., Herage, T., Dureau, R., & Young, B. (2013). Measurement of PM 2.5 and ultra-fine particulate emissions from coal-fired utility boilers. *Fuel*, 108, 60–66. <https://doi.org/10.1016/j.fuel.2011.11.059>
-

- Lestari, P., & Mauliadi, Y. D. (2009). Source apportionment of particulate matter at urban mixed site in Indonesia using PMF. *Atmospheric Environment*, *43*(10), 1760–1770. <https://doi.org/10.1016/j.atmosenv.2008.12.044>
- Lestiani, D. D., Santoso, M., Kurniawati, S., & Adventini, N. (2015). Characteristics of feed coal and particulate matter in the vicinity of coal-fired power plant in cilacap, Central Java, Indonesia. *Procedian Chemistry*, *16*, 216–221. <https://doi.org/10.1016/j.proche.2015.12.044>
- Li, C., Duan, Y., Tang, H., Zhu, C., Li, Y. ning, Zheng, Y., & Liu, M. (2018). Study on the Hg emission and migration characteristics in coal-fired power plant of China with an ammonia desulfurization process. *Fuel*, *211*(October 2017), 621–628. <https://doi.org/10.1016/j.fuel.2017.09.083>
- Li, D., Guo, Y., Li, Y., Ding, P., Wang, Q., & Cao, Z. (2012). *Air Pollutant Emissions from Coal-Fired Power Plants*. *2012*(September), 37–41.
- Li, H., Zhao, C., Liang, C., Duan, L., & Chen, H. (2012). Trace Elements Partitioning During Coal Combustion in Fluidized Bed Under O₂/CO₂ Atmosphere. *Cleaner Combustion and Sustainable World*, 355–362. https://doi.org/10.1007/978-3-642-30445-3_50
- Li, X., Chen, X., Yuan, X., Zeng, G., León, T., Liang, J., ... Yuan, X. (2017). Characteristics of particulate pollution (PM_{2.5} and PM₁₀) and their spacescale-dependent relationships with meteorological elements in China. *Sustainability (Switzerland)*, *9*(12), 1–14. <https://doi.org/10.3390/su9122330>
- Li, Z., Jiang, J., Ma, Z., Fajardo, O. A., Deng, J., & Duan, L. (2017). Influence of flue gas desulfurization (FGD) installations on emission characteristics of PM_{2.5} from coal-fired power plants equipped with selective catalytic reduction (SCR). *Environmental Pollution*, *230*(X), 655–662. <https://doi.org/10.1016/j.envpol.2017.06.103>
- Lim, J. M., Lee, J. H., Moon, J. H., Chung, Y. S., & Kim, K. H. (2010). Source apportionment of PM₁₀ at a small industrial area using Positive Matrix Factorization. *Atmospheric Research*, *95*(1), 88–100. <https://doi.org/10.1016/j.atmosres.2009.08.009>
- Liu, F., Lyu, T., Pan, L., & Wang, F. (2017). Influencing factors of public support for modern coal-fired power plant projects: An empirical study from China. *Energy Policy*, *105*(March), 398–406. <https://doi.org/10.1016/j.enpol.2017.03.017>
- Liu, K., Shang, Q., & Wan, C. (2018). Sources and Health Risks of Heavy Metals in PM_{2.5} in a Campus in a Typical Suburb Area of Taiyuan, North China. *Atmosphere*, *9*(2), 46. <https://doi.org/10.3390/atmos9020046>
- Liu, S., Yang, H., Zhang, Z., Chen, J., Chen, C., Guo, T., ... Jia, W. (2018). Emission characteristics of fine particles from wet flue gas desulfurization system using a cascade of double towers. *Aerosol and Air Quality Research*, *18*(7), 1901–1909. <https://doi.org/10.4209/aaqr.2017.11.0480>
- Liu, S., Zhang, Z., Wang, Y., Hu, Y., Liu, W., Chen, C., ... Sun, H. (2019). PM_{2.5} emission characteristics of coal-fired power plants in Beijing-Tianjin-Hebei region, China. *Atmospheric Pollution Research*, *10*(3), 954–959. <https://doi.org/10.1016/j.apr.2019.01.003>
- Liu, X., Zhai, Y., Zhu, Y., Liu, Y., Chen, H., Li, P., ... Zeng, G. (2015). Mass concentration and health risk assessment of heavy metals in size-segregated airborne particulate matter in Changsha. *Science of the Total Environment*, *517*, 215–221. <https://doi.org/10.1016/j.scitotenv.2015.02.066>
- Löndahl, J., Pagels, J., Swietlicki, E., Zhou, J., Ketzler, M., Massling, A., & Bohgard, M. (2006). A setup for field studies of respiratory tract deposition of fine and ultrafine particles in humans. *Journal of Aerosol Science*, *37*(9), 1152–1163. <https://doi.org/10.1016/j.jaerosci.2005.11.004>
-

- López, M. T., Zuk, M., Garibay, V., Tzintzun, G., Iniestra, R., & Fernández, A. (2005). Health impacts from power plant emissions in Mexico. *Atmospheric Environment*, *39*(7), 1199–1209. <https://doi.org/10.1016/j.atmosenv.2004.10.035>
- Lu, P., Wu, J., & Pan, W. P. (2010). Particulate matter emissions from a coal-fired power plant. *2010 4th International Conference on Bioinformatics and Biomedical Engineering, ICBBE 2010*, 8–11. <https://doi.org/10.1109/ICBBE.2010.5517175>
- Lu, Z., Liu, Q., Xiong, Y., Huang, F., Zhou, J., & Schauer, J. J. (2018). A hybrid source apportionment strategy using positive matrix factorization (PMF) and molecular marker chemical mass balance (MM-CMB) models. *Environmental Pollution*, *238*, 39–51. <https://doi.org/10.1016/j.envpol.2018.02.091>
- Ma, J., Yi, H., Tang, X., Zhang, Y., Xiang, Y., & Pu, L. (2013). Application of AERMOD on near future air quality simulation under the latest national emission control policy of China: A case study on an industrial city. *Journal of Environmental Sciences (China)*, *25*(8), 1608–1617. [https://doi.org/10.1016/S1001-0742\(12\)60245-9](https://doi.org/10.1016/S1001-0742(12)60245-9)
- MDEQ. (2015a). *CHEMICAL UPDATE WORKSHEET : MAGNESIUM*.
- MDEQ. (2015b). *CHEMICAL UPDATE WORKSHEET : SILVER*. (8).
- Meij, R., & te Winkel, H. (2007). The emissions of heavy metals and persistent organic pollutants from modern coal-fired power stations. *Atmospheric Environment*, *41*(40), 9262–9272. <https://doi.org/10.1016/j.atmosenv.2007.04.042>
- Meij, R., & Te Winkel, H. (2004). The emissions and environmental impact of PM10 and trace elements from a modern coal-fired power plant equipped with ESP and wet FGD. *Fuel Processing Technology*, *85*(6–7), 641–656. <https://doi.org/10.1016/j.fuproc.2003.11.012>
- Melnyk, S. A., Sroufe, R. P., & Calantone, R. (2003). Assessing the impact of environmental management systems on corporate and environmental performance. *Journal of Operations Management*, *21*(3), 329–351. [https://doi.org/10.1016/S0272-6963\(02\)00109-2](https://doi.org/10.1016/S0272-6963(02)00109-2)
- Messmann, G., & Mulder, R. H. (2014). Exploring the role of target specificity in the facilitation of vocational teachers' innovative work behaviour. *Journal of Occupational and Organizational Psychology*, *87*(1), 80–101. <https://doi.org/10.1111/joop.12035>
- Middle, G., Clarke, B., Franks, D., Brown, L., Kellett, J., Lockie, S., ... Harris-Roxas, B. (2013). Reducing Green Tape to Rolling Back IA in Australia: What are four Jurisdiction ip to? *IAIA13 Conference Proceedings*, (May), 1–5.
- Minguillón, M. C., Querol, X., Baltensperger, U., & Prévôt, A. S. H. (2012). Science of the Total Environment Fine and coarse PM composition and sources in rural and urban sites in Switzerland : Local or regional pollution ? *Science of the Total Environment, The*, *427–428*(2012), 191–202. <https://doi.org/10.1016/j.scitotenv.2012.04.030>
- Ministry of Health, I. (2012). *Pedoman Analisis Risiko Kesehatan Lingkungan (ARKL)*.
- Mokhtar, M. M., Hassim, M. H., & Taib, R. M. (2014). Health risk assessment of emissions from a coal-fired power plant using AERMOD modelling. *Process Safety and Environmental Protection*, *92*(5), 476–485. <https://doi.org/10.1016/j.psep.2014.05.008>
- Munawar, M. E. (2017). Human health and environmental impacts of coal combustion and post-combustion wastes. *Journal of Sustainable Mining*. <https://doi.org/10.1016/j.jsm.2017.12.007>
- Nadeem, O., Haydar, S., Sarwar, S., & Ali, M. (2013). Consideration of Environmental Impacts in the Integrated Master Plan for Lahore-2021. *Pakistan Journal of Science*, *65*(3), 310–317. Retrieved from <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=95565380&site=ehost-live>
-

- Nadlifatin, R., Razif, M., Lin, S.-C., Persada, S. F., & Belgiawan, P. F. (2015). An Assessment Model of Indonesian Citizens' Intention to Participate on Environmental Impact Assessment (EIA): A Behavioral Perspective. *Procedia Environmental Sciences*, 28(December), 3–10. <https://doi.org/10.1016/j.proenv.2015.07.002>
- Nalbandian, H. (2012). Trace element emissions from coal. In *International Energy Agency Clean Coal Centre*.
- Oetari, P., Hadi, S. P., & Huboyo, H. (2019). Trace elements in fine and coarse particles emitted from coal-fired power plants with different air pollution control systems. *Journal of Environmental Management*, 250(May), 194–197. <https://doi.org/10.1016/j.jenvman.2019.109497>
- Oetari, P. S., Hadi, S. P., & Huboyo, H. S. (2018). *Dispersion Model of Total Suspended Particulate from Tanjung Jati B Jepar Coal-Fired Power Plant 's Chimneys*. 24, 0–2.
- Ohlström, M. O., Lehtinen, K. E. J., Moisio, M., & Jokiniemi, J. K. (2000). Fine-particle emissions of energy production in Finland. *Atmospheric Environment*, 34(22), 3701–3711. [https://doi.org/10.1016/S1352-2310\(00\)00076-5](https://doi.org/10.1016/S1352-2310(00)00076-5)
- Othman, M. R., Martunus, Zakaria, R., & Fernando, W. J. N. (2009). Strategic planning on carbon capture from coal fired plants in Malaysia and Indonesia: A review. *Energy Policy*, 37(5), 1718–1735. <https://doi.org/10.1016/j.enpol.2008.12.034>
- Pantavou, K., Lykoudis, S., & Psiloglou, B. (2017). Air quality perception of pedestrians in an urban outdoor Mediterranean environment: A field survey approach. *Science of the Total Environment*, 574, 663–670. <https://doi.org/10.1016/j.scitotenv.2016.09.090>
- Perry, S. G., Cimorelli, A. J., Paine, R. J., Brode, R. W., Weil, J. C., Venkatram, A., ... Peters, W. D. (2004). AERMOD: A Dispersion Model for Industrial Source Applications. Part II: Model Performance against 17 Field Study Databases. *Journal of Applied Meteorology*, 44(5). <https://doi.org/10.1175/JAM2228.1>
- Pfeiffer, M., Vanya, D., Davison, C., Lkhagvasuren, O., Johnston, L., & Janes, C. R. (2017). Harnessing opportunities for good governance of health impacts of mining projects in Mongolia: results of a global partnership. *Globalization and Health*, 13(1), 39–53. <https://doi.org/10.1186/s12992-017-0261-5>
- Piersanti, A., Adani, M., Briganti, G., Cappelletti, A., Ciancarella, L., Cremona, G., ... Vitali, L. (2018). Air quality modeling and inhalation health risk assessment for a new generation coal-fired power plant in Central Italy. *Science of the Total Environment*, 644, 884–898. <https://doi.org/10.1016/j.scitotenv.2018.06.393>
- Pipal, A. S., Kulshrestha, A., & Taneja, A. (2011). Characterization and morphological analysis of airborne PM 2.5 and PM 10 in Agra located in north central India. *Atmospheric Environment*, 45(21), 3621–3630. <https://doi.org/10.1016/j.atmosenv.2011.03.062>
- Pozzer, A., Bacer, S., Sappadina, S. D. Z., Predicatori, F., & Caleffi, A. (2018). Long-term concentrations of fine particulate matter and impact on human health in Verona, Italy. *Atmospheric Pollution Research*. <https://doi.org/S1309104218303465>
- Presiden Republik Indonesia. *PP Nomor 101 Tahun 2014 Tentang Pengelolaan limbah berbahaya dan beracun*. , (2014).
- Priddle, R. (2016). Energy and Air Pollution. *World Energy Outlook - Special Report*, 266. <https://doi.org/10.1021/ac00256a010>
- Pu, S., Shao, Z., Fang, M., Yang, L., Liu, R., Bi, J., & Ma, Z. (2019). Spatial distribution of the public's risk perception for air pollution: A nationwide study in China. *Science of the Total Environment*, 655, 454–462. <https://doi.org/10.1016/j.scitotenv.2018.11.232>
-

- Pun, V. C., Yu, I. T., Qiu, H., Ho, K., Sun, Z., & Louie, P. K. K. (2014). Original contribution. Short-term associations of cause-specific emergency hospitalizations and particulate matter chemical components in Hong Kong. *American Journal of Epidemiology*, 179(9), 1086–1095. <https://doi.org/10.1093/aje/kwu026>
- Purnama, D. (2003). Reform of the EIA process in Indonesia: Improving the role of public involvement. *Environmental Impact Assessment Review*, 23(4), 415–439. [https://doi.org/10.1016/S0195-9255\(03\)00046-5](https://doi.org/10.1016/S0195-9255(03)00046-5)
- Razif, M., & Persada, S. F. (2016). Environmental impact assessment (EIA) framework for ekolabel certification initiative in indonesia: Case study of a rattan-plywood based furniture industry. *International Journal of ChemTech Research*, 9(4), 634–643.
- Reames, T. G., & Bravo, M. A. (2019). People, place and pollution: Investigating relationships between air quality perceptions, health concerns, exposure, and individual- and area-level characteristics. *Environment International*, 122(November), 244–255. <https://doi.org/10.1016/j.envint.2018.11.013>
- Reff, A., Eberly, S. I., & Bhave, P. V. (2007). Receptor Modeling of Ambient Particulate Matter Data Using Positive Matrix Factorization: Review of Existing Methods. *Journal of the Air & Waste Management Association*, 57(2), 146–154. <https://doi.org/10.1080/10473289.2007.10465319>
- Ridzky, G. A., Zaman, B., & Huboyo, H. S. (2017). Tersedia onlinedi : <http://ejournal-s1.undip.ac.id/index.php/tlingkungan> Jurnal Teknik Lingkungan , Vol . 6 , No . 2 (2017) IDENTIFIKASI KONTRIBUSI PENCEMARAN PM 10 DENGAN METODE RESEPTOR POSITIVE MATRIX FACTORIZATION (PMF) STUDI KASUS : KOTA PEKANBAR. 6(2), 1–12.
- Robbins, A. M., & Kirk, K. I. (1996). Speech perception assessment and performance in pediatric cochlear implant users. *Seminars in Hearing*, 17(4), 353–369. <https://doi.org/10.1055/s-0028-1083065>
- Rohrmann, B., & Renn, O. (2000). *Risk perception research* (O. Renn, ed.). https://doi.org/10.1007/978-1-4757-4891-8_1
- Roux, D. J., Kempster, P. L., Kleynhans, C. J., Van Vliet, H. R., & Du Preez, H. H. (1998). Integrating stressor and response monitoring into a resource-based water-quality assessment framework. *Environmental Management*, 23(1), 15–30. <https://doi.org/10.1007/s002679900165>
- Saarnio, K., Frey, A., Niemi, J., & Timonen, H. (2014). *Chemical composition and size of particles in emissions of a coal-fired power plant with flue gas desulfurization*. 14–25. <https://doi.org/http://dx.doi.org/10.1016/j.jaerosci.2014.03.004>
- Sadasivan, S., & Negi, S. (1991). Chemical characterisation of fly ash from coal-fired thermal power plants in India. *The Science of the Total Environment, Elsevier Science Publisher B.V., Amsterdam.*, 103, 151–158.
- Sadler, B. (1996). *International Study of the Effectiveness of Environmental Assessment*. 263. <https://doi.org/EN106-37/1996E>
- Saha, D., Chakravarty, S., Shome, D., Basariya, M. R., Kumari, A., Kumar, A., ... Chatterjee, D. (2016). Distribution and affinity of trace elements in Samaleswari coal , Eastern India. *Fuel*, 181, 376–388. <https://doi.org/10.1016/j.fuel.2016.04.134>
- Saikia, B. K., Saikia, J., Rabha, S., Silva, L. F. O., & Finkelman, R. (2018). Geoscience Frontiers Ambient nanoparticles / nanominerals and hazardous elements from coal combustion activity : Implications on energy challenges and health hazards. *Geoscience Frontiers*, (2017). <https://doi.org/10.1016/j.gsf.2017.11.013>
-

- Schakenbach, J., Vollaro, R., & Forte, R. (2006). Fundamentals of successful monitoring, reporting, and verification under a cap-and-trade program. *Journal of the Air and Waste Management Association*, 56(11), 1576–1583. <https://doi.org/10.1080/10473289.2006.10464565>
- Seangkiatiyuth, K., Surapipith, V., Tantrakarnapa, K., & Lothongkum, A. W. (2011). Application of the AERMOD modeling system for environmental impact assessment of NO₂ emissions from a cement complex. *Journal of Environmental Sciences*, 23(6), 931–940. [https://doi.org/10.1016/S1001-0742\(10\)60499-8](https://doi.org/10.1016/S1001-0742(10)60499-8)
- Senapati, M. R. (2011). Fly ash from thermal power plants - Waste management and overview. *Current Science*, 100(12), 1791–1794.
- Shepherd, A., & Ortolano, L. (1996). Strategic environmental assessment for sustainable urban development. *Environmental Impact Assessment Review*, 16(4–6), 321–335. [https://doi.org/10.1016/S0195-9255\(96\)00071-6](https://doi.org/10.1016/S0195-9255(96)00071-6)
- Singh, A. L., Singh, P. K., Singh, M. P., & Kumar, A. (2015). Environmentally Sensitive Major and Trace Elements in Indonesian Coal and Their Geochemical Significance. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 1556–7230(January 2016), 1836–1845. <https://doi.org/10.1080/15567036.2011.646109>
- Sloss, L. L. (2011). *Efficiency and emissions monitoring and reporting*. Retrieved from [https://www.usea.org/sites/default/files/092011_Efficiency and emissions monitoring and reporting_ccc188.pdf](https://www.usea.org/sites/default/files/092011_Efficiency%20and%20emissions%20monitoring%20and%20reporting_ccc188.pdf)
- Smeets, E., & Weterings, R. (1999). Environmental indicators : Typology and overview. In *European Environment Agency* (Vol. 25).
- Soleimani, M., Amini, N., Sadeghian, B., Wang, D., & Fang, L. (2018). Heavy metals and their source identification in particulate matter (PM_{2.5}) in Isfahan City, Iran. *Journal of Environmental Sciences (China)*, 72, 166–175. <https://doi.org/10.1016/j.jes.2018.01.002>
- Song, M., Du, Q., & Zhu, Q. (2017). A theoretical method of environmental performance evaluation in the context of big data. *Production Planning and Control*, 28(11–12), 976–984. <https://doi.org/10.1080/09537287.2017.1336801>
- Srimuruganandam, B., & Shiva Nagendra, S. M. (2012). Source characterization of PM₁₀ and PM_{2.5} mass using a chemical mass balance model at urban roadside. *Science of the Total Environment*, 433, 8–19. <https://doi.org/10.1016/j.scitotenv.2012.05.082>
- Sudarto. (2011). Utilization and Development of Wind Energy Process for Production of Salt in Eastern Indonesia. *Triton*, 7(2), 61–70.
- Suryani, S., Upe, A., & Gunawan. (2010). Model sebaran polutan so₂ pada cerobong asap pt. semen tonasa. *Seminar Nasional Badan Koordiansi Pusat Studi Lingkungan Hidup Se Indonesia XX*, 2, 14–16.
- Taghvaei, S., Sowlat, M. H., Mousavi, A., Hassanvand, M. S., Yunesian, M., Naddafi, K., & Sioutas, C. (2018). Source apportionment of ambient PM_{2.5} in two locations in central Tehran using the Positive Matrix Factorization (PMF) model. *Science of the Total Environment*, 628–629(1547), 672–686. <https://doi.org/10.1016/j.scitotenv.2018.02.096>
- Tang, Q., Liu, G., Zhou, C., & Sun, R. (2013). Distribution of trace elements in feed coal and combustion residues from two coal-fired power plants at Huainan, Anhui, China. *Fuel*. <https://doi.org/10.1016/j.fuel.2013.01.009>
- Tartakovsky, D., Stern, E., & Broday, D. M. (2016). Dispersion of TSP and PM₁₀ emissions from quarries in complex terrain. *Science of The Total Environment*, 542, 946–954. <https://doi.org/10.1016/j.scitotenv.2015.10.133>
-

- Tias, N. P. (2009). *Efektivitas pelaksanaan amdal dan ukl upl dalam pengelolaan lingkungan hidup di kabupaten kudus*. 1–151.
- Tong, D., Zhang, Q., Davis, S. J., Liu, F., Zheng, B., Geng, G., ... He, K. (2018). Targeted emission reductions from global super-polluting power plant units. *Nature Sustainability*, 1(1), 59–68. <https://doi.org/10.1038/s41893-017-0003-y>
- Turner, G. M. (2008). A comparison of The Limits to Growth with 30 years of reality. *Global Environmental Change*, 18(3), 397–411. <https://doi.org/10.1016/j.gloenvcha.2008.05.001>
- Tuzkaya, G., Ozgen, A., Ozgen, D., & Tuzkaya, U. R. (2009). Environmental performance evaluation of suppliers: A hybrid fuzzy multi-criteria decision approach. *International Journal of Environmental Science and Technology*, 6(3), 477–490. <https://doi.org/10.1007/BF03326087>
- U.S. EPA. (1997). *Exposure Factors Handbook*. US. Environmental Protection Agency.
- U.S. EPA. (2014). Air Quality Index (AQI). *Encyclopedia of Quality of Life and Well-Being Research*, (February), 120–120. https://doi.org/10.1007/978-94-007-0753-5_100115
- USEPA. (2015). Regional Screening Level (RSL) Summary Table (TR=1E-06, HQ=1) November 2015. *Usepa*, (November), 1–13. Retrieved from <https://semspub.epa.gov/work/03/2220581.pdf>
- Van Kamp, I., Leidelmeijer, K., Marsman, G., & De Hollander, A. (2003). Urban environmental quality and human well-being towards a conceptual framework and demarcation of concepts; a literature study. *Landscape and Urban Planning*, 65(1–2), 5–18. [https://doi.org/10.1016/S0169-2046\(02\)00232-3](https://doi.org/10.1016/S0169-2046(02)00232-3)
- Vargas, F. A., Rojas, N. Y., Pachon, J. E., & Russell, A. G. (2012). PM10 characterization and source apportionment at two residential areas in Bogota. *Atmospheric Pollution Research*, 3(1), 72–80. <https://doi.org/10.5094/APR.2012.006>
- Vejahati, F., Xu, Z., & Gupta, R. (2010). Trace elements in coal : Associations with coal and minerals and their behavior during coal utilization – A review. *Fuel*, 89(4), 904–911. <https://doi.org/10.1016/j.fuel.2009.06.013>
- Villalobos, A. M., Barraza, F., Jorquera, H., & Schauer, J. J. (2015). Chemical Speciation and Source Apportionment of Fine Particulate Matter in Santiago, Chile, 2013. *Science of the Total Environment*, 512–513, 133–142. <https://doi.org/10.1016/j.scitotenv.2015.01.006>
- Wahid, A., Gunawan, B., & Husodo, T. (2016). Efektivitas Pelaksanaan Rencana Pengelolaan Lingkungan Dan Rencana Pemantauan Lingkungan (Rkl-Rpl) Pertambangan Batubara Pt. Adaro Indonesia Di Kabupaten Tabalong, Provinsi Kalimantan Selatan. *Bio-Site/ Biologi*, 02(1), 13–26. Retrieved from <http://online-journal.unja.ac.id/index.php/BST/article/view/3012>
- Wang, Chao, Liu, X., Li, D., Si, J., & Zhao, B. (2014). Measurement of particulate matter and trace elements from a coal-fired power plant with electrostatic precipitators equipped the low temperature economizer. *PROCEEDINGS OF THE COMBUSTION INSTITUTE*, 35(3), 2793–2800. <https://doi.org/https://doi.org/10.1016/j.proci.2014.07.004>
- Wang, Chunbo, Zhang, Y., Shi, Y., Liu, H., Zou, C., Wu, H., & Kang, X. (2017). Research on collaborative control of Hg, As, Pb and Cr by electrostatic-fabric-integrated precipitator and wet flue gas desulphurization in coal-fired power plants. *Fuel*, 210(April), 527–534. <https://doi.org/10.1016/j.fuel.2017.08.108>
- Wang, G., Ma, Z., Deng, J., Li, Z., Duan, L., Zhang, Q., ... Jiang, J. (2019). Characteristics of particulate matter from four coal-fired power plants with low-low temperature electrostatic precipitator in China. *Science of the Total Environment*, 662, 455–461. <https://doi.org/10.1016/j.scitotenv.2019.01.080>
-

- Wang, Q., Huang, X. H. H., Tam, F. C. V., Zhang, X., & Man, K. (2018). Source apportionment of fine particulate matter in Macao, China with and without organic tracer: A comparative study using positive matrix factorization. *Atmospheric Environment*, 111–123. <https://doi.org/10.1016/j.atmosenv.2018.10.057>
- Wangke, W. M. (2010). Persepsi Masyarakat Terhadap Kegiatan Pengembangan Lapangan Uap Dan Pltp Unit 5 Dan 6 Pt Pertamina Geothermal Energy. *Ase*, 6(3), 39–44.
- Watson, J. G., Chow, J. C., & Houck, J. E. (2001). PM_{2.5} chemical source profiles for vehicle exhaust, vegetative burning, geological material, and coal burning in Northwestern Colorado during 1995. *Chemosphere*, 43(8), 1141–1151. [https://doi.org/10.1016/S0045-6535\(00\)00171-5](https://doi.org/10.1016/S0045-6535(00)00171-5)
- Winkler, M. S., Krieger, G. R., Divall, M. J., Cissé, G., Wielga, M., Singer, B. H., ... Utzinger, J. (2013). Untapped potential of health impact assessment. *Bull World Health Organ. Bulletin of the World Health Organization*, 91(4), 298–305. <https://doi.org/10.2471/BLT.12.112318>
- World Health Organization. (2003). Health Aspects of Air Pollution with Particulate Matter, Ozone and Nitrogen Dioxide. *Report on a WHO Working Group Bonn, Germany 13–15 January 2003*, (January), 1–98. Retrieved from http://www.euro.who.int/__data/assets/pdf_file/0005/112199/E79097.pdf
- Xiang, W., Han, B., Zhou, D., & Nzihou, A. (2012). Physicochemical properties and heavy metals leachability of fly ash from coal-fired power plant. *International Journal of Mining Science and Technology*, 22(3), 405–409. <https://doi.org/10.1016/j.ijmst.2011.12.002>
- Yao, Z. T., Ji, X. S., Sarker, P. K., Tang, J. H., Ge, L. Q., Xia, M. S., & Xi, Y. Q. (2015). A comprehensive review on the applications of coal fly ash. *Earth-Science Reviews*, 141, 105–121. <https://doi.org/10.1016/j.earscirev.2014.11.016>
- Yatkin, S., & Bayram, A. (2008). Determination of major natural and anthropogenic source profiles for particulate matter and trace elements in Izmir, Turkey. *71*, 685–696. <https://doi.org/10.1016/j.chemosphere.2007.10.070>
- Yelverton, L. B., Brashear, A. T., Nash, D. G., Brown, J. E., Singer, C. F., Kariher, P. H., & Ryan, V. (2018). Comparison of gaseous and particulate emissions from a pilot-scale combustor using three varieties of coal. *215*(October 2017), 572–579. <https://doi.org/10.1016/j.fuel.2017.10.092>
- Yong, Y. U. E., Qiang, Y. A. O., Shui-qing, L. I., & Qiang, S. (2005). *Emission Characteristics of PM 10 and Trace Elements from A Coal-fired Power Plant Equipped with ESP Emission Characteristics of PM 10 and Trace Elements from A Coal-fired Power Plant Equipped with ESP*. (February 2015), 249–252.
- Zevenhoven, R., & Kilpinen, P. (2002). *in flue gases and fuel gases*. 2001(June 2001), 2–7.
- Zhang, Yingying, Ji, X., Ku, T., Li, G., & Sang, N. (2016). Heavy metals bound to fine particulate matter from northern China induce season-dependent health risks: A study based on myocardial. *Environmental Pollution*, 216, 380–390. <https://doi.org/10.1016/j.envpol.2016.05.072>
- Zhang, Yongsheng, Shang, P., Wang, J., Norris, P., Romero, C. E., & Pan, W. ping. (2017). Trace element (Hg, As, Cr, Cd, Pb) distribution and speciation in coal-fired power plants. *Fuel*, 208, 647–654. <https://doi.org/10.1016/j.fuel.2017.07.064>
- Zhao, S., Duan, Y., Chen, L., Li, Y., Yao, T., Liu, S., ... Lu, J. (2017). Study on emission of hazardous trace elements in a 350 MW coal-fired power plant. Part 2. arsenic, chromium, barium, manganese, lead*. *Environmental Pollution*, (x), 2–9. <https://doi.org/10.1016/j.envpol.2017.04.009>
- Zhao, S., Duan, Y., Li, Y., Liu, M., Lu, J., Ding, Y., & Gu, X. (2018). Emission characteristic and transformation mechanism of hazardous trace elements in a coal-fired power plant. *Fuel*, 214(June 2017), 597–606. <https://doi.org/10.1016/j.fuel.2017.09.093>
-

Zhou, J., Xiong, Y., Xing, Z., Deng, J., & Du, K. (2017). *Characterizing and sourcing ambient PM_{2.5} over key emission regions in China II: Organic molecular markers and CMB modeling*. 163, 57–64. <https://doi.org/10.1016/j.atmosenv.2017.05.033>
